

2007 Reuse Inventory

March 2009



**Florida Department of Environmental Protection
Water Reuse Program**



TABLE OF CONTENTS

| | |
|--|-----------|
| TABLE OF CONTENTS | ii |
| 2007 REUSE INVENTORY | 1 |
| Purpose | 1 |
| Inventory Design | 1 |
| Results | 2 |
| Supplemental Water Supplies | 13 |
| Reuse Rates | 13 |
| Efficient and Effective Water Reuse | 13 |
| Water Resource Caution Areas | 18 |
| Cross-Connection Control | 18 |
| PREVIOUS INVENTORIES AND TRENDS | 19 |
| FUTURE UPDATES | 19 |
| REUSE WEBPAGE | 19 |
| REFERENCES | 21 |
| APPENDICES | |
| Appendix A. Reuse Systems in the Inventory | A-1 |
| Appendix B. Domestic Wastewater Treatment Facilities Providing Reuse | B-1 |
| Appendix C. Supplemental Water Supplies | C-1 |
| Appendix D. Reclaimed Water Utilization | D-1 |
| Appendix E. Effluent Disposal Summary For Reuse Systems | E-1 |
| Appendix F. Public Access Reuse Systems | F-1 |
| Appendix G. Edible Crop Inventory | G-1 |
| Appendix H. Charges for Use of Reclaimed Water | H-1 |
| Appendix I. Disposal Facilities (Domestic Wastewater Treatment Facilities With No Reuse) | I-1 |

| | |
|---|------------|
| Appendix J. Cross-Connection Control Activities | J-1 |
| Appendix K. Codes, Abbreviations, Definitions, and Defaults Used in the Database and in the Appendices | K-1 |

LIST OF TABLES

| | |
|--|-----------|
| Table 1. Summary of Treatment/Reuse Facilities Data | 3 |
| Table 2. Summary of Reuse Activities | 4 |
| Table 3. County Capacity and Flow Ratios | 5 |
| Table 4. Per Capita Reuse Information | 8 |
| Table 5. Reuse Flow for Reuse Types by DEP District and Water Management District | 11 |
| Table 6. Capacity and Flow Ratios by DEP District and Water Management District | 12 |
| Table 7. Summary of Reuse Rates | 13 |
| Table 8. Potable Water Offset and Recharge Flows Due to Water Reuse In Florida | 15 |
| Table 9. Reuse Activity in Water Resource Caution Areas | 18 |
| Table 10. Summary of DEP Reuse Inventories | 19 |

LIST OF FIGURES

| | |
|--|-----------|
| Figure 1. Reclaimed Water Utilization | 10 |
| Figure 2. Florida's Reuse Growth | 20 |

2007 REUSE INVENTORY

Purpose

Water conservation and the promotion of reuse of reclaimed water have been established in Sections 403.064 and 373.250, Florida Statutes (F.S.), as formal state objectives. This inventory and future, annual updates of the inventory will enable monitoring of the State's efforts to encourage and promote reuse of reclaimed water in Florida. In addition, the information contained in the inventory gives municipalities and utilities interested in developing reuse programs access to other communities and utilities that have already implemented such programs.

Inventory Design

Chapter 62-610, Florida Administrative Code (F.A.C.), requires owners (permittees) of domestic wastewater facilities having permitted capacities of 0.1 million gallons per day (mgd) and above that provide reclaimed water for reuse to submit annual reports on the Florida Department of Environmental Protection (DEP) Form 62-610.300(4)(a)2. The annual reports are the basis for this inventory. Permits issued after January 1996 by DEP for reuse facilities include requirements for annual submittal of these forms. The forms for the 2007 reuse inventory were due on January 1, 2008.

Information obtained from the report forms was entered into the Department's "Reuse Inventory Database," which is a Microsoft Access 2003 database.

In addition to the reuse reports received from the owners and operators of the wastewater treatment facilities, flow data and other information was obtained from the Department's wastewater databases. Data from the 2006 reuse inventory were used for facilities that did not submit a 2007 annual reuse report form.

The 2007 reuse inventory includes all active domestic wastewater treatment facilities having permitted capacities of 0.1 mgd or more. This threshold is also the minimum treatment plant capacity that is allowed by Chapter 62-610, F.A.C., to provide reclaimed water for irrigation of public access areas (such as parks and golf courses).

Results

Reuse Facilities: A total of 475 domestic wastewater treatment facilities with permitted capacities of 0.1 mgd or above that make reclaimed water available for reuse are included in the 2007 inventory. These facilities have a wastewater treatment plant (WWTP) capacity totaling 2,231 mgd and treated 1,426 mgd of domestic wastewater in 2007. These treatment facilities serve 430 reuse systems which are listed in Appendix A. Approximately 663 mgd of reclaimed water from these facilities is reused for beneficial purposes. The total reuse capacity associated with these systems is 1,417 mgd. Appendices B, D, and E provide information on these treatment facilities and their reuse and disposal practices.

Disposal Facilities: There are about 76 active domestic wastewater treatment facilities having permitted capacities of 0.1 mgd or greater that do not provide reuse of any kind. These facilities have a total WWTP capacity of 238 mgd and a total WWTP flow of 108 mgd. Appendix I provides information on facilities that engage in disposal activities only.

All Facilities: The 551 domestic wastewater treatment facilities with permitted capacities of 0.1 mgd or more have a total WWTP capacity of almost 2,469 mgd and a total WWTP flow of 1,534 mgd.

Table 1 summarizes the survey data in terms of the number of treatment facilities and reuse systems in each DEP district and water management district, as well as the breakdown of public access reuse, such as the number of residences, golf courses, parks, and schools irrigated by reclaimed water.

Table 2 provides a summary of reuse activities by reuse type, including the number of reuse systems, capacity, flow, and area for each reuse subtype.

Table 3 provides a summary, by county, of the total domestic wastewater treatment plant and reuse capacities and flows for all facilities with permitted capacities of 0.1 mgd or greater, the ratio of the reuse capacity to wastewater treatment plant capacity, and the ratio of the reuse flow to total WWTP flow.

Table 4 shows the per capita reuse capacities and reuse flows of each Florida county. The per capita usage is based on 2007 population estimates from the State of Florida's Demographic Estimating Conference, February 2008 and the Florida Demographic Database, August 2008 (Florida Legislature, 2008).

Figure 1 shows the percentage of reclaimed water utilization by flow for each reuse type.

Table 5 compares the types of reclaimed water utilization in each DEP district and water management district.

Table 6 shows reuse capacity and flow ratios in each DEP district and water management district.

Table 1. Summary of Treatment/Reuse Facilities Data

| Information by District | | | | | | |
|-----------------------------------|------------------------------------|--|------------------------------------|--------------------------------------|-------------------------------|---------------------------------|
| DEP Districts | No. of Treatment Facilities | No. of Reuse Systems ^(a) | No. of Residences Irrigated | No. of Golf Courses Irrigated | No. of Parks Irrigated | No. of Schools Irrigated |
| Central (Orlando) | 120 | 106 | 79,529 | 111 | 264 | 85 |
| Northeast (Jacksonville) | 67 | 65 | 11,311 | 37 | 4 | 2 |
| Northwest (Pensacola) | 57 | 56 | 2,114 | 23 | 9 | 2 |
| Southeast (West Palm Beach) | 49 | 47 | 15,873 | 64 | 30 | 17 |
| South (Ft. Myers) | 58 | 56 | 48,371 | 91 | 51 | 22 |
| Southwest (Tampa) | 124 | 100 | 89,643 | 151 | 436 | 144 |
| 2007 Totals | 475 | 430 | 246,841 | 477 | 794 | 272 |
| Water Management Districts | | | | | | |
| Northwest Florida | 58 | 57 | 2,114 | 23 | 9 | 2 |
| South Florida | 113 | 105 | 88,640 | 169 | 185 | 53 |
| St. Johns River | 142 | 131 | 64,709 | 117 | 162 | 73 |
| Suwannee River | 23 | 23 | 0 | 1 | 0 | 0 |
| Southwest Florida | 139 | 114 | 91,378 | 167 | 438 | 144 |
| 2007 Totals | 475 | 430 | 246,841 | 477 | 794 | 272 |
| 2006 Totals | 468 | 441 | 216,248 | 468 | 684 | 274 |
| % Change | + 1.5% | - 2.5% | + 14.1% | + 1.9% | + 16.1% | - 0.7% |

Notes: (a) The number of reuse systems declined because several systems merged with other reuse systems.

Table 2. Summary of Reuse Activities

| Reuse Type | Number of Systems ^(a) | Reuse Capacity ^(b) (mgd) | Reuse Flow ^(b) (mgd) | Reported Area ^(b,c) (acres) | Adjusted Area ^(b,c) (acres) |
|--|----------------------------------|--|------------------------------------|---|---|
| <u>Public Access Areas & Landscape Irrigation</u> | | | | | |
| Golf Course Irrigation | 193 | 293.0 | 136.1 | 55,954 | 60,134 |
| Residential Irrigation | 119 | 401.8 | 180.7 | 123,296 | 143,396 |
| Other Public Access Areas | 113 | 164.8 | 74.2 | 31,060 | 34,710 |
| Subtotal | 425 | 859.6 | 391.0 | 210,310 | 238,241 |
| <u>Agricultural Irrigation</u> | | | | | |
| Edible Crops ^(d) | 18 | 31.4 | 15.9 | 9,619 | 9,619 |
| Other Crops | 102 | 133.0 | 63.6 | 21,918 | 22,788 |
| Subtotal | 120 | 164.5 | 79.5 | 31,537 | 32,407 |
| <u>Ground Water Recharge & Indirect Potable Reuse</u> | | | | | |
| Rapid Infiltration Basins | 161 | 171.9 | 73.0 | 6,371 | 6,715 |
| Absorption Fields | 22 | 10.4 | 3.6 | 676 | 694 |
| Surface Water Augmentation | 0 | 0 | 0 | NA | NA |
| Injection | 0 | 0 | 0 | NA | NA |
| Subtotal | 183 | 182.2 | 76.6 | 7,047 | 7,409 |
| <u>Industrial</u> | | | | | |
| At Treatment Plant | 92 | 82.1 | 48.9 | 448 | 448 |
| At Other Facilities | 29 | 76.4 | 43.0 | 2,475 | 2,475 |
| Subtotal | 121 | 158.5 | 91.9 | 2,923 | 2,923 |
| <u>Toilet Flushing</u> | 7 | 1.2 | 1.3 | NA | NA |
| <u>Fire Protection</u> | 1 | 0.1 | 0.1 | NA | NA |
| <u>Wetlands</u> | 12 | 43.7 | 20.3 | 4,263 | 4,263 |
| <u>Other Uses</u> | 11 | 6.8 | 2.8 | 109 | 109 |
| 2007 Totals | 430 | 1,416.6 | 663.3 | 256,201 | 285,352 |
| 2006 Totals | 441 | 1,368.3 | 662.7 | 268,153 | NA |
| % Change | -2.5% | +3.5% | +0.08% | -4.5% | NA |

Notes: (a) The numbers of systems are not additive since a single system may engage in one or more reuse activity.

(b) Discrepancies in column totals are due to internal rounding associated with the development of this summary table.

(c) Some facilities did not report the acreage where reclaimed water was applied. For a better representation of the actual acreage, the averages of the reported areas were used to adjust the acreage totals to include the non-reported values.

(d) About 89% of total area for edible crops is citrus – including oranges, grapefruit, and tangerines.

Table 3. County Capacity and Flow Ratios

| County | Total WWTP Capacity (mgd)^(a) | Total WWTP Flow (mgd)^(a) | Reuse Capacity (mgd) | Reuse Flow (mgd) | Capacity Ratio^(b) | Flow Ratio^(c) |
|---------------|--|--|-----------------------------|-------------------------|-------------------------------------|---------------------------------|
| Alachua | 27.1 | 17.4 | 10.7 | 5.3 | 0.39 | 0.30 |
| Baker | 1.7 | 1.0 | 0.4 | 0.3 | 0.24 | 0.30 |
| Bay | 25.1 | 11.7 | 4.4 | 3.7 | 0.18 | 0.32 |
| Bradford | 3.4 | 1.8 | 2.7 | 1.6 | 0.79 | 0.89 |
| Brevard | 63.8 | 35.9 | 47.7 | 24.7 | 0.75 | 0.69 |
| Broward | 275.0 | 203.5 | 14.6 | 10.8 | 0.05 | 0.05 |
| Calhoun | 1.5 | 0.5 | 0.0 | 0.0 | 0.00 | 0.00 |
| Charlotte | 15.4 | 8.7 | 13.5 | 3.6 | 0.88 | 0.41 |
| Citrus | 5.6 | 3.2 | 5.6 | 2.9 | 1.00 | 0.91 |
| Clay | 19.2 | 9.0 | 12.6 | 6.4 | 0.66 | 0.71 |
| Collier | 58.6 | 27.1 | 33.9 | 22.9 | 0.58 | 0.85 |
| Columbia | 3.5 | 2.7 | 3.5 | 2.7 | 1.00 | 1.00 |
| De Soto | 2.8 | 1.1 | 2.5 | 1.0 | 0.89 | 0.91 |
| Dixie | 0.7 | 0.3 | 0.0 | 0.0 | 0.00 | 0.00 |
| Duval | 132.5 | 78.7 | 20.4 | 7.0 | 0.15 | 0.09 |
| Escambia | 33.5 | 22.6 | 15.5 | 6.5 | 0.46 | 0.29 |
| Flagler | 15.2 | 8.0 | 11.2 | 7.1 | 0.74 | 0.89 |
| Franklin | 3.6 | 0.6 | 1.4 | 0.4 | 0.39 | 0.67 |
| Gadsden | 4.3 | 1.9 | 1.5 | 0.5 | 0.35 | 0.26 |
| Gilchrist | 0.3 | 0.2 | 0.3 | 0.2 | 1.00 | 1.00 |
| Glades | 0.0 | 0.0 | 0.0 | 0.0 | - | - |
| Gulf | 35.3 | 3.8 | 0.4 | 0.2 | 0.01 | 0.05 |
| Hamilton | 1.5 | 0.7 | 0.2 | 0.1 | 0.13 | 0.14 |
| Hardee | 1.9 | 1.1 | 1.9 | 1.1 | 1.00 | 1.00 |
| Hendry | 3.1 | 1.8 | 3.1 | 1.8 | 1.00 | 1.00 |
| Hernando | 14.8 | 4.7 | 15.0 | 4.1 | 1.01 | 0.87 |
| Highlands | 5.2 | 2.3 | 4.2 | 1.9 | 0.81 | 0.83 |
| Hillsborough | 149.0 | 98.8 | 63.9 | 40.0 | 0.43 | 0.40 |
| Holmes | 1.4 | 0.6 | 0.0 | 0.0 | 0.00 | 0.00 |
| Indian River | 12.5 | 7.0 | 14.1 | 7.5 | 1.13 | 1.07 |
| Jackson | 6.4 | 2.5 | 5.3 | 2.1 | 0.83 | 0.84 |
| Jefferson | 1.3 | 0.7 | 1.1 | 0.6 | 0.85 | 0.86 |

Table 3. County Capacity and Flow Ratios

| County | Total WWTP Capacity (mgd)^(a) | Total WWTP Flow (mgd)^(a) | Reuse Capacity (mgd) | Reuse Flow (mgd) | Capacity Ratio^(b) | Flow Ratio^(c) |
|---------------|--|--|-----------------------------|-------------------------|-------------------------------------|---------------------------------|
| Lafayette | 0.4 | 0.3 | 0.4 | 0.3 | 1.00 | 1.00 |
| Lake | 22.9 | 11.7 | 28.1 | 11.4 | 1.23 | 0.97 |
| Lee | 75.9 | 46.7 | 93.3 | 47.2 | 1.23 | 1.01 |
| Leon | 32.6 | 17.2 | 31.4 | 17.2 | 0.96 | 1.00 |
| Levy | 1.1 | 0.4 | 1.1 | 0.4 | 1.00 | 1.00 |
| Liberty | 0.5 | 0.2 | 0.5 | 0.2 | 1.00 | 1.00 |
| Madison | 1.5 | 0.6 | 2.2 | 0.67 | 1.47 | 1.12 |
| Manatee | 48.9 | 27.6 | 42.8 | 17.8 | 0.88 | 0.64 |
| Marion | 20.0 | 9.4 | 19.5 | 9.1 | 0.98 | 0.97 |
| Martin | 14.7 | 6.2 | 13.5 | 6.2 | 0.92 | 1.00 |
| Miami-Dade | 374.3 | 301.8 | 22.5 | 17.4 | 0.06 | 0.06 |
| Monroe | 12.1 | 6.0 | 1.3 | 0.3 | 0.11 | 0.05 |
| Nassau | 6.1 | 3.7 | 1.9 | 1.3 | 0.31 | 0.35 |
| Okaloosa | 28.8 | 15.3 | 30.6 | 15.1 | 1.06 | 0.99 |
| Okeechobee | 1.3 | 0.9 | 1.5 | 0.9 | 1.15 | 1.00 |
| Orange | 126.7 | 86.2 | 182.1 | 89.2 | 1.44 | 1.03 |
| Osceola | 30.3 | 23.2 | 52.5 | 25.9 | 1.73 | 1.12 |
| Palm Beach | 189.6 | 117.1 | 83.2 | 40.7 | 0.44 | 0.35 |
| Pasco | 34.9 | 25.6 | 34.8 | 25.3 | 1.00 | 0.99 |
| Pinellas | 171.6 | 98.9 | 218.8 | 62.1 | 1.28 | 0.63 |
| Polk | 56.9 | 29.6 | 42.3 | 20.4 | 0.74 | 0.69 |
| Putnam | 4.3 | 2.1 | 1.3 | 0.5 | 0.30 | 0.24 |
| Santa Rosa | 9.2 | 5.0 | 6.3 | 3.0 | 0.68 | 0.60 |
| Sarasota | 52.6 | 23.4 | 46.4 | 13.8 | 0.88 | 0.59 |
| Seminole | 82.7 | 40.3 | 47.8 | 24.5 | 0.58 | 0.61 |
| St. Johns | 13.0 | 8.5 | 9.7 | 3.9 | 0.75 | 0.46 |
| St. Lucie | 32.1 | 19.5 | 10.9 | 4.4 | 0.34 | 0.23 |
| Sumter | 10.2 | 5.9 | 13.0 | 5.6 | 1.27 | 0.95 |
| Suwannee | 1.6 | 0.9 | 1.5 | 0.9 | 0.94 | 1.00 |
| Taylor | 1.7 | 0.9 | 1.7 | 0.9 | 1.00 | 1.00 |
| Union | 0.7 | 0.5 | 0.7 | 0.5 | 1.00 | 1.00 |
| Volusia | 68.5 | 32.6 | 45.4 | 23.7 | 0.66 | 0.73 |

Table 3. County Capacity and Flow Ratios

| County | Total WWTP Capacity (mgd)^(a) | Total WWTP Flow (mgd)^(a) | Reuse Capacity (mgd) | Reuse Flow (mgd) | Capacity Ratio^(b) | Flow Ratio^(c) |
|--------------------|--|--|-----------------------------|-------------------------|-------------------------------------|---------------------------------|
| Wakulla | 1.1 | 0.7 | 1.1 | 0.7 | 1.00 | 1.00 |
| Walton | 13.2 | 4.6 | 15.5 | 4.1 | 1.17 | 0.89 |
| Washington | 1.9 | 0.8 | 0.7 | 0.3 | 0.37 | 0.38 |
| Total/Avgs: | 2,469.0 | 1,534.1 | 1,416.6 | 663.3 | 0.57^(d) | 0.43^(d) |

Notes: (a) Totals include the wastewater treatment plant (WWTP) capacity and flow of facilities over 0.1 million gallons per day (mgd) that do not provide reuse.

(b) Capacity Ratio = Reuse Capacity/Total WWTP Capacity
 Capacities ratios greater than 1.0 (i.e., greater than 100%) indicate the utility(s) may employ several reuse options, making the reuse capacity greater than the WWTP capacity.

(c) Flow Ratio = Reuse Flow/Total WWTP Flow
 Flow ratios greater than 1.0 (i.e., greater than 100%) indicate that reuse may include supplemental water supplies, reclaimed water recovered from aquifer storage recover wells, or reclaimed water that is reused at the treatment plant and then reused again offsite.

(d) State Average

Table 4. Per Capita Reuse Information

| County | Population (2007)^(a) | Reuse Capacity (gpd/person)^(b) | Reuse Flow (gpd/person)^(c) | Rank (flow)^(d) | Rank (population)^(e) |
|---------------------|--|--|--|----------------------------------|--|
| Alachua | 247,561 | 43.22 | 21.41 | 45 | 23 |
| Baker | 25,623 | 15.61 | 11.71 | 54 | 52 |
| Bay | 167,631 | 26.25 | 22.07 | 43 | 27 |
| Bradford | 29,055 | 92.93 | 55.07 | 15 | 50 |
| Brevard | 552,109 | 86.40 | 44.74 | 19 | 10 |
| Broward | 1,765,707 | 8.27 | 6.12 | 62 | 2 |
| Calhoun | 14,477 | 0 | 0 | 64-67 | 63 |
| Charlotte | 164,584 | 82.02 | 21.87 | 44 | 28 |
| Citrus | 140,124 | 39.96 | 20.70 | 48 | 32 |
| Clay | 184,644 | 68.24 | 34.66 | 30 | 25 |
| Collier | 333,858 | 101.54 | 68.59 | 7 | 15 |
| Columbia | 65,373 | 53.54 | 41.30 | 23 | 40 |
| De Soto | 33,983 | 73.57 | 29.43 | 35 | 48 |
| Dixie | 15,808 | 0 | 0 | 64-67 | 59 |
| Duval | 897,597 | 22.73 | 7.80 | 58 | 7 |
| Escambia | 311,775 | 49.72 | 20.85 | 47 | 18 |
| Flagler | 93,568 | 119.70 | 75.88 | 5 | 35 |
| Franklin | 12,249 | 114.30 | 32.66 | 32 | 64 |
| Gadsden | 49,398 | 30.37 | 10.12 | 56 | 43 |
| Gilchrist | 17,106 | 17.54 | 11.69 | 55 | 57 |
| Glades | 11,055 | 0 | 0 | 64-67 | 65 |
| Gulf | 16,815 | 23.79 | 11.89 | 53 | 58 |
| Hamilton | 14,705 | 13.60 | 6.80 | 60 | 61 |
| Hardee | 27,520 | 69.04 | 39.97 | 25 | 51 |
| Hendry | 39,651 | 78.18 | 45.40 | 18 | 45 |
| Hernando | 162,193 | 92.48 | 25.28 | 38 | 29 |
| Highlands | 98,727 | 42.54 | 19.24 | 49 | 34 |
| Hillsborough | 1,192,861 | 53.57 | 33.53 | 31 | 4 |
| Holmes | 19,464 | 0 | 0 | 64-67 | 56 |
| Indian River | 139,757 | 100.89 | 53.66 | 16 | 33 |
| Jackson | 50,416 | 105.13 | 41.65 | 21 | 42 |
| Jefferson | 14,494 | 75.89 | 41.40 | 22 | 62 |
| Lafayette | 8,215 | 48.69 | 36.52 | 27 | 66 |
| Lake | 286,499 | 98.08 | 39.79 | 26 | 19 |
| Lee | 615,741 | 151.52 | 76.66 | 4 | 8 |
| Leon | 272,896 | 115.06 | 63.03 | 10 | 20 |
| Levy | 40,045 | 27.47 | 9.99 | 57 | 44 |
| Liberty | 7,772 | 64.33 | 25.73 | 37 | 67 |
| Madison | 19,944 | 110.31 | 65.18 | 9 | 55 |
| Manatee | 315,890 | 135.49 | 56.35 | 14 | 17 |

Table 4. Per Capita Reuse Information

| County | Population (2007)^(a) | Reuse Capacity (gpd/person)^(b) | Reuse Flow (gpd/person)^(c) | Rank (flow)^(d) | Rank (population)^(e) |
|----------------|--|--|--|----------------------------------|--|
| Marion | 325,023 | 60.00 | 28.00 | 36 | 16 |
| Martin | 143,737 | 93.92 | 43.13 | 20 | 30 |
| Miami-Dade | 2,462,292 | 9.14 | 7.07 | 59 | 1 |
| Monroe | 78,987 | 16.46 | 3.80 | 63 | 37 |
| Nassau | 69,569 | 27.31 | 18.69 | 50 | 39 |
| Okaloosa | 196,540 | 155.69 | 76.83 | 3 | 24 |
| Okeechobee | 39,030 | 38.43 | 23.06 | 40 | 47 |
| Orange | 1,105,603 | 164.71 | 80.68 | 2 | 5 |
| Osceola | 266,123 | 197.28 | 97.32 | 1 | 22 |
| Palm Beach | 1,295,033 | 64.25 | 31.43 | 34 | 3 |
| Pasco | 434,425 | 80.11 | 58.24 | 12 | 12 |
| Pinellas | 944,199 | 231.73 | 65.77 | 8 | 6 |
| Polk | 581,058 | 72.80 | 35.11 | 29 | 9 |
| Putnam | 74,799 | 17.38 | 6.68 | 61 | 38 |
| Santa Rosa | 142,144 | 44.32 | 21.11 | 46 | 31 |
| Sarasota | 387,461 | 119.75 | 35.62 | 28 | 14 |
| Seminole | 425,698 | 112.29 | 57.55 | 13 | 13 |
| St. Johns | 173,935 | 55.77 | 22.42 | 42 | 26 |
| St. Lucie | 271,961 | 40.08 | 16.18 | 51 | 21 |
| Sumter | 89,771 | 144.81 | 62.38 | 11 | 36 |
| Suwannee | 39,608 | 37.87 | 22.72 | 41 | 46 |
| Taylor | 22,516 | 75.50 | 39.97 | 24 | 54 |
| Union | 15,722 | 44.52 | 31.80 | 33 | 60 |
| Volusia | 508,014 | 89.37 | 46.65 | 17 | 11 |
| Wakulla | 29,417 | 37.39 | 23.80 | 39 | 49 |
| Walton | 57,093 | 271.49 | 71.81 | 6 | 41 |
| Washington | 23,719 | 29.51 | 12.65 | 52 | 53 |
| Florida | 18,680,367 | 75.83^(f) | 35.51^(f) | | |

Notes: (a) 2007 population estimates from the Office of Economic and Demographic Research/Florida Legislature.

(b) Reuse Capacity = Reuse Capacity (gpd)/Population.

(c) Reuse Flow = Reuse Flow (gpd)/Population.


(d) Counties ranked from highest rate of reuse flow per capita to lowest rate of reuse flow per capita (e.g., county with highest rate of reuse flow per capita is ranked No. 1; counties with no reuse flow per capita tie for last place).

(e) Counties ranked according to population capita (e.g., county with highest population is ranked No. 1).

(f) State average.

*gpd = gallons per day (equivalent to mgd*1,000,000)*

Figure 1. Reclaimed Water Utilization*



* percentages by flow

Table 5. Reuse Flows for Reuse Types by DEP District and Water Management District

| | Public Access Areas | Agricultural Irrigation | Ground Water Recharge | Industrial | Wetlands & Other ^(b) | Totals |
|-----------------------------------|------------------------|----------------------------|--------------------------|--------------|------------------------------------|---------------|
| DEP Districts | | | | | | |
| | (mgd) | | | | | |
| Central (Orlando) | 116.88 | 20.88 | 40.36 | 24.68 | 13.61 | 216.41 |
| Northeast (Jacksonville) | 21.85 | 7.98 | 4.08 | 6.65 | 0.17 | 40.72 |
| Northwest (Pensacola) | 12.73 | 31.31 | 2.60 | 1.75 | 5.99 | 54.37 |
| Southeast (West Palm Beach) | 47.19 | 1.86 | 6.51 | 21.08 | 3.82 | 80.46 |
| South (Ft. Myers) | 68.51 | 2.32 | 6.46 | 0.91 | 0.30 | 78.49 |
| Southwest (Tampa) | 123.81 | 15.10 | 16.57 | 36.80 | 0.55 | 192.82 |
| 2007 Totals | 390.97 | 79.45 | 76.57 | 91.88 | 24.42 | 663.28 |
| Water Management Districts | | | | | | |
| | (mgd) | | | | | |
| Northwest Florida | 12.73 | 31.39 | 2.60 | 1.75 | 5.99 | 54.46 |
| South Florida | 154.55 | 13.25 | 39.20 | 26.52 | 5.46 | 238.98 |
| St. Johns River | 96.22 | 11.81 | 14.48 | 25.89 | 12.28 | 160.68 |
| Suwannee River | 0.16 | 7.74 | 0.87 | 0.83 | 0.14 | 9.74 |
| Southwest Florida | 127.31 | 15.26 | 19.41 | 36.89 | 0.55 | 199.42 |
| 2007 Totals | 390.97 | 79.45 | 76.57 | 91.88 | 24.42 | 663.28 |
| 2006 Totals | 352.91 | 82.58 | 92.63 | 90.40 | 44.22 | 662.73 |
| % Change | +10.8% | -3.8% | -17.3% | +1.6% | -44.8% | +0.08 |

Notes: (a) Any discrepancies in totals are due to internal rounding associated with developing this table.

(b) Includes fire protection, toilet flushing and "other uses."

Table 6. Capacity and Flow Ratios by DEP District and Water Management District

| | Reuse Capacity (mgd) | Total Capacity ^(b) (mgd) | Capacity Ratio ^(c) | Reuse Flow (mgd) | Total Flow ^(b) (mgd) | Flow Ratio ^(d) |
|-----------------------------------|-------------------------|--|----------------------------------|---------------------|------------------------------------|------------------------------|
| DEP Districts | | | | | | |
| Central (Orlando) | 436.7 | 427.1 | 1.02 | 216.4 | 246.6 | 0.88 |
| Northeast (Jacksonville) | 82.5 | 235.7 | 0.35 | 40.7 | 137.8 | 0.30 |
| Northwest (Pensacola) | 115.3 | 199.2 | 0.58 | 54.4 | 88.4 | 0.61 |
| Southeast (West Palm Beach) | 146.2 | 886.9 | 0.16 | 80.5 | 649.0 | 0.12 |
| South (Ft. Myers) | 150.4 | 171.3 | 0.88 | 78.5 | 93.4 | 0.84 |
| Southwest (Tampa) | 485.5 | 548.8 | 0.88 | 192.8 | 318.8 | 0.60 |
| 2007 Totals | 1,416.6 | 2,469.0 | 0.57^(e) | 663.3 | 1,534.1 | 0.43^(e) |
| Water Management Districts | | | | | | |
| Northwest Florida | 115.5 | 199.5 | 0.58 | 54.5 | 88.6 | 0.61 |
| South Florida | 478.9 | 1158.9 | 0.41 | 239.0 | 812.0 | 0.29 |
| St. Johns River | 306.2 | 525.9 | 0.58 | 160.7 | 295.0 | 0.54 |
| Suwannee River | 16.2 | 17.9 | 0.91 | 9.7 | 10.0 | 0.97 |
| Southwest Florida | 499.8 | 566.9 | 0.88 | 199.4 | 328.5 | 0.61 |
| 2007 Totals | 1,416.6 | 2,469.0 | 0.57^(e) | 663.3 | 1,534.1 | 0.43^(e) |

- Note: (a) Discrepancies in totaling the columns are due to internal rounding associated with the development of this table.
- (b) Totals include the wastewater treatment plant (WWTP) capacity and flow of facilities over 0.1 million gallons per day (mgd) that do not provide reuse.
- (c) Capacity Ratio = Reuse Capacity/Total WWTP Capacity
Capacities ratios greater than 1.0 (i.e., greater than 100%) indicate the utility(s) may employ several reuse options, making the reuse capacity greater than the WWTP capacity.
- (d) Flow Ratio = Reuse Flow/Total WWTP Flow
- (e) State Average

Supplemental Water Supplies

Some reuse systems use other sources of water to augment the reclaimed water supply. In 2007, a total of 48 reuse systems in Florida used 12.76 mgd of surface water, 16.31 mgd of ground water, 2.52 mgd of stormwater, and 1.23 mgd of drinking water to supplement reclaimed water supplies. An additional 2.7 mgd of supplemental water was from unspecified sources (i.e., the annual reuse report did not specify whether it was groundwater, surface water or stormwater, etc) for a total of 35.52 mgd of supplemental water used in 2007. In addition, 4.92 mgd of demineralization concentrate was blended with reclaimed water while 0.4 mgd of reclaimed water was recovered from aquifer storage and recovery (ASR) wells and sent to a reuse system. Appendix C shows the 48 reuse systems in the state which use supplemental water supplies.

Reuse Rates

Utilities recoup costs associated with the reuse system through rate recovery. Reuse costs can be allocated among wastewater customers, water users, and reclaimed water users. Table 7 provides a summary of charges made for the use of reclaimed water in Florida for reuse systems that reported charging fees. There were 17 systems that reported not charging a fee to either their residential or non-residential customers for a total of 254 reuse systems evaluated (see Appendix H).

Table 7. Summary of Reuse Rates

| Residential Customers | | | | |
|---|----------------|---------------|-------------------|-----------------------|
| | <i>Average</i> | <i>Median</i> | <i>Range</i> | <i>No. of Systems</i> |
| Flat Rate Only (\$/month) | \$8.64 | \$8.62 | \$3.39 - \$16.06 | 26 |
| Gallonge Charge Only (\$/1000 gallons) | \$0.82 | \$0.45 | \$0.19 - \$3.17 | 38 |
| Combination Flat and per Gallon Charge | | | | |
| Flat Rate (\$/month) | \$8.40 | \$6.22 | \$2.27 – \$35.00 | 44 |
| Gallonge Charge (\$/1000 gallons) | \$0.60 | \$0.45 | \$0.10 – \$1.23 | |
| Non-Residential Customers | | | | |
| | <i>Average</i> | <i>Median</i> | <i>Range</i> | <i>No. of Systems</i> |
| Flat Rate Only (\$/month) | \$452.5 | \$16.00 | \$3.39 - \$2,000 | 16 |
| Gallonge Charge Only (\$/1000 gallons) | \$0.42 | \$0.30 | \$0.04 - \$3.17 | 77 |
| Combination Flat and per Gallon Charge | | | | |
| Flat Rate (\$/month) | \$70.77 | \$21.23 | \$3.75 – \$644.50 | 36 |
| Gallonge Charge (\$/1000 gallons) | \$0.68 | \$0.58 | \$0.05 – \$1.56 | |

Efficient and Effective Water Reuse

In 2003, Water Reuse for Florida: Strategies for Effective Use of Reclaimed Water, also known as, "*The Strategies Report*," was published. The report identifies strategies for increasing the efficient and effective use of reclaimed water. Two concepts

introduced in the report, "potable quality water offset" and "recharge fraction," will play increasingly important roles in shaping efficient and effective water reuse in Florida. "Potable quality water offset" means the amount of potable quality water saved through the use of reclaimed water expressed as a percentage of the total reclaimed water used. "Recharge fraction" means the portion of reclaimed water used that recharges an underlying potable quality ground water or surface water that is used for potable supply, expressed as a percentage of the total reclaimed water used.

Table 8 shows the amount of reclaimed water used to offset and recharge potable quality water. The 663 mgd of reclaimed water used in 2007 is estimated to have offset (avoided) the use of 360 mgd of potable quality water while serving to add 214 mgd back to available water supplies. These estimates do not include the 23 mgd of reclaimed water discharged to wetlands or used for "other purposes."

Table 8. Potable Water Offset and Recharge Flows Due to Water Reuse In Florida (mgd)

| County | Golf Course Irrigation | | | Residential Irrigation | | | Other Public Access Areas | | | Ground Water Recharge & Indirect Potable Reuse | | Agricultural Irrigation | | | Industrial Uses, Toilet Flushing & Fire Protection | | Totals | | |
|--------------|------------------------|--------|-------------------|------------------------|--------|-------------------|---------------------------|--------|-------------------|--|-------------------|-------------------------|--------|-------------------|--|--------|------------|--------|-------------------|
| | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | Total Flow | Offset | RF ^(b) |
| Alachua | 0.32 | 0.24 | 0.03 | 3.00 | 1.20 | 1.35 | 0.49 | 0.29 | 0.15 | 0.12 | 0.11 | 0.60 | 0.36 | 0.21 | 0.75 | 0.75 | 5.28 | 2.84 | 1.84 |
| Baker | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.10 | 0.09 | 0.17 | 0.10 | 0.06 | 0 | 0 | 0.27 | 0.10 | 0.15 |
| Bay | 1.66 | 1.25 | 0.17 | 0.89 | 0.36 | 0.40 | 1.00 | 0.60 | 0.30 | 0 | 0 | 0 | 0 | 0 | 0.12 | 0.12 | 3.67 | 2.32 | 0.87 |
| Bradford | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.50 | 0.90 | 0.52 | 0.10 | 0.10 | 1.59 | 0.99 | 0.52 |
| Brevard | 6.35 | 4.76 | 0.63 | 10.45 | 4.18 | 4.70 | 4.50 | 2.70 | 1.35 | 0.80 | 0.72 | 0.40 | 0.24 | 0.14 | 1.21 | 1.21 | 23.71 | 13.09 | 7.55 |
| Broward | 2.77 | 2.08 | 0.28 | 1.58 | 0.63 | 0.71 | 0.66 | 0.39 | 0.20 | 0.35 | 0.32 | 0 | 0 | 0 | 5.48 | 5.48 | 10.84 | 8.59 | 1.50 |
| Calhoun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Charlotte | 2.88 | 2.16 | 0.29 | 0.20 | 0.08 | 0.09 | 0.09 | 0.05 | 0.03 | 0.23 | 0.21 | 0 | 0 | 0 | 0.19 | 0.19 | 3.59 | 2.49 | 0.61 |
| Citrus | 0.021 | 0.016 | 0.002 | 0 | 0 | 0 | 0 | 0 | 0 | 0.92 | 0.83 | 1.98 | 1.19 | 0.69 | 0 | 0 | 2.91 | 1.20 | 1.52 |
| Clay | 1.03 | 0.78 | 0.10 | 5.28 | 2.11 | 2.37 | 0 | 0 | 0 | 0.11 | 0.10 | 0 | 0 | 0 | 0 | 0 | 6.42 | 2.89 | 2.58 |
| Collier | 9.50 | 7.13 | 0.95 | 5.38 | 2.15 | 2.42 | 5.66 | 3.40 | 1.70 | 1.46 | 1.31 | 0.95 | 0.57 | 0.33 | 0 | 0 | 22.95 | 13.24 | 6.71 |
| Columbia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.55 | 1.53 | 0.89 | 0.14 | 0.14 | 2.69 | 1.67 | 0.89 |
| De Soto | 0.18 | 0.14 | 0.02 | 0 | 0 | 0 | 0.10 | 0.06 | 0.03 | 0.10 | 0.09 | 0.63 | 0.38 | 0.22 | 0 | 0 | 1.01 | 0.57 | 0.36 |
| Dixie | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Duval | 2.08 | 1.56 | 0.21 | 0 | 0 | 0 | 0 | 0 | 0 | 0.22 | 0.20 | 0 | 0 | 0 | 4.68 | 4.68 | 6.98 | 6.24 | 0.41 |
| Escambia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.06 | 0.06 | 0 | 0 | 0 | 1.42 | 1.42 | 1.49 | 1.42 | 0.06 |
| Flagler | 2.07 | 1.55 | 0.21 | 2.77 | 1.11 | 1.25 | 0.10 | 0.06 | 0.03 | 2.18 | 1.96 | 0 | 0 | 0 | 0 | 0 | 7.12 | 2.72 | 3.44 |
| Franklin | 0.03 | 0.02 | 0.003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.34 | 0.20 | 0.12 | 0.04 | 0.04 | 0.41 | 0.27 | 0.12 |
| Gadsden | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.37 | 0.34 | 0.08 | 0.05 | 0.03 | 0.08 | 0.08 | 0.53 | 0.13 | 0.36 |
| Gilchrist | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.24 | 0.14 | 0.08 | 0 | 0 | 0.24 | 0.14 | 0.08 |
| Glades | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Gulf | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.22 | 0.13 | 0.08 | 0 | 0 | 0.22 | 0.13 | 0.08 |
| Hamilton | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.11 | 0.10 | 0 | 0 | 0 | 0 | 0 | 0.11 | 0 | 0.10 |
| Hardee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.36 | 0.22 | 0.13 | 0.73 | 0.73 | 1.10 | 0.95 | 0.13 |
| Hendry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.54 | 0.48 | 1.28 | 0.77 | 0.45 | 0 | 0 | 1.82 | 0.77 | 0.93 |
| Hernando | 1.31 | 0.98 | 0.13 | 0 | 0 | 0 | 0 | 0 | 0 | 1.91 | 1.72 | 0 | 0 | 0 | 0.83 | 0.83 | 4.06 | 1.81 | 1.85 |
| Highlands | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.88 | 1.69 | 0 | 0 | 0 | 0 | 0 | 1.88 | 0.00 | 1.69 |
| Hillsborough | 2.40 | 1.80 | 0.24 | 14.06 | 5.63 | 6.33 | 3.01 | 1.80 | 0.90 | 0.31 | 0.28 | 0.38 | 0.23 | 0.13 | 19.84 | 19.84 | 40.00 | 29.30 | 7.88 |

Table 8. Potable Water Offset and Recharge Flows Due to Water Reuse In Florida (mgd)

| County | Golf Course Irrigation | | | Residential Irrigation | | | Other Public Access Areas | | | Ground Water Recharge & Indirect Potable Reuse | | Agricultural Irrigation | | | Industrial Uses, Toilet Flushing & Fire Protection | | Totals | | |
|--------------|------------------------|--------|-------------------|------------------------|--------|-------------------|---------------------------|--------|-------------------|--|-------------------|-------------------------|--------|-------------------|--|--------|------------|--------|-------------------|
| | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | Total Flow | Offset | RF ^(b) |
| Holmes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Indian River | 2.45 | 1.84 | 0.25 | 2.43 | 0.97 | 1.09 | 0.16 | 0.10 | 0.05 | 0.08 | 0.08 | 0 | 0 | 0 | 0.46 | 0.46 | 5.59 | 3.37 | 1.46 |
| Jackson | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.01 | 1.21 | 0.70 | 0.04 | 0.04 | 2.06 | 1.25 | 0.70 |
| Jefferson | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.08 | 0.05 | 0.03 | 0 | 0 | 0.08 | 0.05 | 0.03 |
| Lafayette | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.17 | 0.15 | 0.11 | 0.07 | 0.04 | 0 | 0 | 0.28 | 0.07 | 0.19 |
| Lake | 1.97 | 1.48 | 0.20 | 1.35 | 0.54 | 0.61 | 0.20 | 0.12 | 0.06 | 3.66 | 3.30 | 4.21 | 2.52 | 1.47 | 0.02 | 0.02 | 11.40 | 4.67 | 5.63 |
| Lee | 12.50 | 9.37 | 1.25 | 30.33 | 12.13 | 13.65 | 1.61 | 0.97 | 0.48 | 1.78 | 1.60 | 0.08 | 0.05 | 0.03 | 0.83 | 0.83 | 47.13 | 23.35 | 17.02 |
| Leon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.25 | 0.22 | 16.91 | 10.15 | 5.92 | 0 | 0 | 17.16 | 10.15 | 6.14 |
| Levy | 0 | 0 | 0 | 0 | 0 | 0 | 0.015 | 0.009 | 0.005 | 0.27 | 0.24 | 0.16 | 0.10 | 0.06 | 0 | 0 | 0.44 | 0.11 | 0.30 |
| Liberty | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.18 | 0.16 | 0 | 0 | 0 | 0 | 0 | 0.18 | 0 | 0.16 |
| Madison | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.58 | 0.35 | 0.20 | 0.70 | 0.70 | 1.28 | 1.05 | 0.20 |
| Manatee | 1.78 | 1.34 | 0.18 | 8.65 | 3.46 | 3.89 | 1.24 | 0.74 | 0.37 | 0 | 0 | 5.60 | 3.36 | 1.96 | 0.49 | 0.49 | 17.76 | 9.39 | 6.40 |
| Marion | 1.28 | 0.96 | 0.13 | 0.003 | 0.001 | 0.001 | 2.32 | 1.39 | 0.70 | 0.96 | 0.86 | 4.58 | 2.75 | 1.60 | 0 | 0 | 9.14 | 5.10 | 3.29 |
| Martin | 3.09 | 2.32 | 0.31 | 0.70 | 0.28 | 0.31 | 0.22 | 0.13 | 0.06 | 0.25 | 0.23 | 1.04 | 0.62 | 0.36 | 0.92 | 0.92 | 6.21 | 4.27 | 1.28 |
| Miami-Dade | 0 | 0 | 0 | 0 | 0 | 0 | 0.58 | 0.35 | 0.17 | 4.84 | 4.35 | 0 | 0 | 0 | 11.88 | 11.88 | 17.29 | 12.23 | 4.53 |
| Monroe | 0.20 | 0.15 | 0.02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.10 | 0.10 | 0.30 | 0.25 | 0.02 |
| Nassau | 1.04 | 0.78 | 0.10 | 0 | 0 | 0 | 0 | 0 | 0 | 0.26 | 0.23 | 0 | 0 | 0 | 0.003 | 0.003 | 1.30 | 0.79 | 0.33 |
| Okaloosa | 1.41 | 1.06 | 0.14 | 1.54 | 0.61 | 0.69 | 0.71 | 0.42 | 0.21 | 0.91 | 0.82 | 10.08 | 6.05 | 3.53 | 0 | 0 | 14.64 | 8.14 | 5.39 |
| Okeechobee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.80 | 0.48 | 0.28 | 0 | 0 | 0.80 | 0.48 | 0.28 |
| Orange | 11.17 | 8.38 | 1.12 | 9.37 | 3.75 | 4.22 | 15.89 | 9.53 | 4.77 | 20.12 | 18.11 | 8.64 | 5.18 | 3.02 | 14.24 | 14.24 | 79.43 | 41.09 | 31.23 |
| Osceola | 5.86 | 4.39 | 0.59 | 5.38 | 2.15 | 2.42 | 3.11 | 1.87 | 0.93 | 9.97 | 8.97 | 0.55 | 0.33 | 0.19 | 0.91 | 0.91 | 25.78 | 9.65 | 13.10 |
| Palm Beach | 20.53 | 15.40 | 2.05 | 9.16 | 3.67 | 4.12 | 4.10 | 2.46 | 1.23 | 0.71 | 0.63 | 0.02 | 0.01 | 0.01 | 3.36 | 3.36 | 37.88 | 24.90 | 8.05 |
| Pasco | 3.74 | 2.81 | 0.37 | 9.07 | 3.63 | 4.08 | 2.78 | 1.67 | 0.83 | 8.16 | 7.34 | 0.80 | 0.48 | 0.28 | 0.75 | 0.75 | 25.30 | 9.33 | 12.91 |
| Pinellas | 9.99 | 7.49 | 1.00 | 30.33 | 12.13 | 13.65 | 15.75 | 9.45 | 4.72 | 0 | 0 | 0.02 | 0.01 | 0.01 | 6.02 | 6.02 | 62.11 | 35.11 | 19.38 |
| Polk | 0.96 | 0.72 | 0.10 | 1.49 | 0.59 | 0.67 | 0.39 | 0.23 | 0.12 | 6.69 | 6.02 | 2.18 | 1.31 | 0.76 | 8.14 | 8.14 | 19.83 | 10.99 | 7.66 |
| Putnam | 0.37 | 0.28 | 0.04 | 0 | 0 | 0 | 0 | 0 | 0 | 0.14 | 0.13 | 0 | 0 | 0 | 0 | 0 | 0.51 | 0.28 | 0.16 |
| Santa Rosa | 1.72 | 1.29 | 0.17 | 0.65 | 0.26 | 0.29 | 0.46 | 0.27 | 0.14 | 0.19 | 0.17 | 0 | 0 | 0 | 0.01 | 0.01 | 3.03 | 1.83 | 0.77 |
| Sarasota | 6.54 | 4.90 | 0.65 | 3.72 | 1.49 | 1.67 | 1.28 | 0.77 | 0.39 | 0.07 | 0.07 | 2.13 | 1.28 | 0.75 | 0 | 0 | 13.75 | 8.44 | 3.53 |
| Seminole | 1.43 | 1.07 | 0.14 | 8.60 | 3.44 | 3.87 | 4.50 | 2.70 | 1.35 | 2.47 | 2.23 | 2.83 | 1.70 | 0.99 | 4.07 | 4.07 | 23.89 | 12.97 | 8.58 |

Table 8. Potable Water Offset and Recharge Flows Due to Water Reuse In Florida (mgd)

| County | Golf Course Irrigation | | | Residential Irrigation | | | Other Public Access Areas | | | Ground Water Recharge & Indirect Potable Reuse | | Agricultural Irrigation | | | Industrial Uses, Toilet Flushing & Fire Protection | | Totals | | |
|--------------|------------------------|---------------|-------------------|------------------------|--------------|-------------------|---------------------------|--------------|-------------------|--|-------------------|-------------------------|--------------|-------------------|--|--------------|---------------|---------------|-------------------|
| | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | RF ^(b) | Reuse Flow | Offset | RF ^(b) | Reuse Flow | Offset | Total Flow | Offset | RF ^(b) |
| St. Johns | 2.88 | 2.16 | 0.29 | 0 | 0 | 0 | 0.40 | 0.24 | 0.12 | 0.18 | 0.16 | 0 | 0 | 0 | 0.42 | 0.42 | 3.88 | 2.82 | 0.57 |
| St. Lucie | 0.99 | 0.74 | 0.10 | 2.75 | 1.10 | 1.24 | 0.07 | 0.04 | 0.02 | 0.36 | 0.33 | 0 | 0 | 0 | 0.25 | 0.25 | 4.42 | 2.13 | 1.69 |
| Sumter | 3.75 | 2.82 | 0.38 | 0 | 0 | 0 | 1.33 | 0.80 | 0.40 | 0.10 | 0.09 | 0.37 | 0.22 | 0.13 | 0 | 0 | 5.56 | 3.84 | 0.99 |
| Suwannee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.05 | 0.04 | 0.82 | 0.49 | 0.29 | 0 | 0 | 0.86 | 0.49 | 0.33 |
| Taylor | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.18 | 0.16 | 0.70 | 0.42 | 0.24 | 0 | 0 | 0.88 | 0.42 | 0.41 |
| Union | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.48 | 0.29 | 0.17 | 0 | 0 | 0.48 | 0.29 | 0.17 |
| Volusia | 5.71 | 4.28 | 0.57 | 11.04 | 4.42 | 4.97 | 1.46 | 0.88 | 0.44 | 1.17 | 1.05 | 0.33 | 0.20 | 0.12 | 3.94 | 3.94 | 23.66 | 13.72 | 7.15 |
| Wakulla | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.66 | 0.40 | 0.23 | 0 | 0 | 0.66 | 0.40 | 0.23 |
| Walton | 2.12 | 1.59 | 0.21 | 0.55 | 0.22 | 0.25 | 0 | 0 | 0 | 0.44 | 0.40 | 0.93 | 0.56 | 0.33 | 0.08 | 0.08 | 4.13 | 2.45 | 1.18 |
| Washington | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.20 | 0.18 | 0.08 | 0.05 | 0.03 | 0 | 0 | 0.28 | 0.05 | 0.20 |
| Total | 136.10 | 102.07 | 13.61 | 180.71 | 72.29 | 81.32 | 74.16 | 44.49 | 22.25 | 76.57 | 68.91 | 79.45 | 47.67 | 27.81 | 93.24 | 93.24 | 640.22 | 359.76 | 213.90 |

Notes: (a) The 23.06 mgd of reclaimed water discharged to wetlands or used for “other purposes” was not included in this analysis.

(b) RF = recharge fraction - the portion of reuse flow that is recharged to water supplies.

(c) The offset and recharge flows were calculated using values from Table 5 of the *Strategies Report* as follows:

| Reuse Activity | Potable Quality Water Offset (%) | Recharge Fraction (%) | Justification Using Table 5 of <i>Strategies Report</i> |
|---|----------------------------------|-----------------------|---|
| Golf Course Irrigation | 75 | 10 | Efficient landscape irrigation |
| Residential Irrigation | 40 | 45 | Rounded averages of efficient and inefficient residential irrigation |
| Other Public Access Areas | 60 | 30 | Rounded averages of efficient and inefficient landscape irrigation |
| Ground Water Recharge & Indirect Potable Reuse | 0 | 90 | High Desirability - rapid infiltration basins |
| Agricultural Irrigation | 60 | 35 | Rounded averages of efficient and inefficient agricultural irrigation |
| Industrial Uses, Toilet Flushing, and Fire Protection | 100 | 0 | High Desirability – cooling towers, toilet flushing and fire protection |

Water Resource Caution Areas

Water resource caution areas (WRCAs) are areas that have critical water supply problems or are projected to have critical water supply problems within the next 20 years. Originally, water reuse was required only within these water resource caution areas, unless such reuse is not economically, environmentally, or technically feasible as determined by a reuse feasibility study. Currently, Chapter 62-40, F.A.C., requires use of reclaimed water statewide. Domestic wastewater facilities located within, discharging within or serving a population within designated water resource caution areas are required to prepare reuse feasibility studies before receiving a domestic wastewater permit. Table 9 summarizes information about reuse systems located within WRCAs and those located outside of WRCAs.

Table 9. Reuse Activity in Water Resource Caution Areas

| | Inside WRCA | Outside WRCA | Total |
|---|-------------|--------------|-------|
| Number. of Reuse Systems | 309 | 121 | 430 |
| Number of WWTPs Providing Reuse | 345 | 130 | 475 |
| Reuse Capacity (mgd) | 1,047 | 370 | 1,417 |
| Reuse Flow (mgd) | 500 | 163 | 663 |
| All Public Access Reuse Flow ^(a) (mgd) | 331 | 78 | 409 |
| Public Area & Landscape Irrigation Reuse Flow (mgd) | 326 | 65 | 391 |
| Edible Crops Reuse Flow (mgd) | 13 | 3 | 16 |

Note: (a) This includes public access and landscape irrigation, fire protection, toilet flushing, edible crops and other public access uses.

Cross-Connection Control

Cross-connections between reclaimed water lines and potable water lines are strictly prohibited in Florida. In 1999, reporting requirements for cross-connection control activities were added to the Annual Reuse Report Form. Appendix J summarizes cross-connection control activities reported by reuse systems for the October 1, 2006 to September 30, 2007 reporting period.

Of the 254 reuse systems that reported cross-connection control activities, 13 reuse systems reported identifying and eliminating 1 or more cross-connections. 16,566 new connections to public access reuse systems were reported to occur in 2007. Almost 100 percent of those new connections were inspected to ensure that no cross-connections had been created.

The 2004 Guidelines for Water Reuse published by the U.S. Environmental Protection Agency (EPA) provides guidelines for establishing cross-connection prevention and control programs. Utilities should consult the EPA Guidelines for implementation and enforcement of cross-connection control programs.

PREVIOUS INVENTORIES AND TRENDS

The DEP (and its predecessor agency) published previous reuse inventories for 1986, 1990, 1992, and 1996 through 2006. Table 10 shows a summary of the total number of domestic wastewater treatment facilities providing water for reuse, the reuse capacities of the reuse facilities, and the average reuse flow rates recorded for previous inventories and the 2007 inventory.

Table 10. Summary of DEP Reuse Inventories

| Report Year | No. of Treatment Facilities | Reuse Capacity (mgd) | Reuse Flow (mgd) |
|--------------------|------------------------------------|-----------------------------|-------------------------|
| 1986 | 118 | 362 | 206 |
| 1990 | 212 | 526 | 266 |
| 1992 | 308 | 601 | 290 |
| 1996 | 444 | 826 | 402 |
| 1997 | 451 | 878 | 441 |
| 1998 | 451 | 1,009 | 490 |
| 1999 | 459 | 1,043 | 523 |
| 2000 | 457 | 1116 | 575 |
| 2001 | 461 | 1151 | 584 |
| 2002 | 467 | 1162 | 584 |
| 2003 | 469 | 1206 | 603 |
| 2004 | 468 | 1273 | 637 |
| 2005 | 465 | 1325 | 660 |
| 2006 | 468 | 1368 | 663 |
| 2007 | 475 | 1417 | 663 |

Figure 2 presents the growth of Florida's reuse capacity and flow.

FUTURE UPDATES

In order to monitor the effectiveness of the State's reuse program, the DEP will update this inventory each year.

Suggested corrections, additions, or deletions may be brought to the attention of Mr. Gregory M. Brown, P.E., Florida Department of Environmental Protection, Mail Station 3540, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400. Mr. Brown can be reached by phone at (850) 245-8617, by fax at (850) 245-8621, or by e-mail at greg.brown@dep.state.fl.us.


REUSE WEBPAGE

For more information on water reuse in Florida, please see DEP's website devoted to reuse at:

www.dep.state.fl.us/water/reuse/

The 2007 Reuse Inventory can be found at the above website by following the *Florida's Reuse Inventory* link.

Figure 2. Florida's Reuse Growth



REFERENCES

Florida Department of Environmental Protection, “Reuse of Reclaimed Water and Land Application,” Chapter 62-610, Florida Administrative Code, Florida Department of Environmental Protection, Tallahassee, Florida, 2006.

Florida Department of Environmental Protection, 2006 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2007.

Florida Department of Environmental Protection, 2005 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2006.

Florida Department of Environmental Protection, 2004 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2005.

Florida Department of Environmental Protection, 2003 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2004.

Florida Department of Environmental Protection, 2002 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2003.

Florida Department of Environmental Protection, 2001 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2002.

Florida Department of Environmental Protection, 2000 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2001.

Florida Department of Environmental Protection, 1999 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 2000.

Florida Department of Environmental Protection, 1998 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 1999.

Florida Department of Environmental Protection, 1997 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 1998.

Florida Department of Environmental Protection, 1996 Reuse Inventory, Florida Department of Environmental Protection, Tallahassee, Florida, 1997.

Florida Department of Environmental Regulation, 1992 Reuse Inventory, Florida Department of Environmental Regulation, Tallahassee, Florida, 1992.

Florida Department of Environmental Regulation, 1990 Reuse Inventory, Florida Department of Environmental Regulation, Tallahassee, Florida, 1990.

Florida Department of Environmental Regulation, 1986 Reuse Inventory, Florida Department of Environmental Regulation, Tallahassee, Florida, 1986.

Florida Legislature, Population Estimates for Year 2007, Office of Economic and Demographic Research, Tallahassee, FL. 2008.

Reuse Coordinating Committee, Water Reuse for Florida: Strategies for Effective Use of Reclaimed Water, Florida Department of Environmental Protection, Tallahassee, Florida, 2003.

United States Environmental Protection Agency, 2004 Guidelines for Water Reuse, United State Environmental Protection Agency, Washington D.C., 2004.

APPENDICES

Appendix A. Reuse Systems in the Inventory

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|----------|------------------------|--------------------------------------|-----------|--------|----------|---------|
| Alachua | Alachua | ALACHUA | FLA011290 | SRWMD | JAX | No |
| Alachua | Gainesville | GRU - KANAPAHA | FL0112895 | SJRWMD | JAX | Yes |
| Alachua | Gainesville | GRU - MAIN STREET | FL0027251 | SJRWMD | JAX | Yes |
| Alachua | Hawthorne | HAWTHORNE | FLA011291 | SJRWMD | JAX | Yes |
| Alachua | High Springs | HIGH SPRINGS | FLA286095 | SRWMD | JAX | No |
| Alachua | Newberry | NEWBERRY WWTF | FLA011292 | SRWMD | JAX | No |
| Alachua | Gainesville | UNIV. OF FLORIDA/LAKE ALICE | FLA011322 | SJRWMD | JAX | Yes |
| Baker | Sanderson | BAKER CORRECTIONAL INSTITUTION | FLA011332 | SRWMD | JAX | No |
| Bay | Panama City Beach | BAY POINT | FLA010008 | NFWWMD | PEN | No |
| Bay | Lynn Haven | LYNN HAVEN | FL0169978 | NFWWMD | PEN | No |
| Bay | Tyndall Air Force Base | MILITARY POINT REGIONAL AWT FACILITY | FL0167959 | NFWWMD | PEN | No |
| Bay | Panama City Beach | PANAMA CITY BEACH | FL0021512 | NFWWMD | PEN | No |
| Bay | Panama City | SANDY CREEK RANCH | FLA010019 | NFWWMD | PEN | No |
| Bradford | Raiford | FLORIDA STATE PRISON WWTF | FLA113450 | SRWMD | JAX | No |
| Bradford | Starke | STARKE, CITY OF | FL0028126 | SRWMD | JAX | No |
| Brevard | Barefoot Bay | BCUD/BAREFOOT BAY | FL0042293 | SJRWMD | ORL | Yes |
| Brevard | Mims | BCUD/NORTH BREVARD REGIONAL | FLA010263 | SJRWMD | ORL | Yes |
| Brevard | Cocoa | BCUD/PORT ST. JOHN | FLA102750 | SJRWMD | ORL | Yes |
| Brevard | Melbourne Beach | BCUD/SOUTH BEACHES | FL0040622 | SJRWMD | ORL | Yes |
| Brevard | Melbourne | BCUD/SOUTH CENTRAL REGIONAL | FL0102679 | SJRWMD | ORL | Yes |
| Brevard | Merritt Island | BCUD/SYKES CREEK | FLA102695 | SJRWMD | ORL | Yes |
| Brevard | Cape Canaveral | CAPE CANAVERAL | FL0020541 | SJRWMD | ORL | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|--------------------|--------------------------------------|-----------|--------|----------|---------|
| Brevard | Cape Canaveral AFS | CCAFS/REGIONAL | FL0102920 | SJRWMD | ORL | Yes |
| Brevard | Cocoa | CITY OF COCOA RECLAIMED WATER SYSTEM | FL0021521 | SJRWMD | ORL | Yes |
| Brevard | Cocoa Beach | COCOA BEACH WRF | FL0021105 | SJRWMD | ORL | Yes |
| Brevard | Melbourne | MELBOURNE/NORTH SERVICE AREA | FLA010323 | SJRWMD | ORL | Yes |
| Brevard | Melbourne | MELBOURNE/SOUTH SERVICE AREA | FL0041122 | SJRWMD | ORL | Yes |
| Brevard | Palm Bay | PALM BAY | FLA103357 | SJRWMD | ORL | Yes |
| Brevard | West Melbourne | RAY BULLARD WRF | FLA010332 | SJRWMD | ORL | Yes |
| Brevard | Rockledge | ROCKLEDGE | FL0021571 | SJRWMD | ORL | Yes |
| Brevard | Sharpes | SUN LAKE ESTATES | FLA010353 | SJRWMD | ORL | Yes |
| Brevard | Titusville | THE GREAT OUTDOORS GOLF/R V RESORT | FLA010386 | SJRWMD | ORL | Yes |
| Brevard | Titusville | TITUSVILLE REUSE SYSTEM | FL0020389 | SJRWMD | ORL | Yes |
| Broward | Pompano Beach | BROWARD CO. NORTH REGIONAL | FL0031771 | SFWMD | WPB | Yes |
| Broward | Miramar | CITY OF MIRAMAR WWTF | FLA017025 | SFWMD | WPB | Yes |
| Broward | Hollywood | HOLLYWOOD | FL0026255 | SFWMD | WPB | Yes |
| Broward | Plantation | PLANTATION REGIONAL WWTF | FLA040401 | SFWMD | WPB | Yes |
| Broward | Pompano Beach | POMPANO BEACH | FLA013581 | SFWMD | WPB | Yes |
| Broward | Davie | SUNRISE SOUTHWEST | FLA013580 | SFWMD | WPB | Yes |
| Charlotte | Punta Gorda | CHARLOTTE CO.-BURNT STORE | FLA014083 | SWFWMD | FTM | Yes |
| Charlotte | Port Charlotte | CHARLOTTE CO.-EASTPORT | FL0040291 | SWFWMD | FTM | Yes |
| Charlotte | Rotunda West | CHARLOTTE CO.-ROTONDA WEST | FLA014098 | SWFWMD | FTM | Yes |
| Charlotte | Port Charlotte | CHARLOTTE CO.-WEST PORT | FLA014048 | SWFWMD | FTM | Yes |
| Charlotte | Punta Gorda | CHARLOTTE CORRECTIONAL INSTITUTION | FLA014130 | SFWMD | FTM | Yes |
| Charlotte | GROVE CITY | ENGLEWOOD WATER DISTRICT SOUTH | FLA014126 | SWFWMD | FTM | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|--------------------|---------------------------------------|-----------|--------|----------|---------|
| Charlotte | Port Charlotte | RIVERWOODS UTILITIES | FLA014060 | SWFWMD | FTM | Yes |
| Charlotte | Englewood | SANDALHAVEN/WILDFLOWER CC | FLA014053 | SWFWMD | FTM | Yes |
| Citrus | Beverly Hills | BEVERLY HILLS - ROLLING OAKS | FLA011869 | SWFWMD | TPA | No |
| Citrus | Citrus Springs | CITRUS SPRINGS UTILITIES | FLA011877 | SWFWMD | TPA | No |
| Citrus | Crystal River | CRYSTAL RIVER | FLA011848 | SWFWMD | TPA | No |
| Citrus | Inverness | INVERNESS REGIONAL | FLA011847 | SWFWMD | TPA | No |
| Citrus | Crystal River | MEADOWCREST | FLA011845 | SWFWMD | TPA | No |
| Citrus | Inverness | POINT OF WOODS UTILITIES | FLA011893 | SWFWMD | TPA | No |
| Citrus | Sugarmill Woods | SUGAR MILL WOODS CYPRESS VILLAGE | FLA011903 | SWFWMD | TPA | No |
| Citrus | Homosassa Springs | WALDEN WOODS MHP WWTF | FLA011916 | SWFWMD | TPA | No |
| Clay | Orange Park | CCUA-FLEMING ISLAND | FL0043834 | SJRWMD | JAX | Yes |
| Clay | Middleburg | CCUA-MID-CLAY REGIONAL | FLA011377 | SJRWMD | JAX | Yes |
| Clay | Middleburg | CCUA-RAVINES | FLA011371 | SJRWMD | JAX | Yes |
| Clay | Middleburg | CCUA-RIDAUGHT LANDING | FL0039721 | SJRWMD | JAX | Yes |
| Clay | Orange Park | CCUA-SPENCER | FL0173371 | SJRWMD | JAX | Yes |
| Clay | Green Cove Springs | GREEN COVE SPRINGS - HARBOR ROAD WWTP | FL0020915 | SJRWMD | JAX | No |
| Collier | Naples | AVE MARIE UTILITY CO | FLA376400 | SFWMD | FTM | No |
| Collier | Naples | CITY OF NAPLES I | FL0026271 | SFWMD | FTM | Yes |
| Collier | Naples | COLLIER CO.-NORTH | FL0141399 | SFWMD | FTM | Yes |
| Collier | Naples | COLLIER CO.-SOUTH | FL0141356 | SFWMD | FTM | Yes |
| Collier | Everglades City | EVERGLADES WWTF | FL0027618 | SFWMD | FTM | Yes |
| Collier | Naples | GOLDEN GATE | FLA142140 | SFWMD | FTM | Yes |
| Collier | Immokalee | IMMOKALEE | FLA014132 | SFWMD | FTM | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|----------|--------------------|-----------------------------------|-----------|--------|----------|---------|
| Collier | Marco Island | MARCO ISLAND UTILITIES | FLA014167 | SFWMD | FTM | Yes |
| Collier | Marco Island | MARCO SHORES UTILITIES | FLA014174 | SFWMD | FTM | Yes |
| Collier | Naples | PORT OF THE ISLANDS/SOUTH | FL0141704 | SFWMD | FTM | Yes |
| Columbia | Lake City | COLUMBIA CORRECTIONAL INSTITUTION | FLA011418 | SRWMD | JAX | No |
| Columbia | Lake City | LAKE CITY WWTF | FLA113956 | SRWMD | JAX | No |
| De Soto | Arcadia | DESOTO CORRECTIONAL INSTITUTION | FLA011987 | SWFWMD | TPA | Yes |
| De Soto | Arcadia | G PIERCE WOOD MEMORIAL HOSPITAL | FLA011988 | SWFWMD | TPA | Yes |
| De Soto | Lake Suzy | LAKE SUZY WWTF | FLA011964 | SWFWMD | TPA | Yes |
| De Soto | Arcadia | WILLIAM TYSON (ARCADIA) | FL0027511 | SWFWMD | TPA | Yes |
| Duval | Jacksonville Beach | JACKSONVILLE BEACH | FL0020231 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | JEA-ARLINGTON EAST | FL0026441 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | JEA-BUCKMAN STREET | FL0026000 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | JEA-DISTRICT II | FL0026450 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | JEA-JACKSONVILLE HEIGHTS | FL0023671 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | JEA-MANDARIN | FL0023493 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | NORMANDY VILLAGE UTILITY | FLA011517 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | SOUTHWEST DISTRICT WWTF | FL0026468 | SJRWMD | JAX | Yes |
| Duval | Jacksonville | USN NAS JACKSONVILLE | FL0000957 | SJRWMD | JAX | Yes |
| Escambia | Pensacola | ECUA-BAYOU MARCUS WRF | FL0031801 | NWFWMD | PEN | No |
| Escambia | Pensacola | ECUA-MAIN STREET | FL0021440 | NWFWMD | PEN | No |
| Escambia | Bagdad | HIGHWAY 191 (SUNDIAL UTILITIES) | FLA016779 | NWFWMD | PEN | No |
| Escambia | Pensacola Beach | PENSACOLA BEACH | FL0024007 | NWFWMD | PEN | No |
| Flagler | Palm Coast | GRAND HAVEN CDD WWTP | FLA175463 | SJRWMD | JAX | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|----------------|------------------------------------|-----------|--------|----------|---------|
| Flagler | Palm Coast | HAMMOCK DUNES | FLA011602 | SJRWMD | JAX | Yes |
| Flagler | Palm Coast | MATANZAS SHORES | FLA011599 | SJRWMD | JAX | Yes |
| Flagler | Palm Coast | PALM COAST | FL0116009 | SJRWMD | JAX | Yes |
| Flagler | Jacksonville | PLANTATION BAY WWTP | FLA011597 | SJRWMD | JAX | Yes |
| Franklin | Carrabelle | CARRABELLE | FLA100641 | NWFWMD | PEN | No |
| Franklin | Eastpoint | EASTPOINT WATER & SEWER DISTRICT | FLA010065 | NWFWMD | PEN | No |
| Franklin | Lanark Village | LANARK VILLAGE | FLA010066 | NWFWMD | PEN | No |
| Gadsden | Midway | GADSDEN EAST WWTP | FLA187941 | NWFWMD | PEN | No |
| Gadsden | Gretna | GRETN, TOWN OF | FLA100781 | NWFWMD | PEN | Yes |
| Gadsden | Havana | HAVANA, TOWN OF | FLA100765 | NWFWMD | PEN | No |
| Gadsden | Quincy | QUINCY, CITY OF | FL0029033 | NWFWMD | PEN | No |
| Gilchrist | Trenton | LANCASTER CORRECTIONAL INSTITUTION | FLA011620 | SRWMD | JAX | No |
| Gilchrist | Trenton | TRENTON WWTF | FLA011615 | SRWMD | JAX | No |
| Gulf | Wewahitchka | GULF CORRECTIONAL INSTITUTION | FLA010105 | NWFWMD | PEN | No |
| Hamilton | Jennings | JENNINGS | FLA011623 | SRWMD | JAX | No |
| Hardee | Bowling Green | BOWLING GREEN STP | FLA119911 | SWFWMD | TPA | Yes |
| Hardee | Bowling Green | HARDEE COUNTY CORRECTIONAL | FLA012022 | SWFWMD | TPA | Yes |
| Hardee | Wauchula | WAUCHULA WWTP | FLA290980 | SWFWMD | TPA | No |
| Hardee | Zolfo Springs | ZOLFO SPRINGS | FL0043729 | SWFWMD | TPA | Yes |
| Hendry | Clewiston | CLEWISTON | FL0040665 | SFWMD | FTM | Yes |
| Hendry | Immokalee | HENDRY CORRECTIONAL INSTITUTION | FLA014306 | SFWMD | FTM | Yes |
| Hendry | LaBelle | LABELLE #1 | FLA014283 | SFWMD | FTM | Yes |
| Hendry | LaBelle | PORT LABELLE | FLA014290 | SFWMD | FTM | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|--------------|-------------|---|-----------|--------|----------|---------|
| Hernando | Brooksville | BROOKSVILLE, CITY OF | FLA012036 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO AIRPORT SUBREGIONAL WWTF | FLA017223 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO CO./BERKELEY MANOR | FLA012060 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO CO./BROOKRIDGE | FLA012028 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO CO./RIDGE MANOR | FLA012031 | SWFWMD | TPA | No |
| Hernando | Spring Hill | HERNANDO CO./SPRING HILL | FLA012043 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO CO./THE GLEN | FLA012069 | SWFWMD | TPA | No |
| Hernando | Brooksville | HERNANDO CO./WEEKI WACHEE WWTP | FLA012024 | SWFWMD | TPA | No |
| Highlands | Avon Park | AVON PARK WATER POLL. CONTROL FAC. | FLA014313 | SWFWMD | FTM | Yes |
| Highlands | Sebring | SEBRING CITY OF | FLA014311 | SWFWMD | FTM | Yes |
| Highlands | Sebring | SUN N LAKE ESTATES OF SEBRING | FLA014389 | SWFWMD | FTM | Yes |
| Highlands | Sebring | SUN'N LAKE OF SEBRING UNIT 4 | FLA016268 | SWFWMD | FTM | Yes |
| Highlands | Lake Placid | TOMOKA HEIGHTS WWTP/PLACID UTILITIES | FLA014329 | SWFWMD | FTM | Yes |
| Hillsborough | Plant City | CW UTILITY - COUNTRY MEADOWS/GOLDEN LAKES | FLA122246 | SWFWMD | TPA | Yes |
| Hillsborough | Tampa | HILLS. CO./NORTHWEST REUSE SYSTEM | FL0041670 | SWFWMD | TPA | Yes |
| Hillsborough | Tampa | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | FL0040983 | SWFWMD | TPA | Yes |
| Hillsborough | Tampa | MACDILL AIR FORCE BASE | FLA012124 | SWFWMD | TPA | Yes |
| Hillsborough | Tampa | PEBBLE CREEK VILLAGE | FL0039896 | SWFWMD | TPA | Yes |
| Hillsborough | Plant City | PLANT CITY WRF | FL0026557 | SWFWMD | TPA | Yes |
| Hillsborough | Riverview | RICE CREEK UTILITY COMPANY | FL0122076 | SWFWMD | TPA | Yes |
| Hillsborough | Tampa | TAMPA/HOWARD F. CURREN | FL0020940 | SWFWMD | TPA | Yes |
| Hillsborough | Lutz | WINDEMERE/SCARECROW UTIL. | FLA012138 | SWFWMD | TPA | Yes |
| Indian River | Vero Beach | IRCUD/WEST REGIONAL WWTF | FL0041637 | SJRWMD | ORL | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|--------------|------------|------------------------------------|-----------|--------|----------|---------|
| Indian River | Vero Beach | VERO BEACH, CITY OF | FL0021661 | SJRWMD | ORL | Yes |
| Jackson | Marianna | CITY OF MARIANNA WWTP | FLA101141 | NFWWMD | PEN | No |
| Jackson | Cottdonale | COTTONDALE, CITY OF (STP) | FLA101168 | NFWWMD | PEN | No |
| Jackson | Malone | JACKSON CORRECTIONAL INSTITUTION | FLA010127 | NFWWMD | PEN | No |
| Jackson | Sneads | SNEADS, TOWN OF (STP) | FLA010115 | NFWWMD | PEN | No |
| Jefferson | Monticello | JEFFERSON CORRECTIONAL INSTITUTION | FLA011642 | NFWWMD | JAX | No |
| Jefferson | Monticello | MONTICELLO, CITY OF | FL0027839 | NFWWMD | PEN | No |
| Lafayette | Mayo | MAYO | FLA011643 | SRWMD | JAX | No |
| Lafayette | Mayo | MAYO CORRECTIONAL INSTITUTION | FLA011646 | SRWMD | JAX | No |
| Lake | Eustis | CITY OF EUSTIS | FLA010507 | SJRWMD | ORL | Yes |
| Lake | Clermont | CLERBROOK RV RESORTS | FLA010538 | SJRWMD | ORL | Yes |
| Lake | Clermont | CLERMONT - EAST | FLA010515 | SJRWMD | ORL | Yes |
| Lake | Clermont | CLERMONT - WEST | FLA010512 | SJRWMD | ORL | Yes |
| Lake | Groveland | GROVELAND | FLA010513 | SJRWMD | ORL | Yes |
| Lake | Lady Lake | LADY LAKE WWTF | FLA399761 | SJRWMD | ORL | No |
| Lake | Clermont | LAKE CORRECTIONAL INSTITUTION | FLA010660 | SJRWMD | ORL | Yes |
| Lake | Clermont | LAKE GROVES UTILITIES, STP | FLA010630 | SJRWMD | ORL | Yes |
| Lake | Leesburg | LEESBURG/CANAL STREET WWTF | FL0105066 | SJRWMD | ORL | Yes |
| Lake | Leesburg | MID-FLORIDA LAKES | FLA010657 | SJRWMD | ORL | Yes |
| Lake | Mount Dora | MOUNT DORA #1 WWTF | FLA010508 | SJRWMD | ORL | Yes |
| Lake | Sorrento | OAK SPRINGS MHP | FLA010629 | SJRWMD | ORL | Yes |
| Lake | Leesburg | PENNBROOKE WWTF | FLA010570 | SJRWMD | ORL | Yes |
| Lake | Leesburg | PLANTATION @ LEESBURG | FLA010551 | SJRWMD | ORL | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|--------|-------------------|---------------------------|-----------|--------|----------|---------|
| Lake | Clermont | SOUTHLAKE COMMUNITY | FLA010634 | SJRWMD | ORL | Yes |
| Lake | Astor | ST. JOHNS - ASTOR PARK | FLA187496 | SJRWMD | ORL | Yes |
| Lake | North of Minneola | SUNSHINE PARKWAY | FLA010656 | SJRWMD | ORL | Yes |
| Lake | Tavares | TAVARES/WOODLEA ROAD | FLA010509 | SJRWMD | ORL | Yes |
| Lake | Umatilla | UMATILLA | FLA010505 | SJRWMD | ORL | Yes |
| Lake | Lady Lake | VILLAGES | FLA010555 | SJRWMD | ORL | Yes |
| Lake | Lady Lake | WATER OAK ESTATES | FLA010529 | SJRWMD | ORL | Yes |
| Lee | Bonita Springs | CITRUS PARK/NORTH | FLA014477 | SFWMD | FTM | Yes |
| Lee | Fort Myers | CROSS CREEK COUNTRY CLUB | FLA014505 | SFWMD | FTM | Yes |
| Lee | Fort Myers | EAGLE RIDGE | FLA014498 | SFWMD | FTM | Yes |
| Lee | Fort Myers | FIDDLESTICKS COUNTRY CLUB | FLA014484 | SFWMD | FTM | Yes |
| Lee | Fort Myers | FOREST UTILITIES | FLA014478 | SFWMD | FTM | Yes |
| Lee | Ft. Myers Beach | FORT MYERS BEACH | FLA144215 | SFWMD | FTM | Yes |
| Lee | Fort Myers | FORT MYERS CITY CENTRAL | FL0021261 | SFWMD | FTM | Yes |
| Lee | Estero | FOUNTAIN LAKES | FLA014669 | SFWMD | FTM | Yes |
| Lee | Boca Grande | GASPARILLA ISLAND WATER | FLA014641 | SFWMD | FTM | Yes |
| Lee | Bonita Springs | HUNTER'S RIDGE | FLA014541 | SFWMD | FTM | Yes |
| Lee | S. Fort Myers | JAMAICA BAY WEST | FLA014658 | SFWMD | FTM | Yes |
| Lee | N. Ft. Myers | LAKE FAIRWAYS FFEC SIX | FLA014463 | SFWMD | FTM | Yes |
| Lee | Fort Myers | LEE CO. - FIESTA VILLAGE | FL0039829 | SFWMD | FTM | Yes |
| Lee | Fort Myers | LEE CO.- THREE OAKS | FLA145190 | SFWMD | FTM | Yes |
| Lee | Fort Myers | LEE CO.-GATEWAY | FLA014542 | SFWMD | FTM | Yes |
| Lee | Fort Myers | LEE CO.-SAN CARLOS | FLA014560 | SFWMD | FTM | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|---------|-----------------|-----------------------------------|-----------|--------|----------|---------|
| Lee | Fort Myers | LEE CO.-WATERWAY ESTATES | FL0030325 | SFWMD | FTM | Yes |
| Lee | Lehigh | LEHIGH ACRES UTILITIES, INC. | FLA014565 | SFWMD | FTM | Yes |
| Lee | North Ft. Myers | NORTH FORT MYERS UTILITY | FLA014548 | SFWMD | FTM | Yes |
| Lee | St. James City | PINE ISLAND WWTP | FLA176460 | SFWMD | FTM | Yes |
| Lee | Bonita Springs | RESOURCE CONSERVATION SYSTEMS | FLA014443 | SFWMD | FTM | Yes |
| Lee | Sanibel | SANIBEL-DONAX | FLA014430 | SFWMD | FTM | Yes |
| Lee | Sanibel | SANIBEL-WULFERT | FLA014625 | SFWMD | FTM | Yes |
| Lee | Captiva | SOUTH SEAS PLANTATION | FLA014686 | SFWMD | FTM | Yes |
| Lee | Cape Coral | WATER INDEPENDENCE FOR CAPE CORAL | FL0030007 | SFWMD | FTM | Yes |
| Leon | Tallahassee | LAKE JACKSON | FLA010171 | NWFWMD | PEN | No |
| Leon | Tallahassee | T.P. SMITH | FLA010139 | NWFWMD | PEN | No |
| Levy | Cedar Key | CEDAR KEY | FL0031216 | SRWMD | JAX | No |
| Levy | Chiefland | CHIEFLAND | FLA011648 | SRWMD | JAX | No |
| Levy | Williston | WILLISTON | FLA012612 | SWFWMD | JAX | No |
| Liberty | Bristol | CITY OF BRISTOL | FLA284602 | NWFWMD | PEN | No |
| Liberty | Bristol | LIBERTY CORRECTIONAL INSTITUTION | FLA010179 | NWFWMD | PEN | No |
| Madison | Greenville | GREENVILLE, TOWN OF | FLA011658 | SRWMD | JAX | No |
| Madison | Madison | MADISON, CITY OF | FLA116572 | SRWMD | JAX | No |
| Manatee | Bradenton | BRADENTON | FL0021369 | SWFWMD | TPA | Yes |
| Manatee | Bradenton | MANATEE CO. MASTER REUSE SYSTEM | FLA474029 | SWFWMD | TPA | No |
| Manatee | Palmetto | PALMETTO | FL0020401 | SWFWMD | TPA | Yes |
| Marion | Belleview | BELLEVIEW | FLA010678 | SJRWMD | ORL | Yes |
| Marion | Dunnellon | DUNNELLON | FLA126594 | SWFWMD | TPA | No |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|--------|----------------|--|-----------|--------|----------|---------|
| Marion | Lowell | LOWELL (MARION) CORRECTIONAL INSTITUTION | FLA010789 | SJRWMD | ORL | Yes |
| Marion | Ocala | MARION LANDING | FLA012699 | SWFWMD | TPA | No |
| Marion | Ocala | MARION OAKS | FLA012669 | SWFWMD | TPA | No |
| Marion | Ocala | MARION/OAK RUN | FLA012697 | SWFWMD | ORL | Yes |
| Marion | Ocala | OCALA #1 WWTP | FLA010677 | SJRWMD | ORL | Yes |
| Marion | Ocala | OCALA #2 WRF | FLA010680 | SJRWMD | ORL | Yes |
| Marion | Ocala | OCALA #3 WWTP | FLA190268 | SJRWMD | ORL | Yes |
| Marion | Ocala | ON TOP OF THE WORLD/BAY LAUREL | FLA012683 | SWFWMD | TPA | No |
| Marion | Dunnellon | RAINBOW SPRINGS FIFTH REPLAT WWTF | FLA012693 | SWFWMD | TPA | No |
| Marion | Silver Springs | SILVER SPRINGS REGIONAL, WWTP | FLA010786 | SJRWMD | ORL | Yes |
| Marion | Ocala | SILVER SPRINGS SHORES | FLA296651 | SJRWMD | ORL | Yes |
| Marion | Lady Lake | SPRUCE CREEK SOUTH | FLA010769 | SJRWMD | ORL | Yes |
| Marion | Summerfield | STONECREST PUD | FLA010741 | SJRWMD | ORL | Yes |
| Marion | Ocala | SUMMERGLEN WWTF | FLA175790 | SWFWMD | TPA | Yes |
| Martin | Stuart | INDIAN RIVER PLANTATION | FLA013792 | SFWMD | WPB | Yes |
| Martin | Indiantown | INDIANTOWN COMPANY | FLA029939 | SFWMD | WPB | Yes |
| Martin | Stuart | MARTIN CO. CONSOLIDATED REUSE SYSTEM | FL0043214 | SFWMD | WPB | Yes |
| Martin | Jensen Beach | MARTIN CO. UTIL.- NORTH | FLA043192 | SFWMD | WPB | Yes |
| Martin | Indiantown | MARTIN CORRECTIONAL INSTITUTION | FLA013881 | SFWMD | WPB | Yes |
| Martin | Stuart | MILES GRANT CONDO | FLA013842 | SFWMD | WPB | Yes |
| Martin | Palm City | PIPERS LANDING | FLA013807 | SFWMD | WPB | Yes |
| Martin | Stuart | SAILFISH POINT | FLA013799 | SFWMD | WPB | Yes |
| Martin | Hobe Sound | SOUTH MARTIN REGIONAL UTILITY | FLA013859 | SFWMD | WPB | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|------------|-------------------|--------------------------------------|-----------|--------|----------|---------|
| Martin | Stuart | STUART, CITY OF | FLA041459 | SFWMD | WPB | No |
| Miami-Dade | Homestead | HOMESTEAD | FLA013609 | SFWMD | WPB | Yes |
| Miami-Dade | Miami | MDWASD CENTRAL DISTRICT | FLA024805 | SFWMD | WPB | Yes |
| Miami-Dade | N. Miami | MDWASD NORTH DISTRICT | FL0032182 | SFWMD | WPB | Yes |
| Miami-Dade | Miami | MDWASD SOUTH DISTRICT | FL0042137 | SFWMD | WPB | Yes |
| Monroe | Duck Key | DUCK KEY (HAWK'S CAY) | FLA014772 | SFWMD | FTM | Yes |
| Monroe | Key Colony Beach | KEY COLONY BEACH, CITY OF | FLA014720 | SFWMD | FTM | Yes |
| Monroe | Key West | KEY WEST RESORT UTILITY | FLA014951 | SFWMD | FTM | Yes |
| Nassau | Amelia Island | FLORIDA WATER SERVICES/AMELIA ISLAND | FLA011688 | SJRWMD | JAX | Yes |
| Nassau | Yulee | NASSAU REGIONAL (SUN RAY) | FLA011679 | SJRWMD | JAX | Yes |
| Okaloosa | Crestview | CRESTVIEW | FLA010193 | NWFWMD | PEN | No |
| Okaloosa | Crestview | CRESTVIEW INDUSTRIAL (BOB SYKES) | FLA010181 | NWFWMD | PEN | No |
| Okaloosa | Destin | DESTIN WATER USERS/GEORGE FRENCH | FLA010194 | NWFWMD | PEN | Yes |
| Okaloosa | Eglin AFB | EGLIN A.F.B. AUX FIELD #3 | FLA010186 | NWFWMD | PEN | No |
| Okaloosa | Ft. Walton Beach | EGLIN A.F.B. MAIN BASE | FLA010189 | NWFWMD | PEN | No |
| Okaloosa | Eglin AFB | EGLIN A.F.B. PLEW | FLA010190 | NWFWMD | PEN | No |
| Okaloosa | Fort Walton Beach | FT. WALTON BEACH WWTP | FLA101923 | NWFWMD | PEN | Yes |
| Okaloosa | Mary Ester | HURLBURT FIELD AIR FORCE BASE | FL0003174 | NWFWMD | PEN | Yes |
| Okaloosa | Mary Ester | MARY ESTHER | FLA010191 | NWFWMD | PEN | Yes |
| Okaloosa | Niceville | NICEVILLE/VALPARAISO REGIONAL | FLA010185 | NWFWMD | PEN | Yes |
| Okaloosa | Crestview | OKALOOSA CORRECTIONAL INSTITUTION | FLA010202 | NWFWMD | PEN | No |
| Okaloosa | Fort Walton Beach | OKALOOSA WTR & SWR SYSTEM (GARNIERS) | FLA010184 | NWFWMD | PEN | Yes |
| Okaloosa | Mary Esther | RUSSELL F.W.STEPHENSON | FLA010182 | NWFWMD | PEN | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|------------|-----------------------------|---|-----------|--------|----------|---------|
| Okeechobee | Okeechobee | OKEECHOBEE | FLA013888 | SFWMD | WPB | Yes |
| Okeechobee | Okeechobee County | OKEECHOBEE CORRECTIONAL INSTITUTION | FLA013940 | SFWMD | WPB | No |
| Orange | Apopka | APOPKA-PROJECT ARROW | FLA010818 | SJRWMD | ORL | Yes |
| Orange | Orlando | FAIRWAYS COUNTRY CLUB | FLA010823 | SJRWMD | ORL | Yes |
| Orange | Orlando | GULFSTREAM HARBOR MOBILE HOME PARK | FLA010835 | SJRWMD | ORL | No |
| Orange | Ocoee | OCOEE STP #2 | FLA010815 | SJRWMD | ORL | Yes |
| Orange | Orlando | OCUD/EASTERN SERVICE AREA | FL0038849 | SJRWMD | ORL | Yes |
| Orange | Apopka | OCUD/NORTHWEST SERVICE AREA | FLA010798 | SJRWMD | ORL | Yes |
| Orange | Orlando | OCUD/SOUTH SERVICE AREA | FLA107972 | SFWMD | ORL | Yes |
| Orange | Orlando | ORLANDO/CONSERV I | FLA010816 | SFWMD | ORL | No |
| Orange | Orlando | ORLANDO-WATER CONSERV II | FLA010814 | SFWMD | ORL | No |
| Orange | Bay Lake & Lake Buena Vista | REEDY CREEK IMPROVEMENT DISTRICT | FLA108219 | SFWMD | ORL | No |
| Orange | Apopka | ROCK SPRINGS MOBILE HOME PARK | FLA010871 | SJRWMD | ORL | Yes |
| Orange | Orlando | STARLIGHT RANCH MHP | FLA010868 | SJRWMD | ORL | Yes |
| Orange | Orlando | WEDGEFIELD SUBDIVISION | FLA010900 | SJRWMD | ORL | Yes |
| Orange | Winter Garden | WINTER GARDEN, CITY OF (DW) | FL0020109 | SJRWMD | ORL | Yes |
| Orange | Winter Park | WINTER PARK | FLA010819 | SJRWMD | ORL | Yes |
| Osceola | Harmony | HARMONY COMMUNITY DEV. DISTRICT WWTF | FLA267872 | SFWMD | ORL | No |
| Osceola | Kissimmee | KISSIMMEE GOOD SAMARITAN RETIREMENT VILLAGE | FLA010974 | SFWMD | ORL | No |
| Osceola | Kissimmee | KISSIMMEE/PARKWAY | FLA010960 | SFWMD | ORL | No |
| Osceola | Kissimmee | KISSIMMEE/SANDHILL ROAD | FLA010958 | SFWMD | ORL | No |
| Osceola | Kissimmee | KISSIMMEE-BUENAVENTURA LAKES | FL0039446 | SFWMD | ORL | No |
| Osceola | Poinciana | POINCIANA (#2 & #3) | FL0036862 | SFWMD | ORL | No |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|------------|--------------------|--|-----------|--------|----------|---------|
| Osceola | Kissimmee | POINCIANA INDUSTRIAL PARK #1 | FLA010968 | SFWMD | ORL | No |
| Osceola | St. Cloud | ST. CLOUD - LAKESHORE WRF | FLA109568 | SFWMD | ORL | No |
| Osceola | Kissimmee | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D W | FLA010983 | SFWMD | ORL | No |
| Palm Beach | Belle Glade | BELLE GLADE WWTP | FLA027740 | SFWMD | WPB | Yes |
| Palm Beach | Boca Raton | BOCA RATON (PROJECT IRIS) | FL0026344 | SFWMD | WPB | Yes |
| Palm Beach | West Palm Beach | EAST CENTRAL REGIONAL WWTP | FL0041360 | SFWMD | WPB | Yes |
| Palm Beach | Jupiter | LOXAHATCHEE ENV. CONTROL DIST. | FL0034649 | SFWMD | WPB | Yes |
| Palm Beach | Pahokee | PAHOKEE WWTP | FL0028355 | SFWMD | WPB | Yes |
| Palm Beach | Boynton Beach | PALM BCH CO. SOUTHERN REGIONAL | FL0041424 | SFWMD | WPB | Yes |
| Palm Beach | Royal Palm Beach | PALM BEACH NORTHERN/ROYAL PALM BCH VILLAGE | FLA013749 | SFWMD | WPB | Yes |
| Palm Beach | Palm Beach Gardens | SEACOAST UTILITIES PGA | FL0038768 | SFWMD | WPB | Yes |
| Palm Beach | Delray Beach | SOUTH CENTRAL REGIONAL WWTP | FL0035980 | SFWMD | WPB | Yes |
| Palm Beach | Wellington | VILLAGE OF WELLINGTON WWTP | FLA042595 | SFWMD | WPB | Yes |
| Pasco | New Port Richey | CITY OF NEW PORT RICHEY WWTF | FLA127434 | SWFWMD | TPA | Yes |
| Pasco | Dade City | DADE CITY | FLA012742 | SWFWMD | TPA | No |
| Pasco | Zephyrhills | FOREST LAKES (LABRADOR) | FLA012801 | SWFWMD | TPA | Yes |
| Pasco | Port Richey | JASMINE LAKES | FLA012768 | SWFWMD | TPA | Yes |
| Pasco | Port Richey | PALM TERRACE GARDENS | FLA012773 | SWFWMD | TPA | Yes |
| Pasco | Land O' Lakes | PASCO CO. MASTER REUSE SYSTEM | FL0127272 | SWFWMD | TPA | Yes |
| Pasco | Holiday | SEVEN SPRINGS WWTF | FLA012752 | SWFWMD | TPA | Yes |
| Pasco | Dade City | TRAVELER'S REST RV PARK WWTP | FLA012831 | SWFWMD | TPA | No |
| Pasco | Zephyrhills | ZEPHYRHILLS | FLA012744 | SWFWMD | TPA | No |
| Pinellas | Clearwater | CLEARWATER MASTER URBAN REUSE | FL0186261 | SWFWMD | TPA | No |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|----------|---------------------|---|-----------|--------|----------|---------|
| Pinellas | Dunedin | DUNEDIN/MAINLAND | FL0021326 | SWFWMD | TPA | Yes |
| Pinellas | Clearwater | LARGO | FL0026603 | SWFWMD | TPA | Yes |
| Pinellas | Oldsmar | OLDSMAR | FL0027651 | SWFWMD | TPA | Yes |
| Pinellas | Clearwater | ON TOP OF THE WORLD | FLA012905 | SWFWMD | TPA | Yes |
| Pinellas | Belleair | PINELLAS CO. - BELLEAIR | FL0020184 | SWFWMD | TPA | Yes |
| Pinellas | St. Petersburg | PINELLAS CO.-SOUTH CROSS BAYOU | FL0040436 | SWFWMD | TPA | Yes |
| Pinellas | Palm Harbor | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMATIO | FL0128775 | SWFWMD | TPA | Yes |
| Pinellas | St. Petersburg | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | FLA012881 | SWFWMD | TPA | Yes |
| Pinellas | Tarpon Springs | TARPON SPRINGS | FL0030406 | SWFWMD | TPA | Yes |
| Polk | Auburndale | AUBURNDALE ALLRED WWTP | FL0021466 | SWFWMD | TPA | Yes |
| Polk | Auburndale | AUBURNDALE REGIONAL WWTP | FLA016559 | SWFWMD | TPA | Yes |
| Polk | Bartow | BARTOW | FLA012976 | SWFWMD | TPA | Yes |
| Polk | Davenport | CITY OF DAVENPORT WWTP | FLA377392 | SWFWMD | TPA | No |
| Polk | Lakeland | CYPRESS LAKES | FLA013123 | SWFWMD | TPA | Yes |
| Polk | Fort Meade | FORT MEADE | FLA016529 | SWFWMD | TPA | Yes |
| Polk | Grenelefe | GRENELEFE GOLF & RACQUET CLUB | FLA013016 | SWFWMD | TPA | Yes |
| Polk | Haines City | HAINES CITY | FLA012977 | SWFWMD | TPA | Yes |
| Polk | Lake Alfred | LAKE ALFRED | FLA012975 | SWFWMD | TPA | Yes |
| Polk | Fedhaven | LAKE WALES UTIL. CO/NALCREST | FLA110434 | SWFWMD | TPA | Yes |
| Polk | Lake Wales | LAKE WALES, CITY OF | FLA129844 | SWFWMD | TPA | Yes |
| Polk | Lakeland | LAKELAND - GLENDALE | FL0039772 | SWFWMD | TPA | Yes |
| Polk | Poinciana | POINCIANA #5 | FLA010979 | SFWMD | ORL | No |
| Polk | Central Polk County | POLK CO.-CENTRAL REGIONAL | FLA012969 | SWFWMD | TPA | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|------------|-----------------------|----------------------------------|-----------|--------|----------|---------|
| Polk | Polk City | POLK CO.-MT OLIVE WWTF | FLA012952 | SWFWMD | TPA | Yes |
| Polk | Northeast Polk County | POLK CO.-NORTHEAST REGIONAL | FLA012967 | SWFWMD | TPA | Yes |
| Polk | Lakeland | POLK CO.-NORTHWEST REGIONAL | FLA178667 | SWFWMD | FTM | Yes |
| Polk | Loughman | POLK CO.-OAK HILL ESTATES | FLA011049 | SFWMD | ORL | Yes |
| Polk | Frostproof | POLK CO.-SUN RAY WWTP | FLA012949 | SWFWMD | TPA | Yes |
| Polk | North of Mulberry | POLK CO.-SW REGIONAL WWTF | FLA012954 | SWFWMD | TPA | Yes |
| Polk | Northeast Polk County | POLK CO.-U.S. 27-192 (POLO PARK) | FLA011031 | SWFWMD | TPA | Yes |
| Polk | Waverly | POLK CO.-WAVERLY | FLA012968 | SWFWMD | TPA | Yes |
| Polk | Polk City | POLK CORRECTIONAL INSTITUTION | FLA013360 | SWFWMD | TPA | Yes |
| Polk | Winter Haven | SWISS GOLF CLUB | FLA013103 | SWFWMD | TPA | Yes |
| Polk | Winter Haven | SWISS VILLAGE MHP | FLA013102 | SWFWMD | TPA | Yes |
| Polk | Winter Haven | WINTER HAVEN #2 | FL0021849 | SWFWMD | TPA | Yes |
| Polk | Winter Haven | WINTER HAVEN #3 | FL0036048 | SWFWMD | TPA | Yes |
| Putnam | Crescent City | CRESCENT CITY, CITY OF | FL0021610 | SJRWMD | JAX | Yes |
| Putnam | Palatka | PALATKA, CITY OF | FL0040061 | SJRWMD | JAX | Yes |
| Putnam | Crescent City | RIVER PARK MHP | FLA117218 | SJRWMD | JAX | Yes |
| Santa Rosa | Milton | AVALON UTILITIES | FLA010218 | NWFWMD | PEN | No |
| Santa Rosa | Gulf Breeze | GULF BREEZE-TIGER POINT | FLA010212 | NWFWMD | PEN | No |
| Santa Rosa | Navarre | HOLLEY-NAVARRE WASTEWATER SYSTEM | FLA010211 | NWFWMD | PEN | Yes |
| Santa Rosa | Jay | JAY, TOWN OF | FLA010206 | NWFWMD | PEN | No |
| Santa Rosa | Navarre Beach | NAVARRE BEACH | FL0023981 | NWFWMD | PEN | Yes |
| Santa Rosa | Pace | PACE WATER SYSTEM #1 | FL0102202 | NWFWMD | PEN | No |
| Sarasota | Sarasota | AQUASOURCE/FRUITVILLE WWTP | FL0134589 | SWFWMD | TPA | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|-------------------|--|-----------|--------|----------|---------|
| Sarasota | Sarasota | CAMELOT LAKES | FLA013390 | SWFWMD | TPA | Yes |
| Sarasota | North Port | CITY OF NORTH PORT WWTP | FLA013378 | SWFWMD | TPA | Yes |
| Sarasota | Venice | CITY OF VENICE - EAST/PROJECT WAVE | FL0041441 | SWFWMD | TPA | Yes |
| Sarasota | Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. REGI | FLA013455 | SWFWMD | TPA | Yes |
| Sarasota | Sarasota | SARASOTA CO.-SOUTH GATE | FL0032808 | SWFWMD | TPA | Yes |
| Sarasota | Sarasota | SARASOTA CO.-VENICE GARDENS #1 | FLA043494 | SWFWMD | TPA | Yes |
| Sarasota | Sarasota | SARASOTA, CITY OF | FL0040771 | SWFWMD | TPA | Yes |
| Seminole | Oviedo | ALAFAYA | FLA011074 | SJRWMD | ORL | Yes |
| Seminole | Altamonte Springs | ALTAMONTE SPRINGS (PROJECT APRICOT) | FL0033251 | SJRWMD | ORL | Yes |
| Seminole | Casselberry | CASSELBERRY WRF | FLA011066 | SJRWMD | ORL | Yes |
| Seminole | Chuluota | CHULUOTA | FLA011076 | SJRWMD | ORL | Yes |
| Seminole | Oviedo | ORLANDO/IRON BRIDGE RD REGIONAL | FL0037966 | SJRWMD | ORL | Yes |
| Seminole | Oviedo | PALM VALLEY | FLA011085 | SJRWMD | ORL | Yes |
| Seminole | Sanford | SANFORD/NORTH | FL0020141 | SJRWMD | ORL | Yes |
| Seminole | West of Sanford | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | FL0042625 | SJRWMD | ORL | Yes |
| Seminole | Lake Mary | SEMINOLE CO/GREENWOOD LAKES | FLA011086 | SJRWMD | ORL | Yes |
| Seminole | Longwood | SHADOW HILLS/LONGWOOD | FLA011105 | SJRWMD | ORL | Yes |
| Seminole | Longwood | WEKIVA HUNT CLUB | FL0036251 | SJRWMD | ORL | Yes |
| Seminole | Winter Springs | WINTER SPRINGS | FLA011067 | SJRWMD | ORL | Yes |
| Seminole | Winter Springs | WINTER SPRINGS EAST | FLA011068 | SJRWMD | ORL | Yes |
| Seminole | Longwood | WOODLANDS (DES PINAR) | FLA011080 | SJRWMD | ORL | Yes |
| St. Johns | St. Augustine | ANASTASIA | FL0038831 | SJRWMD | JAX | Yes |
| St. Johns | Innlet Beach | INNLET BEACH | FL0044237 | SJRWMD | JAX | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|-------------------|-----------------------------------|-----------|--------|----------|---------|
| St. Johns | Fruit Cove | JEA-JULINGTON CREEK | FL0043591 | SJRWMD | JAX | Yes |
| St. Johns | St. Augustine | MAINLAND (S.R. 207) | FLA011747 | SJRWMD | JAX | Yes |
| St. Johns | St. Augustine | MARSH LANDING @ PONTE VEDRA LAKES | FL0044253 | SJRWMD | JAX | Yes |
| St. Johns | St. Augustine | NORTH BEACH UTILITIES | FLA011765 | SJRWMD | JAX | Yes |
| St. Johns | Sawgrass | PLAYERS CLUB SOUTH | FL0044245 | SJRWMD | JAX | Yes |
| St. Johns | Ponte Vedra | PONTE VEDRA | FL0117951 | SJRWMD | JAX | Yes |
| St. Johns | Ponte Vedra Beach | SAWGRASS | FL0117897 | SJRWMD | JAX | Yes |
| St. Johns | St. Augustine | ST. AUGUSTINE, CITY OF #1 | FL0021938 | SJRWMD | JAX | Yes |
| St. Johns | St. Augustine | ST. JOHNS COUNTY SR-16 | FL0043109 | SJRWMD | JAX | Yes |
| St. Lucie | Fort Pierce | FORT PIERCE UTILITY AUTHORITY | FL0027278 | SFWMD | WPB | Yes |
| St. Lucie | Palm City | HARBOUR RIDGE P.U.D. | FLA013986 | SFWMD | WPB | Yes |
| St. Lucie | Jensen Beach | HUTCHINSON - ISLAND DUNES | FLA013980 | SFWMD | WPB | Yes |
| St. Lucie | Fort Pierce | MEADOWOOD/PANTHER WOODS | FLA013982 | SFWMD | WPB | Yes |
| St. Lucie | Port St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | FLA024929 | SFWMD | WPB | Yes |
| St. Lucie | Port St. Lucie | PORT ST LUCIE WESTPORT | FLA139653 | SFWMD | WPB | Yes |
| St. Lucie | Port St. Lucie | PORT ST LUCIE-GLADES WWTF | FLA326321 | SFWMD | WPB | No |
| St. Lucie | Port St. Lucie | PORT ST. LUCIE UTIL-NORTHPORT/DIW | FLA140228 | SFWMD | WPB | No |
| St. Lucie | Port St. Lucie | SAVANNA CLUB | FLA013958 | SFWMD | WPB | Yes |
| St. Lucie | Ft. Pierce | SPANISH LAKES COUNTRY CLUB | FLA013977 | SFWMD | WPB | Yes |
| St. Lucie | Ft. Pierce | SPANISH LAKES FAIRWAYS | FLA013998 | SFWMD | WPB | Yes |
| St. Lucie | Ft. Pierce | ST. LUCIE CO.- NORTH HUTCHINSON | FLA013946 | SFWMD | WPB | Yes |
| St. Lucie | Ft. Pierce | ST. LUCIE CO.- SOUTH HUTCHINSON | FL0139475 | SFWMD | WPB | Yes |
| St. Lucie | St. Lucie West | ST. LUCIE WEST | FLA013993 | SFWMD | WPB | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|-----------|------------------|--------------------------------------|-----------|--------|----------|---------|
| St. Lucie | Ft. Pierce | ST. LUCIE-NORTH (HOLIDAY PINES) | FLA013969 | SFWMD | WPB | Yes |
| Sumter | Wildwood | CONTINENTAL COUNTRY CLUB | FLA043699 | SWFWMD | TPA | No |
| Sumter | Lake Panasoffkee | DAVID HANSON WWTP/BUSHNELL | FLA188697 | SWFWMD | TPA | Yes |
| Sumter | The Villages | LITTLE SUMTER UTILITY CO. WWTF | FLA017133 | SWFWMD | TPA | No |
| Sumter | The Villages | NORTH SUMTER WRF | FLA281581 | SWFWMD | TPA | No |
| Sumter | Bushnell | SUMTER CORRECTIONAL INSTITUTION | FLA013558 | SWFWMD | TPA | No |
| Sumter | Wildwood | WILDWOOD | FLA013497 | SWFWMD | TPA | No |
| Suwannee | Dowling Park | ADVENT CHRISTIAN HOME | FLA011819 | SRWMD | JAX | No |
| Suwannee | Branford | BRANFORD | FLA011806 | SRWMD | JAX | No |
| Suwannee | Live Oak | LIVE OAK | FLA011805 | SRWMD | JAX | No |
| Taylor | Perry | PERRY, CITY OF | FL0026387 | SRWMD | JAX | No |
| Taylor | Perry | TAYLOR CORRECTIONAL INSTITUTION | FLA011831 | SRWMD | JAX | No |
| Union | Lake Butler | LAKE BUTLER | FLA118338 | SRWMD | JAX | No |
| Volusia | Daytona | DAYTONA REUSE IMPLEMENTATION PROGRAM | FLA111392 | SJRWMD | ORL | Yes |
| Volusia | Deland | DELAND REGIONAL (WILEY M NASH) | FL0020303 | SJRWMD | ORL | Yes |
| Volusia | DeLand | DELAND/BRANDY TRAILS | FLA011132 | SJRWMD | ORL | Yes |
| Volusia | Deltona | DELTONA LAKES | FLA111724 | SJRWMD | ORL | Yes |
| Volusia | Edgewater | EDGEWATER | FL0021431 | SJRWMD | ORL | Yes |
| Volusia | Holly Hill | HOLLY HILL | FL0027677 | SJRWMD | ORL | Yes |
| Volusia | Ormond Beach | N. PENINSULA UTIL.-SEABRIDGE | FLA011188 | SJRWMD | ORL | Yes |
| Volusia | New Smyrna Beach | NEW SMYRNA BEACH | FL0172090 | SJRWMD | ORL | Yes |
| Volusia | Ormond Beach | ORMOND BEACH | FL0020532 | SJRWMD | ORL | Yes |
| Volusia | Port Orange | PORT ORANGE | FL0020559 | SJRWMD | ORL | Yes |

| County | City | Reuse System Name | WAFR ID | WMD | DEP Dist | In WRCA |
|------------|------------------|-----------------------------------|-----------|--------|----------|---------|
| Volusia | Ormond Beach | TYMBER CREEK | FLA011193 | SJRWMD | ORL | Yes |
| Volusia | Deltona | VCUD/DELTONA NORTH | FLA011121 | SJRWMD | ORL | Yes |
| Volusia | Orange City | VCUD/FOUR TOWNES | FLA011118 | SJRWMD | ORL | Yes |
| Volusia | Ormond Beach | VCUD/HALIFAX PLANTATION WWTF | FLA011131 | SJRWMD | ORL | Yes |
| Volusia | Oak Hill | VCUD/SOUTHEAST REGIONAL | FLA017413 | SJRWMD | ORL | Yes |
| Volusia | Debary | VCUD/SOUTHWEST REGIONAL | FLA011128 | SJRWMD | ORL | Yes |
| Wakulla | Panacea | WAKULLA CO./OTTER CREEK | FLA010225 | NWFWMD | PEN | No |
| Wakulla | Woodville | WINCO UTILITIES, INC. | FLA016544 | NWFWMD | PEN | No |
| Walton | Defuniak Springs | DEFUNIAK SPRINGS, CITY OF (STP) | FLA102440 | NWFWMD | PEN | No |
| Walton | Freeport | FREEPORT | FLA010245 | NWFWMD | PEN | Yes |
| Walton | Seagrove | POINT WASHINGTON | FLA010252 | NWFWMD | PEN | Yes |
| Walton | Sandestin Beach | SANDESTIN UTILITY COMPANY | FLA010251 | NWFWMD | PEN | Yes |
| Walton | Seacrest Beach | SEACREST | FLA183555 | NWFWMD | PEN | No |
| Walton | Destin | SOUTH WALTON UTILITY COMPANY | FLA010248 | NWFWMD | PEN | Yes |
| Walton | DeFuniak Springs | WALTON CORRECTIONAL INSTITUTION | FLA010254 | NWFWMD | PEN | No |
| Washington | Vernon | CITY OF VERNON | FLA102563 | NWFWMD | PEN | No |
| Washington | Greenhead | WASHINGTON CO. CORRECTIONAL INST. | FLA010260 | NWFWMD | PEN | No |

Total Number of Reuse Systems in the Inventory

430

Appendix B. Domestic Wastewater Treatment Facilities Providing Reuse

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|-----------------------------|-----------|--------------|---------------------|-----------------|
| Alachua | ALACHUA | ALACHUA | FLA011290 | HI | 0.94 | 0.46 |
| Alachua | G.R.U. #5-KANAPAHA | GRU - KANAPAHA | FL0112895 | HI | 14.90 | 9.88 |
| Alachua | GRU - MAIN ST. (STP #1 & #2) | GRU - MAIN STREET | FL0027251 | BA | 7.50 | 4.89 |
| Alachua | HAWTHORNE WWTF | HAWTHORNE | FLA011291 | BA | 0.15 | 0.12 |
| Alachua | HIGH SPRINGS WWTF | HIGH SPRINGS | FLA286095 | BA | 0.24 | 0.07 |
| Alachua | NEWBERRY | NEWBERRY WWTF | FLA011292 | BA | 0.42 | 0.22 |
| Alachua | U. OF FLORIDA WRF | UNIV. OF FLORIDA/LAKE ALICE | FLA011322 | HI | 3.00 | 1.81 |
| County Subtotals | | | | | 27.14 | 17.45 |
| Baker | BAKER CORRECTIONAL INSTITUTION | BAKER CORRECTIONAL INSTIT | FLA011332 | BA | 0.38 | 0.25 |
| County Subtotals | | | | | 0.38 | 0.25 |
| Bay | BAY POINT WWTF | BAY POINT | FLA010008 | HI | 0.50 | 0.24 |
| Bay | LYNN HAVEN | LYNN HAVEN | FL0169978 | HI | 2.50 | 1.38 |
| Bay | MILITARY POINT REGIONAL AWT FA | MILITARY POINT REGIONAL A | FL0167959 | HI | 7.00 | 3.76 |
| Bay | PANAMA CITY BEACH | PANAMA CITY BEACH | FL0021512 | IM | 10.00 | 3.60 |
| Bay | SANDY CREEK RANCH | SANDY CREEK RANCH | FLA010019 | HI | 0.08 | 0.03 |
| County Subtotals | | | | | 20.08 | 9.01 |
| Bradford | FLORIDA STATE PRISON WWTF | FLORIDA STATE PRISON WWTF | FLA113450 | BA | 1.78 | 1.11 |
| Bradford | STARKE, CITY OF | STARKE, CITY OF | FL0028126 | BA | 1.65 | 0.71 |
| County Subtotals | | | | | 3.43 | 1.81 |
| Brevard | BCUD/PORT ST. JOHN WWTF | BCUD/PORT ST. JOHN | FLA102750 | HI | 0.50 | 0.31 |
| Brevard | BCUD-BAREFOOT BAY WRF | BCUD/BAREFOOT BAY | FL0042293 | HI | 0.90 | 0.49 |
| Brevard | BCUD-NORTH REGIONAL WWTF | BCUD/NORTH BREVARD REGIO | FLA010263 | HI | 2.00 | 0.25 |
| Brevard | BCUD-SOUTH BEACHES WWTF | BCUD/SOUTH BEACHES | FL0040622 | HI | 8.00 | 5.78 |
| Brevard | BCUD-SOUTH CENTRAL REGIONAL | BCUD/SOUTH CENTRAL REGIO | FL0102679 | HB | 5.50 | 3.46 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|----------------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Brevard | BCUD-SYKES CREEK | BCUD/SYKES CREEK | FLA102695 | HI | 6.00 | 3.36 |
| Brevard | CAPE CANAVERAL WRF | COCOA BEACH WRF | FL0020541 | HI | | 0.08 |
| Brevard | CAPE CANAVERAL WRF | CAPE CANAVERAL | FL0020541 | HI | 1.80 | 1.01 |
| Brevard | CCAFS/REGIONAL | CCAFS/REGIONAL | FL0102920 | BA | 0.80 | 0.50 |
| Brevard | COCOA BEACH WRF | COCOA BEACH WRF | FL0021105 | HI | 6.00 | 3.18 |
| Brevard | JERRY SELLERS W.R.F | CITY OF COCOA RECLAIMED W | FL0021521 | HI | 4.50 | 2.13 |
| Brevard | MELBOURNE-DAVID B. LEE WWTF | MELBOURNE/NORTH SERVICE | FLA010323 | HB | 7.00 | 4.16 |
| Brevard | MELBOURNE-GRANT STREET WWTF | MELBOURNE/SOUTH SERVICE | FL0041122 | HB | 5.50 | 2.89 |
| Brevard | PALM BAY | PALM BAY | FLA103357 | HI | 1.20 | 0.92 |
| Brevard | RAY BULLARD WRF | RAY BULLARD WRF | FLA010332 | HI | 2.50 | 1.74 |
| Brevard | ROCKLEDGE WWTF | ROCKLEDGE | FL0021571 | HB | 4.50 | 2.22 |
| Brevard | SUN LAKE ESTATES | SUN LAKE ESTATES | FLA010353 | BA | 0.14 | 0.04 |
| Brevard | THE GREAT OUTDOORS RV/GOLF RES | THE GREAT OUTDOORS GOLF/R | FLA010386 | HI | 0.19 | 0.08 |
| Brevard | TITUSVILLE NORTH-OSPREY | TITUSVILLE REUSE SYSTEM | FL0103268 | HI | 2.75 | 1.65 |
| Brevard | TITUSVILLE SOUTH-BLUE HERON | TITUSVILLE REUSE SYSTEM | FL0103349 | HI | 4.00 | 1.69 |
| County Subtotals | | | | | 63.77 | 35.92 |
| Broward | BROWARD CO. NORTH REGIONAL | BROWARD CO. NORTH REGION | FL0031771 | HI | 84.00 | 75.90 |
| Broward | CITY OF MIRAMAR WWTF | CITY OF MIRAMAR WWTF | FLA017025 | HI | 8.40 | 7.09 |
| Broward | HOLLYWOOD/SOUTHERN REGIONAL | HOLLYWOOD | FL0026255 | HI | 46.30 | 47.88 |
| Broward | PLANTATION REGIONAL WWTF | PLANTATION REGIONAL WWTF | FLA040401 | HI | 18.90 | 14.67 |
| Broward | POMPANO BEACH REUSE FACILITY | POMPANO BEACH | FLA013581 | HI | 7.50 | 1.75 |
| Broward | SUNRISE SOUTHWEST | SUNRISE SOUTHWEST | FLA013580 | BA | 0.45 | 0.35 |
| County Subtotals | | | | | 165.55 | 147.65 |
| Charlotte | CHARLOTTE CO. - BURNT STORE | CHARLOTTE CO.-BURNT STORE | FLA014083 | HI | 0.50 | 0.22 |
| Charlotte | CHARLOTTE CO. UTILITIES-EAST POR | CHARLOTTE CO.-EASTPORT | FL0040291 | HI | 6.00 | 3.81 |
| Charlotte | CHARLOTTE CO.-WEST PORT | CHARLOTTE CO.-WEST PORT | FLA014048 | HI | 1.20 | 0.45 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Charlotte | CHARLOTTE CORRECTIONAL INSTITU | CHARLOTTE CORRECTIONAL I | FLA014130 | HI | 0.25 | 0.17 |
| Charlotte | ENGLEWOOD WWTF | ENGLEWOOD WATER DISTRICT | FLA014126 | HI | 3.00 | 1.65 |
| Charlotte | RIVERWOODS UTILITIES | RIVERWOODS UTILITIES | FLA014060 | HB | 0.50 | 0.11 |
| Charlotte | ROTONDA WEST WWTF | CHARLOTTE CO.-ROTONDA WE | FLA014098 | HI | 0.63 | 0.46 |
| Charlotte | SANDALHAVEN UTILITIES | SANDALHAVEN/WILDFLOWER | FLA014053 | HI | 0.15 | 0.09 |
| County Subtotals | | | | | 12.22 | 6.96 |
| Citrus | BEVERLY HILLS - ROLLING OAKS | BEVERLY HILLS - ROLLING OA | FLA011869 | BA | 0.58 | 0.49 |
| Citrus | CITRUS SPRINGS UTILITIES | CITRUS SPRINGS UTILITIES | FLA011877 | BA | 0.20 | 0.09 |
| Citrus | CITY OF INVERNESS WWTF | INVERNESS REGIONAL | FLA011847 | BA | 1.50 | 0.54 |
| Citrus | CRYSTAL RIVER | CRYSTAL RIVER | FLA011848 | BA | 1.50 | 1.06 |
| Citrus | MEADOWCREST WWTF | MEADOWCREST | FLA011845 | BA | 0.50 | 0.31 |
| Citrus | POINT OF WOODS UTILITIES | POINT OF WOODS UTILITIES | FLA011893 | HI | 0.06 | 0.02 |
| Citrus | SUGARMILL WOODS WWTF | SUGAR MILL WOODS CYPRESS | FLA011903 | BA | 0.70 | 0.38 |
| Citrus | WALDEN WOODS MHP WWTF | WALDEN WOODS MHP WWTF | FLA011916 | BA | 0.10 | 0.03 |
| County Subtotals | | | | | 5.14 | 2.91 |
| Clay | CCUA-FLEMING ISLAND REGIONAL W | CCUA-FLEMING ISLAND | FL0043834 | HI | 4.00 | 2.29 |
| Clay | CCUA-FLEMING OAKS WWTF | CCUA-FLEMING ISLAND | FL0032875 | HI | 0.49 | 0.00 |
| Clay | CCUA-RAVINES | CCUA-RAVINES | FLA011371 | BA | 0.20 | 0.11 |
| Clay | CCUA-RIDAUGHT LANDING WWTF | CCUA-FLEMING ISLAND | FL0039721 | HI | | 0.28 |
| Clay | CCUA-RIDAUGHT LANDING WWTF | CCUA-RIDAUGHT LANDING | FL0039721 | HI | 1.88 | 0.73 |
| Clay | GREEN COVE SPRINGS - HARBOR ROA | GREEN COVE SPRINGS - HARBO | FL0020915 | HI | 0.75 | 0.48 |
| Clay | MID-CLAY REGIONAL WWTF | CCUA-MID-CLAY REGIONAL | FLA011377 | HI | 0.65 | 0.22 |
| Clay | SPENCER WWTP | CCUA-SPENCER | FL0173371 | HI | 2.00 | 0.59 |
| County Subtotals | | | | | 9.97 | 4.70 |
| Collier | AVE MARIE UTILITY CO | AVE MARIE UTILITY CO | FLA376400 | HI | 0.90 | 0.20 |
| Collier | CITY OF EVERGLADES WWTF | EVERGLADES WWTF | FL0027618 | HI | 0.12 | 0.13 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Collier | COLLIER CO.-NORTH | COLLIER CO.-NORTH | FL0141399 | HI | 24.10 | 8.37 |
| Collier | COLLIER CO.-SOUTH REGIONAL WRF | COLLIER CO.-SOUTH | FL0141356 | HI | 16.00 | 7.36 |
| Collier | GOLDEN GATE WWTF | GOLDEN GATE | FLA142140 | BA | 0.95 | 1.23 |
| Collier | IMMOKALEE WWTF | IMMOKALEE | FLA014132 | BA | 2.50 | 1.65 |
| Collier | MARCO SHORES UTILITIES | MARCO SHORES UTILITIES | FLA014174 | BA | 0.30 | 0.09 |
| Collier | MARCO SHORES WWTP | MARCO ISLAND UTILITIES | FLA014167 | HI | 3.50 | 1.74 |
| Collier | NAPLES WRF | CITY OF NAPLES I | FL0026271 | HI | 10.00 | 6.30 |
| Collier | PORT OF THE ISLANDS-SOUTH | PORT OF THE ISLANDS/SOUTH | FL0141704 | IM | 0.20 | 0.05 |
| County Subtotals | | | | | 58.57 | 27.12 |
| Columbia | COLUMBIA CORRECTIONAL INSTITUT | COLUMBIA CORRECTIONAL IN | FLA011418 | HB | 0.53 | 0.34 |
| Columbia | LAKE CITY WWTF | LAKE CITY WWTF | FLA113956 | IM | 3.00 | 2.35 |
| County Subtotals | | | | | 3.53 | 2.69 |
| De Soto | DESOTO CORRECTIONAL INSTITUTIO | DESOTO CORRECTIONAL INSTI | FLA011987 | BA | 0.50 | 0.29 |
| De Soto | G PIERCE WOOD MEMORIAL HOSPITA | G PIERCE WOOD MEMORIAL H | FLA011988 | BA | 0.15 | 0.02 |
| De Soto | LAKE SUZY WWTF | LAKE SUZY WWTF | FLA011964 | BA | 0.15 | 0.06 |
| De Soto | WILLIAM TYSON (ARCADIA) | WILLIAM TYSON (ARCADIA) | FL0027511 | HI | 2.00 | 0.72 |
| County Subtotals | | | | | 2.80 | 1.08 |
| Duval | DISTRICT II WWTF | JEA-DISTRICT II | FL0026450 | HB | 10.00 | 4.70 |
| Duval | JACKSONVILLE BEACH | JACKSONVILLE BEACH | FL0020231 | BA | 4.50 | 2.56 |
| Duval | JEA-ARLINGTON EAST | JEA-ARLINGTON EAST | FL0026441 | HI | 20.00 | 14.70 |
| Duval | JEA-BLACKS FORD WWTF | JEA-BLACKS FORD | FL0174441 | HI | 0.75 | 0.57 |
| Duval | JEA-BUCKMAN STREET WWTF | JEA-BUCKMAN STREET | FL0026000 | BA | 52.50 | 27.13 |
| Duval | JEA-JACKSONVILLE HEIGHTS | JEA-JACKSONVILLE HEIGHTS | FL0023671 | BA | 2.50 | 1.05 |
| Duval | JEA-MANDARIN WRF | JEA-MANDARIN | FL0023493 | HI | 7.50 | 6.40 |
| Duval | NORMANDY VILLAGE UTILITY | NORMANDY VILLAGE UTILITY | FLA011517 | BA | 0.40 | 0.22 |
| Duval | SOUTHWEST DISTRICT WWTF | SOUTHWEST DISTRICT WWTF | FL0026468 | BA | 10.00 | 8.67 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|----------------------------|----------------|---------------------|----------------------------|------------------------|
| Duval | USN NAS JACKSONVILLE | USN NAS JACKSONVILLE | FL0000957 | HI | 2.25 | 0.86 |
| County Subtotals | | | | | 110.40 | 66.87 |
| Escambia | BAYOU MARCUS WRF | ECUA-BAYOU MARCUS WRF | FL0031801 | BA | 8.20 | 4.97 |
| Escambia | HIGHWAY 191 (SUNDIAL UTILITIES) | HIGHWAY 191 (SUNDIAL UTILI | FLA016779 | BA | 0.13 | 0.06 |
| Escambia | MAIN STREET WWTP | ECUA-MAIN STREET | FL0021440 | BA | 20.00 | 15.43 |
| Escambia | PENSACOLA BEACH | PENSACOLA BEACH | FL0024007 | IM | 2.40 | 0.75 |
| County Subtotals | | | | | 30.73 | 21.21 |
| Flagler | GRAND HAVEN CDD WWTF | GRAND HAVEN CDD WWTP | FLA175463 | HI | 1.00 | 0.54 |
| Flagler | HAMMOCK DUNES WWTF | HAMMOCK DUNES | FLA011602 | HI | 4.80 | 1.81 |
| Flagler | MATANZAS SHORES | MATANZAS SHORES | FLA011599 | BA | 0.32 | 0.06 |
| Flagler | PALM COAST WWTF | PALM COAST | FL0116009 | HI | 6.83 | 4.70 |
| Flagler | PLANTATION BAY WWTF | PLANTATION BAY WWTP | FLA011597 | HI | 0.48 | 0.12 |
| County Subtotals | | | | | 13.43 | 7.24 |
| Franklin | CARRABELLE | CARRABELLE | FLA100641 | HI | 1.20 | 0.21 |
| Franklin | EASTPOINT WATER & SEWER DISTRIC | EASTPOINT WATER & SEWER D | FLA010065 | BA | 0.30 | 0.12 |
| Franklin | LANARK VILLAGE WWTF | LANARK VILLAGE | FLA010066 | BA | 0.11 | 0.04 |
| County Subtotals | | | | | 1.61 | 0.37 |
| Gadsden | GADSDEN EAST WWTP | GADSDEN EAST WWTP | FLA187941 | BA | 0.25 | 0.08 |
| Gadsden | GRETNA | GRETNA, TOWN OF | FLA100781 | BA | 0.40 | 0.29 |
| Gadsden | HAVANA, TOWN OF (STP) | HAVANA, TOWN OF | FLA100765 | BA | 0.40 | 0.16 |
| Gadsden | QUINCY, CITY OF (STP) | QUINCY, CITY OF | FL0029033 | BA | 1.50 | 0.76 |
| County Subtotals | | | | | 2.55 | 1.29 |
| Gilchrist | LANCI WWTP | LANCASTER CORRECTIONAL I | FLA011620 | BA | 0.12 | 0.11 |
| Gilchrist | TRENTON | TRENTON WWTF | FLA011615 | BA | 0.20 | 0.13 |
| County Subtotals | | | | | 0.32 | 0.24 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Gulf | GULF CORRECTIONAL INSTITUTION | GULF CORRECTIONAL INSTITU | FLA010105 | BA | 0.35 | 0.22 |
| County Subtotals | | | | | 0.35 | 0.22 |
| Hamilton | JENNINGS, TOWN OF WWTP | JENNINGS | FLA011623 | BA | 0.18 | 0.11 |
| County Subtotals | | | | | 0.18 | 0.11 |
| Hardee | BOWLING GREEN STP | BOWLING GREEN STP | FLA119911 | BA | 0.32 | 0.15 |
| Hardee | CITY OF WAUCHULA WWTP | WAUCHULA WWTP | FLA119890 | BA | 1.20 | 0.59 |
| Hardee | HARDEE COUNTY CORRECTIONAL | HARDEE COUNTY CORRECTIO | FLA012022 | HI | 0.21 | 0.23 |
| Hardee | ZOLFO SPRINGS WWTF | ZOLFO SPRINGS | FL0043729 | BA | 0.20 | 0.13 |
| County Subtotals | | | | | 1.93 | 1.10 |
| Hendry | CLEWISTON WWTF | CLEWISTON | FL0040665 | BA | 1.50 | 1.10 |
| Hendry | HENDRY CORRECTIONAL INSTITUTIO | HENDRY CORRECTIONAL INSTI | FLA014306 | BA | 0.36 | 0.19 |
| Hendry | LABELLE WWTF | LABELLE #1 | FLA014283 | BA | 0.75 | 0.33 |
| Hendry | PORT LABELLE WWTP | PORT LABELLE | FLA014290 | BA | 0.50 | 0.21 |
| County Subtotals | | | | | 3.11 | 1.82 |
| Hernando | BERKELEY MANOR WWTF | HERNANDO CO./BERKELEY MA | FLA012060 | BA | 0.75 | 0.16 |
| Hernando | BROOKRIDGE | HERNANDO CO./BROOKRIDGE | FLA012028 | BA | 0.75 | 0.31 |
| Hernando | BROOKSVILLE/COBB ROAD WWTF | BROOKSVILLE, CITY OF | FLA012036 | BA | 8.00 | 0.83 |
| Hernando | HERNANDO AIRPORT SUBREGIONAL | HERNANDO AIRPORT SUBREGI | FLA017223 | BA | 0.75 | 0.55 |
| Hernando | RIDGE MANOR WEST WWTF | HERNANDO CO./RIDGE MANOR | FLA012031 | BA | 0.75 | 0.31 |
| Hernando | SPRING HILL WWTF | HERNANDO CO./SPRING HILL | FLA012043 | HI | 2.50 | 1.99 |
| Hernando | THE GLEN WWTF | HERNANDO CO./THE GLEN | FLA012069 | BA | 1.00 | 0.51 |
| Hernando | WEEKI WACHEE WWTF | HERNANDO CO./WEEKI WACHE | FLA012024 | BA | 0.25 | 0.06 |
| County Subtotals | | | | | 14.75 | 4.73 |
| Highlands | AVON PARK WATER POLLUTION CON | AVON PARK WATER POLL. CON | FLA014313 | BA | 1.50 | 0.59 |
| Highlands | SEBRING WWTF | SEBRING CITY OF | FLA014311 | BA | 1.50 | 0.84 |
| Highlands | SUN N LAKE ESTATES OF SEBRING U | SUN N LAKE ESTATES OF SEBR | FLA014389 | BA | 0.70 | 0.37 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Highlands | SUN'N LAKE OF SEBRING UNIT 4 | SUN'N LAKE OF SEBRING UNIT | FLA016268 | BA | 0.25 | 0.04 |
| Highlands | TOMOKA HEIGHTS WWTP/PLACID UTI | TOMOKA HEIGHTS WWTP/PLA | FLA014329 | BA | 0.20 | 0.05 |
| County Subtotals | | | | | 4.15 | 1.88 |
| Hillsborough | CW UTILITY - COUNTRY MEADOWS/G | CW UTILITY - COUNTRY MEAD | FLA122246 | HI | 0.17 | 0.10 |
| Hillsborough | HILLSBOROUGH-DALE MABRY AWW | HILLS. CO./NORTHWEST REUSE | FL0036820 | HI | 6.00 | 4.56 |
| Hillsborough | HILLSBOROUGH-FALKENBURG ROAD | HILLS. CO./SOUTH-CENTRAL R | FL0040614 | HI | 9.00 | 8.44 |
| Hillsborough | HILLSBOROUGH-NORTHWEST WRF A | HILLS. CO./NORTHWEST REUSE | FL0041670 | HI | 6.00 | 5.45 |
| Hillsborough | HILLSBOROUGH-RIVER OAKS AWWTP | HILLS. CO./NORTHWEST REUSE | FL0027821 | HI | 10.00 | 7.33 |
| Hillsborough | HILLSBOROUGH-SOUTH CO. RWWTP | HILLS. CO./SOUTH-CENTRAL R | FL0028061 | HI | 4.50 | 3.80 |
| Hillsborough | HILLSBOROUGH-VALRICO | HILLS. CO./SOUTH-CENTRAL R | FL0040983 | HI | 6.00 | 4.94 |
| Hillsborough | HILLSBOROUGH-VAN DYKE WWTP | HILLS. CO./NORTHWEST REUSE | FLA012234 | HI | 1.70 | 0.95 |
| Hillsborough | HOWARD F.CURREN AWTP | TAMPA/HOWARD F. CURREN | FL0020940 | HI | 96.00 | 57.07 |
| Hillsborough | MACDILL AFB WWTP | MACDILL AIR FORCE BASE | FLA012124 | HI | 1.20 | 0.42 |
| Hillsborough | PEBBLE CREEK WWTF | PEBBLE CREEK VILLAGE | FL0039896 | HI | 0.40 | 0.33 |
| Hillsborough | PLANT CITY WRF | PLANT CITY WRF | FL0026557 | HI | 8.00 | 5.24 |
| Hillsborough | RICE CREEK WWTF | RICE CREEK UTILITY COMPAN | FL0122076 | IM | 0.23 | 0.08 |
| Hillsborough | WINDEMERE | WINDEMERE/SCARECROW UTI | FLA012138 | BA | 0.26 | 0.12 |
| County Subtotals | | | | | 149.46 | 98.84 |
| Indian River | IRCUD - BLUE CYPRESS | IRCUD/WEST REGIONAL WWTF | FLA013923 | BA | 0.02 | 0.00 |
| Indian River | IRCUD - CENTRAL (GIFFORD) WWTF | IRCUD/WEST REGIONAL WWTF | FLA010431 | HI | 4.00 | 1.75 |
| Indian River | IRCUD - SOUTH REGIONAL WWTF | IRCUD/WEST REGIONAL WWTF | FLA010435 | HI | 2.00 | 1.44 |
| Indian River | IRCUD - WEST REGIONAL WWTF | IRCUD/WEST REGIONAL WWTF | FL0041637 | HI | 2.00 | 0.99 |
| Indian River | VERO BEACH WWTF | VERO BEACH, CITY OF | FL0021661 | HI | 4.50 | 2.81 |
| County Subtotals | | | | | 12.52 | 6.99 |
| Jackson | CITY OF MARIANNA | CITY OF MARIANNA WWTP | FLA101141 | BA | 4.00 | 1.41 |
| Jackson | COTTONDALE, CITY OF (STP) | COTTONDALE, CITY OF (STP) | FLA101168 | BA | 0.30 | 0.07 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Jackson | JACKSON CORRECTIONAL INSTITUTI | JACKSON CORRECTIONAL INST | FLA010127 | BA | 0.24 | 0.17 |
| Jackson | SNEADS, TOWN OF (STP) | SNEADS, TOWN OF (STP) | FLA010115 | BA | 0.73 | 0.41 |
| County Subtotals | | | | | 5.27 | 2.06 |
| Jefferson | JEFFERSON CORRECTIONAL INSTITUT | JEFFERSON CORRECTIONAL IN | FLA011642 | HI | 0.25 | 0.18 |
| Jefferson | MONTICELLO, CITY OF STP | MONTICELLO, CITY OF | FL0027839 | BA | 1.00 | 0.54 |
| County Subtotals | | | | | 1.25 | 0.71 |
| Lafayette | MAYO WWTP | MAYO | FLA011643 | BA | 0.15 | 0.11 |
| Lafayette | MAYO CORRECTIONAL INSTITUTION | MAYO CORRECTIONAL INSTIT | FLA011646 | BA | 0.21 | 0.17 |
| County Subtotals | | | | | 0.36 | 0.28 |
| Lake | CLERBROOK RV RESORTS | CLERBROOK RV RESORTS | FLA010538 | BA | 0.12 | 0.02 |
| Lake | CLERMONT - EAST | CLERMONT - EAST | FLA010515 | HI | 2.00 | 1.39 |
| Lake | CLERMONT- WEST | CLERMONT - WEST | FLA010512 | BA | 0.75 | 0.66 |
| Lake | EUSTIS - EASTERN | EUSTIS - EASTERN | FLA295965 | BA | 0.30 | 0.00 |
| Lake | EUSTIS, CITY OF | CITY OF EUSTIS | FLA010507 | HI | 2.40 | 1.04 |
| Lake | GROVELAND WWTF | GROVELAND | FLA010513 | BA | 0.25 | 0.21 |
| Lake | LADY LAKE WWTF | LADY LAKE WWTF | FLA399761 | BA | 0.25 | 0.08 |
| Lake | LAKE CORRECTIONAL INSTITUTION | LAKE CORRECTIONAL INSTITU | FLA010660 | BA | 0.18 | 0.16 |
| Lake | LAKE GROVES WWTF | LAKE GROVES UTILITIES, STP | FLA010630 | BA | 0.50 | 0.36 |
| Lake | LEESBURG-CANAL STREET | LEESBURG/CANAL STREET WW | FL0105066 | BA | 3.50 | 2.00 |
| Lake | LEESBURG-TURNPIKE | LEESBURG/CANAL STREET WW | FLA105147 | BA | 3.00 | 0.90 |
| Lake | MID-FLORIDA LAKES | MID-FLORIDA LAKES | FLA010657 | BA | 0.18 | 0.09 |
| Lake | MOUNT DORA #1 WWTF | MOUNT DORA #1 WWTF | FLA010508 | HI | 1.50 | 0.63 |
| Lake | MOUNT DORA #2 - JAMES SNELL | MOUNT DORA #2 - JAMES SNEL | FLA268542 | HI | 1.25 | 0.27 |
| Lake | OAK SPRINGS MHP | OAK SPRINGS MHP | FLA010629 | BA | 0.15 | 0.03 |
| Lake | PENNBROOKE WWTF | PENNBROOKE WWTF | FLA010570 | HI | 0.18 | 0.09 |
| Lake | PLANTATION@LEESBURG WWTF | PLANTATION @ LEESBURG | FLA010551 | HI | 0.37 | 0.15 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|----------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Lake | SOUTHLAKE UTILITIES | SOUTHLAKE COMMUNITY | FLA010634 | BA | 1.15 | 0.68 |
| Lake | ST. JOHNS - ASTOR PARK | ST. JOHNS - ASTOR PARK | FLA187496 | BA | 0.30 | 0.14 |
| Lake | SUNSHINE PARKWAY WWTF | SUNSHINE PARKWAY | FLA010656 | BA | 0.42 | 0.14 |
| Lake | UMATILLA WWTF | UMATILLA | FLA010505 | BA | 0.30 | 0.14 |
| Lake | VILLAGES WWTF | VILLAGES | FLA010555 | HI | 1.64 | 1.08 |
| Lake | WATER OAK UTILITIES | WATER OAK ESTATES | FLA010529 | BA | 0.20 | 0.07 |
| Lake | WOODLEA ROAD WRF | TAVARES/WOODLEA ROAD | FLA010509 | BA | 1.99 | 1.35 |
| County Subtotals | | | | | 22.88 | 11.69 |
| Lee | BONITA SPRINGS EAST WRF | RESOURCE CONSERVATION SY | FLA012343 | HI | 2.00 | 1.50 |
| Lee | BONITA SPRINGS WEST WRF | RESOURCE CONSERVATION SY | FLA014443 | HI | 7.00 | 2.98 |
| Lee | CAPE CORAL-EVEREST PARKWAY | WATER INDEPENDENCE FOR C | FL0030007 | HI | 8.50 | 6.64 |
| Lee | CAPE CORAL-SOUTHWEST WRF | WATER INDEPENDENCE FOR C | FLA455458 | HI | 6.60 | 4.52 |
| Lee | CITRUS PARK-NORTH | CITRUS PARK/NORTH | FLA014477 | BA | 0.20 | 0.09 |
| Lee | CROSS CREEK WWTF | CROSS CREEK COUNTRY CLUB | FLA014505 | HI | 0.25 | 0.08 |
| Lee | EAGLE RIDGE WWTF | EAGLE RIDGE | FLA014498 | HI | 0.44 | 0.26 |
| Lee | FIDDLESTICKS COUNTRY CLUB | FIDDLESTICKS COUNTRY CLUB | FLA014484 | HI | 0.15 | 0.07 |
| Lee | FOREST UTILITIES WWTF | FOREST UTILITIES | FLA014478 | HI | 0.50 | 0.23 |
| Lee | FORT MYERS BEACH STP | FORT MYERS BEACH | FLA144215 | HI | 6.00 | 3.45 |
| Lee | FORT MYERS CENTRAL WWTF | FORT MYERS CITY CENTRAL | FL0021261 | BA | 11.00 | 5.78 |
| Lee | FOUNTAIN LAKES WWTF | FOUNTAIN LAKES | FLA014669 | BA | 0.19 | 0.15 |
| Lee | GASPARILLA ISLAND WWTF | GASPARILLA ISLAND WATER | FLA014641 | HI | 0.71 | 0.33 |
| Lee | HUNTER'S RIDGE WWTF | HUNTER'S RIDGE | FLA014541 | HI | 0.20 | 0.04 |
| Lee | JAMAICA BAY WEST | JAMAICA BAY WEST | FLA014658 | BA | 0.30 | 0.01 |
| Lee | LAKE FAIRWAYS FFEC SIX | LAKE FAIRWAYS FFEC SIX | FLA014463 | HI | 0.30 | 0.14 |
| Lee | LEE CO. - FIESTA VILLAGE | LEE CO. - FIESTA VILLAGE | FL0039829 | HI | 5.00 | 2.95 |
| Lee | LEE CO. - FIESTA VILLAGE | FORT MYERS BEACH | FL0039829 | HI | | 0.36 |
| Lee | LEE CO. - PINE ISLAND WWTF | PINE ISLAND WWTP | FLA176460 | HI | 0.25 | 0.12 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|------------------------------|-----------|--------------|---------------------|-----------------|
| Lee | LEE CO. - WATERWAY ESTATES AWTP | LEE CO.-WATERWAY ESTATES | FL0030325 | HI | 1.00 | 0.98 |
| Lee | LEE CO.- GATEWAY | LEE CO.-GATEWAY | FLA014542 | HI | 1.00 | 0.60 |
| Lee | LEE CO.-SAN CARLOS | LEE CO.-SAN CARLOS | FLA014560 | HI | 0.30 | 0.22 |
| Lee | LEE CO.-THREE OAKS WWTF | LEE CO.- THREE OAKS | FLA145190 | HI | 3.27 | 1.84 |
| Lee | LEHIGH ACRES UTILITIES, INC. | LEHIGH ACRES UTILITIES, INC. | FLA014565 | HB | 2.50 | 1.57 |
| Lee | NORTH FORT MYERS UTILITY | NORTH FORT MYERS UTILITY | FLA014548 | HI | 3.50 | 1.53 |
| Lee | SANIBEL-DONAX WRF | SANIBEL-DONAX | FLA014430 | HI | 2.38 | 1.34 |
| Lee | SANIBEL-WULFERT POINT | SANIBEL-WULFERT | FLA014625 | HI | 0.13 | 0.01 |
| Lee | SOUTH SEAS PLANTATION | SOUTH SEAS PLANTATION | FLA014686 | HI | 0.26 | 0.12 |
| County Subtotals | | | | | 63.92 | 37.90 |
| Leon | LAKE BRADFORD WWTF | T.P. SMITH | FLA010140 | BA | 4.50 | 2.71 |
| Leon | LAKE JACKSON | LAKE JACKSON | FLA010171 | BA | 0.56 | 0.25 |
| Leon | T.P. SMITH WWTF | T.P. SMITH | FLA010139 | BA | 27.50 | 14.20 |
| County Subtotals | | | | | 32.56 | 17.16 |
| Levy | CEDAR KEY WRF | CEDAR KEY | FL0031216 | HI | 0.18 | 0.12 |
| Levy | CHIEFLAND WWTF | CHIEFLAND | FLA011648 | BA | 0.48 | 0.17 |
| Levy | WILLISTON WWTF | WILLISTON | FLA012612 | BA | 0.45 | 0.16 |
| County Subtotals | | | | | 1.11 | 0.44 |
| Liberty | CITY OF BRISTOL | CITY OF BRISTOL | FLA284602 | BA | 0.25 | 0.02 |
| Liberty | LIBERTY CORRECTIONAL INSTITUTIO | LIBERTY CORRECTIONAL INSTI | FLA010179 | BA | 0.20 | 0.16 |
| County Subtotals | | | | | 0.45 | 0.18 |
| Madison | GREENVILLE, TOWN OF | GREENVILLE, TOWN OF | FLA011658 | IM | 0.12 | 0.06 |
| Madison | MADISON WWTF | MADISON, CITY OF | FLA116572 | BA | 1.37 | 0.52 |
| County Subtotals | | | | | 1.49 | 0.58 |
| Manatee | BRADENTON WWTF | BRADENTON | FL0021369 | HI | 6.00 | 5.28 |
| Manatee | MANATEE NORTH WRF | MANATEE CO. MASTER REUSE | FLA012617 | HI | 7.50 | 4.45 |

2007 Reuse Inventory

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Manatee | MANATEE SOUTHEAST WRF | MANATEE CO. MASTER REUSE | FLA012618 | HI | 11.00 | 4.37 |
| Manatee | MANATEE SOUTHWEST WRF | MANATEE CO. MASTER REUSE | FLA012619 | HI | 22.00 | 12.50 |
| Manatee | PALMETTO WWTF | PALMETTO | FL0020401 | HI | 2.40 | 0.95 |
| County Subtotals | | | | | 48.90 | 27.56 |
| Marion | BELLEVIEW | BELLEVIEW | FLA010678 | HI | 0.58 | 0.40 |
| Marion | DUNNELLON | DUNNELLON | FLA126594 | BA | 0.25 | 0.12 |
| Marion | MARION CO. - OAK RUN | MARION/OAK RUN | FLA012697 | HB | 0.80 | 0.41 |
| Marion | MARION CORRECTIONAL INSTITUTIO | LOWELL (MARION) CORRECTIO | FLA010789 | BA | 0.65 | 0.36 |
| Marion | MARION LANDING | MARION LANDING | FLA012699 | BA | 0.11 | 0.05 |
| Marion | MARION OAKS WWTF | MARION OAKS | FLA012669 | BA | 0.23 | 0.23 |
| Marion | OCALA #1 WWTF | OCALA #1 WWTP | FLA010677 | HI | 2.47 | 1.09 |
| Marion | OCALA #2 WRF | OCALA #2 WRF | FLA010680 | HB | 6.63 | 2.52 |
| Marion | OCALA #3 WWTP | OCALA #3 WWTP | FLA190268 | HI | 4.00 | 2.05 |
| Marion | ON TOP OF THE WORLD/BAY LAUREL | ON TOP OF THE WORLD/BAY L | FLA012683 | BA | 0.75 | 0.39 |
| Marion | RAINBOW SPRINGS WRF | RAINBOW SPRINGS FIFTH REPL | FLA012693 | BA | 0.23 | 0.15 |
| Marion | SILVER SPRINGS REGIONAL WWTF | SILVER SPRINGS REGIONAL, W | FLA010786 | HI | 0.45 | 0.16 |
| Marion | SILVER SPRINGS SHORES | SILVER SPRINGS SHORES | FLA296651 | BA | 1.50 | 0.98 |
| Marion | SPRUCE CREEK SOUTH WWTF | SPRUCE CREEK SOUTH | FLA010769 | HI | 0.45 | 0.12 |
| Marion | STONECREST WWTF | STONECREST PUD | FLA010741 | BA | 0.23 | 0.17 |
| Marion | SUMMERGLEN WWTF | SUMMERGLEN WWTF | FLA175790 | HI | 0.20 | 0.09 |
| County Subtotals | | | | | 19.52 | 9.28 |
| Martin | DIXIE PARK | MARTIN CO. CONSOLIDATED R | FLA181285 | HI | 1.50 | 0.50 |
| Martin | HUTCHINSON-INDIAN RIVER PLANTA | INDIAN RIVER PLANTATION | FLA013792 | HI | 0.30 | 0.16 |
| Martin | INDIANTOWN WWTF | INDIANTOWN COMPANY | FLA029939 | BA | 0.75 | 0.48 |
| Martin | MARTIN CO. UTIL.-MARTIN DOWNS | MARTIN CO. CONSOLIDATED R | FLA013812 | HI | 1.75 | 0.60 |
| Martin | MARTIN CO. UTIL.-NORTH | MARTIN CO. UTIL.- NORTH | FLA043192 | HI | 2.76 | 1.08 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|----------------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Martin | MARTIN CORRECTIONAL INSTITUTIO | MARTIN CORRECTIONAL INSTI | FLA013881 | HI | 0.60 | 0.16 |
| Martin | MILES GRANT CONDO WWTF | MILES GRANT CONDO | FLA013842 | HI | 0.30 | 0.10 |
| Martin | PIPER'S LANDING | PIPERS LANDING | FLA013807 | HI | 0.10 | 0.06 |
| Martin | SAILFISH POINT WWTF | SAILFISH POINT | FLA013799 | HI | 0.25 | 0.10 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | SOUTH MARTIN REGIONAL UTI | FLA013859 | BA | 1.40 | 0.75 |
| Martin | STUART, CITY OF | STUART, CITY OF | FLA041459 | NA | 4.00 | 1.56 |
| Martin | TROPICAL FARMS | MARTIN CO. CONSOLIDATED R | FLA170691 | HI | 0.94 | 0.66 |
| County Subtotals | | | | | 14.65 | 6.22 |
| Miami-Dade | HOMESTEAD | HOMESTEAD | FLA013609 | HI | 6.00 | 4.84 |
| Miami-Dade | MDWASD CENTRAL DISTRICT | MDWASD CENTRAL DISTRICT | FLA024805 | HB | 143.00 | 111.90 |
| Miami-Dade | MDWASD NORTH DISTRICT | MDWASD NORTH DISTRICT | FL0032182 | HB | 112.50 | 93.70 |
| Miami-Dade | MDWASD SOUTH DISTRICT WWTF | MDWASD SOUTH DISTRICT | FL0042137 | HB | 112.50 | 91.13 |
| County Subtotals | | | | | 374.00 | 301.57 |
| Monroe | DUCK KEY WWTF | DUCK KEY (HAWK'S CAY) | FLA014772 | HI | 0.10 | 0.08 |
| Monroe | KEY COLONY BEACH, CITY OF | KEY COLONY BEACH, CITY OF | FLA014720 | HI | 0.34 | 0.21 |
| Monroe | KEY WEST RESORT UTILITY | KEY WEST RESORT UTILITY | FLA014951 | HI | 0.50 | 0.29 |
| County Subtotals | | | | | 0.94 | 0.58 |
| Nassau | AMELIA ISLAND WWTF | FLORIDA WATER SERVICES/AM | FLA011688 | HI | 0.95 | 0.65 |
| Nassau | NASSAU REGIONAL-SUNRAY | NASSAU REGIONAL (SUN RAY) | FLA011679 | HI | 0.88 | 0.68 |
| County Subtotals | | | | | 1.83 | 1.33 |
| Okaloosa | CITY OF MARY ESTHER WWTP | MARY ESTHER | FLA010191 | BA | 1.10 | 0.47 |
| Okaloosa | CRESTVIEW | CRESTVIEW | FLA010193 | BA | 2.10 | 1.36 |
| Okaloosa | CRESTVIEW INDUSTRIAL (BOB SYKES) | CRESTVIEW INDUSTRIAL (BOB | FLA010181 | BA | 0.30 | 0.12 |
| Okaloosa | EGLIN A.F.B. AUX FIELD #3 | EGLIN A.F.B. AUX FIELD #3 | FLA010186 | BA | 0.13 | 0.01 |
| Okaloosa | EGLIN A.F.B. MAIN BASE | EGLIN A.F.B. MAIN BASE | FLA010189 | BA | 1.00 | 0.46 |
| Okaloosa | EGLIN A.F.B. PLEW | EGLIN A.F.B. PLEW | FLA010190 | BA | 1.50 | 0.44 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|----------------------------|-----------|--------------|---------------------|-----------------|
| Okaloosa | FT. WALTON BEACH WWTP | FT. WALTON BEACH WWTP | FLA101923 | HB | 4.65 | 2.11 |
| Okaloosa | GEORGE FRENCH WRF | DESTIN WATER USERS/GEORG | FLA010194 | HI | 6.00 | 2.70 |
| Okaloosa | HURLBURT FIELD AIR FORCE BASE | HURLBURT FIELD AIR FORCE B | FL0003174 | BA | 1.00 | 0.44 |
| Okaloosa | NICEVILLE- NVOC REGIONAL WWTF | NICEVILLE/VALPARAISO REGI | FLA010185 | HB | 3.35 | 2.43 |
| Okaloosa | OKALOOSA CORRECTIONAL WTP | OKALOOSA CORRECTIONAL IN | FLA010202 | BA | 0.18 | 0.17 |
| Okaloosa | OKALOOSA-GARNIERS | OKALOOSA WTR & SWR SYSTE | FLA010184 | BA | 6.50 | 4.15 |
| Okaloosa | RUSSELL F.W. STEPHENSON | RUSSELL F.W.STEPHENSON | FLA010182 | BA | 1.00 | 0.40 |
| County Subtotals | | | | | 28.80 | 15.26 |
| Okeechobee | OKEECHOBEE CORRECTIONAL INSTT | OKEECHOBEE CORRECTIONAL | FLA013940 | BA | 0.20 | 0.20 |
| Okeechobee | OKEECHOBEE WWTF | OKEECHOBEE | FLA013888 | HI | 1.10 | 0.70 |
| County Subtotals | | | | | 1.30 | 0.89 |
| Orange | APOPKA WRF-PROJECT ARROW | APOPKA-PROJECT ARROW | FLA010818 | HI | 4.50 | 2.80 |
| Orange | FAIRWAYS COUNTRY CLUB | FAIRWAYS COUNTRY CLUB | FLA010823 | HI | 0.15 | 0.15 |
| Orange | GULFSTREAM HARBOR MOBILE HOM | GULFSTREAM HARBOR MOBIL | FLA010835 | BA | 0.10 | 0.05 |
| Orange | OCOEE WWTF | OCOEE STP #2 | FLA010815 | HB | 1.80 | 1.57 |
| Orange | OCUD/EASTERN WRF | OCUD/EASTERN SERVICE AREA | FL0038849 | BA | 19.00 | 16.38 |
| Orange | OCUD/NORTHWEST WRF | OCUD/NORTHWEST SERVICE A | FLA010798 | HI | 7.50 | 4.62 |
| Orange | OCUD-SOUTH WRF | OCUD/SOUTH SERVICE AREA | FLA107972 | HB | 43.00 | 7.95 |
| Orange | OCUD-SOUTH WRF | ORLANDO-WATER CONSERV II | FLA107972 | HI | | 20.04 |
| Orange | ORLANDO-MCLEOD ROAD WRF | ORLANDO-WATER CONSERV II | FLA010814 | HI | 25.00 | 13.21 |
| Orange | REEDY CREEK IMPROVEMENT DISTRI | REEDY CREEK IMPROVEMENT | FLA108219 | HI | 15.00 | 12.09 |
| Orange | ROCK SPRINGS MOBILE HOME PARK | ROCK SPRINGS MOBILE HOME | FLA010871 | BA | 0.15 | 0.08 |
| Orange | STARLIGHT RANCH WWTF | STARLIGHT RANCH MHP | FLA010868 | BA | 0.12 | 0.09 |
| Orange | WATER CONSERV I | ORLANDO/CONSERV I | FLA010816 | HI | 7.50 | 4.33 |
| Orange | WEDGEFIELD WWTF | WEDGEFIELD SUBDIVISION | FLA010900 | HI | 0.37 | 0.24 |
| Orange | WINTER GARDEN WWTF | WINTER GARDEN, CITY OF (DW | FL0020109 | HB | 1.75 | 2.18 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Orange | WINTER PARK WWTF | WINTER PARK | FLA010819 | HI | 0.75 | 0.46 |
| County Subtotals | | | | | 126.69 | 86.24 |
| Osceola | BUENAVENTURA LAKES WWTF | KISSIMMEE-BUENAVENTURA L | FL0039446 | HB | 1.80 | 1.81 |
| Osceola | HARMONY COMMUNITY DEV. DISTRI | HARMONY COMMUNITY DEV. | FLA267872 | HI | 0.13 | 0.09 |
| Osceola | KISSIMMEE GOOD SAMARITAN RETIR | KISSIMMEE GOOD SAMARITAN | FLA010974 | HI | 0.21 | 0.11 |
| Osceola | KISSIMMEE-PARKWAY | KISSIMMEE/PARKWAY | FLA010960 | HI | 1.50 | 1.17 |
| Osceola | KISSIMMEE-SANDHILL ROAD | KISSIMMEE/SANDHILL ROAD | FLA010958 | HI | 4.86 | 3.46 |
| Osceola | POINCIANA INDUSTRIAL PARK #1 | POINCIANA INDUSTRIAL PARK | FLA010968 | HB | 0.50 | 0.44 |
| Osceola | POINCIANA WWTP #2 | POINCIANA (#2 & #3) | FLA109843 | HI | 3.00 | 2.56 |
| Osceola | POINCIANA WWTP #3 | POINCIANA (#2 & #3) | FL0036862 | HI | 0.85 | 0.58 |
| Osceola | ST CLOUD-LAKESHORE WRF | ST. CLOUD - LAKESHORE WRF | FLA109568 | HI | 2.40 | 1.22 |
| Osceola | ST CLOUD-SOUTHSIDE #2 WWTF | ST. CLOUD - LAKESHORE WRF | FLA010962 | HI | 1.60 | 0.85 |
| Osceola | TOHO WATER AUTHORITY/CAMELOT | TOHOPEKALIGA WATER AUTH | FLA010983 | HI | 5.00 | 3.02 |
| Osceola | TOHO WATER AUTHORITY/SOUTH BE | TOHOPEKALIGA WATER AUTH | FLA010957 | HI | 8.50 | 7.86 |
| County Subtotals | | | | | 30.35 | 23.16 |
| Palm Beach | BELLE GLADE WWTF | BELLE GLADE WWTP | FLA027740 | HI | 3.90 | 2.95 |
| Palm Beach | BOCA RATON WWTF | BOCA RATON (PROJECT IRIS) | FL0026344 | HB | 27.50 | 19.03 |
| Palm Beach | EAST CENTRAL REGIONAL WWTP | EAST CENTRAL REGIONAL WW | FL0041360 | HB | 70.00 | 38.20 |
| Palm Beach | LOXAHATCHEE RIVER DISTRICT | LOXAHATCHEE ENV. CONTROL | FL0034649 | HI | 9.00 | 6.37 |
| Palm Beach | NORTHERN REGION WWTF | PALM BEACH NORTHERN/ROY | FLA013749 | BA | 2.20 | 1.61 |
| Palm Beach | PAHOKEE WWTP | PAHOKEE WWTP | FL0028355 | HI | 1.20 | 0.57 |
| Palm Beach | PALM BEACH CO SOUTHERN REGION | PALM BCH CO. SOUTHERN REG | FL0041424 | HI | 35.00 | 19.87 |
| Palm Beach | SEACOAST UTILITIES PGA | SEACOAST UTILITIES PGA | FL0038768 | HI | 12.00 | 7.83 |
| Palm Beach | SOUTH CENTRAL REGIONAL | SOUTH CENTRAL REGIONAL W | FL0035980 | HB | 24.00 | 16.95 |
| Palm Beach | WELLINGTON WWTP (ACME) | VILLAGE OF WELLINGTON WW | FLA042595 | BA | 4.75 | 3.75 |
| County Subtotals | | | | | 189.55 | 117.14 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|-----------------------------|-----------|--------------|---------------------|-----------------|
| Pasco | CITY OF NEW PORT RICHEY WWTF | CITY OF NEW PORT RICHEY W | FLA127434 | HI | 7.50 | 5.44 |
| Pasco | DADE CITY | DADE CITY | FLA012742 | HB | 1.50 | 0.66 |
| Pasco | FOREST LAKE ESTATES | FOREST LAKES (LABRADOR) | FLA012801 | HI | 0.22 | 0.06 |
| Pasco | JASMINE LAKES | JASMINE LAKES | FLA012768 | BA | 0.38 | 0.21 |
| Pasco | PALM TERRACE GARDENS | PALM TERRACE GARDENS | FLA012773 | BA | 0.13 | 0.12 |
| Pasco | PASCO CO.-DEER PARK SUBREGIONA | PASCO CO. MASTER REUSE SYS | FL0040746 | HI | 2.40 | 1.14 |
| Pasco | PASCO CO.-EMBASSY HILLS | PASCO CO. MASTER REUSE SYS | FLA012735 | HI | 3.50 | 2.51 |
| Pasco | PASCO CO.-HUDSON SUBREGIONAL W | PASCO CO. MASTER REUSE SYS | FLA012738 | HI | 3.00 | 2.54 |
| Pasco | PASCO CO.-LAND O'LAKES SUBREGIO | PASCO CO. MASTER REUSE SYS | FLA012731 | HI | 3.50 | 2.35 |
| Pasco | PASCO CO.-ODESSA SUBREGIONAL W | PASCO CO. MASTER REUSE SYS | FLA012730 | HB | 0.30 | 0.11 |
| Pasco | PASCO CO.-SHADY HILLS SUBREGION | PASCO CO. MASTER REUSE SYS | FLA012741 | HI | 2.00 | 1.35 |
| Pasco | PASCO CO.-SOUTHEAST PASCO SUBR | PASCO CO. MASTER REUSE SYS | FLA012737 | HI | 3.00 | 1.74 |
| Pasco | PASCO CO.-WESLEY CENTER SUBREG | PASCO CO. MASTER REUSE SYS | FLA016094 | HI | 3.00 | 3.65 |
| Pasco | SEVEN SPRINGS WWTF | SEVEN SPRINGS WWTF | FLA012752 | HI | 2.10 | 1.51 |
| Pasco | TRAVELER'S REST RV RESORT | TRAVELER'S REST RV PARK W | FLA012831 | HI | 0.10 | 0.01 |
| Pasco | ZEPHYRHILLS, CITY OF | ZEPHYRHILLS | FLA012744 | HI | 2.25 | 2.23 |
| County Subtotals | | | | | 34.88 | 25.60 |
| Pinellas | CLEARWATER-EAST AWWTP | CLEARWATER MASTER URBAN | FL0021865 | HI | 5.00 | 2.50 |
| Pinellas | CLEARWATER-MARSHALL STREET A | CLEARWATER MASTER URBAN | FL0021857 | HI | 10.00 | 5.60 |
| Pinellas | CLEARWATER-NORTHEAST AWWTP | CLEARWATER MASTER URBAN | FL0128937 | HI | 13.50 | 5.40 |
| Pinellas | DUNEDIN WRF | DUNEDIN/MAINLAND | FL0021326 | HI | 6.00 | 4.34 |
| Pinellas | LARGO, CITY OF | LARGO | FL0026603 | HI | 18.00 | 12.09 |
| Pinellas | OLDSMAR WRF | PINELLAS CO.-WILLIAM E. DUN | FL0027651 | HI | | |
| Pinellas | OLDSMAR WRF | OLDSMAR | FL0027651 | HI | 2.25 | 1.61 |
| Pinellas | ON TOP OF THE WORLD | ON TOP OF THE WORLD | FLA012905 | BA | 0.60 | 0.44 |
| Pinellas | PINELLAS CO. - BELLEAIR | PINELLAS CO. - BELLEAIR | FL0020184 | HI | 0.90 | 0.65 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | PINELLAS CO.-SOUTH CROSS B | FL0040436 | HI | 33.00 | 24.42 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|-------------------------------|-----------|--------------|---------------------|-----------------|
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WA | PINELLAS CO.-WILLIAM E. DUN | FL0128775 | HI | 9.00 | 6.30 |
| Pinellas | ST. PETE - NORTHEAST WRF | ST. PETERSBURG MASTER URB | FLA128856 | HI | 16.00 | 8.11 |
| Pinellas | ST. PETE - NORTHWEST WRF | ST. PETERSBURG MASTER URB | FLA128821 | HI | 20.00 | 9.93 |
| Pinellas | ST. PETE- ALBERT WHITTED WRF | ST. PETERSBURG MASTER URB | FLA128830 | HI | 12.40 | 6.90 |
| Pinellas | ST. PETE SOUTHWEST WRF | ST. PETERSBURG MASTER URB | FLA128848 | HI | 20.00 | 8.00 |
| Pinellas | TARPON SPRINGS WWTF | TARPON SPRINGS | FL0030406 | HI | 4.00 | 1.99 |
| County Subtotals | | | | | 170.65 | 98.27 |
| Polk | AUBURNDALE ALLRED WWTF | AUBURNDALE ALLRED WWTP | FLA016559 | HI | 1.40 | 0.84 |
| Polk | AUBURNDALE REGIONAL WWTP | AUBURNDALE REGIONAL WWT | FL0021466 | HI | 1.56 | 1.02 |
| Polk | BARTOW, CITY OF | BARTOW | FLA012976 | BA | 4.00 | 1.58 |
| Polk | CITY OF DAVENPORT WWTP | CITY OF DAVENPORT WWTP | FLA377392 | BA | 0.15 | 0.00 |
| Polk | CITY OF FORT MEADE WWTF | FORT MEADE | FLA016529 | BA | 1.00 | 0.37 |
| Polk | CYPRESS LAKES WWTF | CYPRESS LAKES | FLA013123 | HI | 0.18 | 0.12 |
| Polk | GRENELEFE UTILITIES | GRENELEFE GOLF & RACQUET | FLA013016 | BA | 0.34 | 0.12 |
| Polk | HAINES CITY | HAINES CITY | FLA012977 | HI | 2.97 | 1.46 |
| Polk | LAKE ALFRED WWTF | LAKE ALFRED | FLA012975 | HB | 0.60 | 0.32 |
| Polk | LAKE WALES UTIL. CO., LTD. | LAKE WALES UTIL. CO/NALCR | FLA110434 | BA | 0.25 | 0.12 |
| Polk | LAKE WALES WRF | LAKE WALES, CITY OF | FLA129844 | HI | 1.90 | 1.30 |
| Polk | LAKELAND - GLENDALE WRF | LAKELAND - GLENDALE | FL0039772 | IM | 13.70 | 7.19 |
| Polk | LAKELAND - NORTHSIDE WRF | LAKELAND - GLENDALE | FLA012985 | BA | 8.00 | 3.27 |
| Polk | POINCIANA WWTF #5 | POINCIANA #5 | FLA010979 | HB | 1.20 | 1.19 |
| Polk | POLK CO. NORTHEAST REGIONAL | POLK CO.-NORTHEAST REGION | FLA012967 | HI | 3.00 | 1.56 |
| Polk | POLK CO.-CENTRAL REGIONAL WWTF | POLK CO.-CENTRAL REGIONAL | FLA012969 | BA | 1.10 | 0.59 |
| Polk | POLK CO.-MT OLIVE WWTF | POLK CO.-MT OLIVE WWTF | FLA012952 | BA | 0.22 | 0.10 |
| Polk | POLK CO.-NORTHWEST REGIONAL | POLK CO.-NORTHWEST REGION | FLA178667 | HI | 1.00 | 0.73 |
| Polk | POLK CO.-OAK HILL ESTATES | POLK CO.-OAK HILL ESTATES | FLA011049 | BA | 0.30 | 0.21 |
| Polk | POLK CO.-POLO PARK WWTF | POLK CO.-U.S. 27-192 (POLO PA | FLA011031 | BA | 0.60 | 0.31 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|----------------------------------|------------------------------|-----------|--------------|---------------------|-----------------|
| Polk | POLK CO.-SW REGIONAL WWTF | POLK CO.-SW REGIONAL WWTF | FLA012954 | HI | 2.00 | 1.28 |
| Polk | POLK CO.-WAVERLY WWTF | POLK CO.-WAVERLY | FLA012968 | BA | 0.13 | 0.02 |
| Polk | POLK CORRECTIONAL INSTITUTION | POLK CORRECTIONAL INSTITU | FLA013360 | BA | 0.31 | 0.24 |
| Polk | SUN RAY WWTF | POLK CO.-SUN RAY WWTP | FLA012949 | BA | 0.27 | 0.25 |
| Polk | SWISS GOLF CLUB | SWISS GOLF CLUB | FLA013103 | BA | 0.18 | 0.06 |
| Polk | SWISS VILLAGE MHP | SWISS VILLAGE MHP | FLA013102 | BA | 0.14 | 0.04 |
| Polk | WINTER HAVEN #2 | WINTER HAVEN #2 | FL0021849 | HI | 1.70 | 1.06 |
| Polk | WINTER HAVEN #3 | WINTER HAVEN #3 | FL0036048 | BA | 7.50 | 3.68 |
| County Subtotals | | | | | 55.69 | 29.05 |
| Putnam | CRESCENT CITY, CITY OF | CRESCENT CITY, CITY OF | FL0021610 | BA | 0.35 | 0.11 |
| Putnam | PALATKA, CITY OF | PALATKA, CITY OF | FL0040061 | HB | 3.85 | 1.96 |
| Putnam | RIVER PARK MHP | RIVER PARK MHP | FLA117218 | HI | 0.10 | 0.02 |
| County Subtotals | | | | | 4.30 | 2.09 |
| Santa Rosa | AVALON UTILITIES | AVALON UTILITIES | FLA010218 | HI | 0.10 | 0.02 |
| Santa Rosa | HOLLEY-NAVARRE WWTF | HOLLEY-NAVARRE WASTEWA | FLA010211 | HI | 2.00 | 0.92 |
| Santa Rosa | JAY WWTF | JAY, TOWN OF | FLA010206 | BA | 0.12 | 0.06 |
| Santa Rosa | NAVARRE BEACH WWTF | NAVARRE BEACH | FL0023981 | BA | 0.93 | 0.25 |
| Santa Rosa | PACE WATER SYSTEM, INC. WWTF | PACE WATER SYSTEM #1 | FL0102202 | HI | 1.55 | 1.10 |
| Santa Rosa | SOUTH SANTA ROSA-TIGER POINT | GULF BREEZE-TIGER POINT | FLA010212 | HI | 2.00 | 1.29 |
| County Subtotals | | | | | 6.70 | 3.63 |
| Sarasota | AQUASOURCE/FRUITVILLE | AQUASOURCE/FRUITVILLE WW | FLA013458 | HB | 2.50 | 1.56 |
| Sarasota | CAMELOT LAKES | CAMELOT LAKES | FLA013390 | HI | 0.17 | 0.10 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WA | CITY OF VENICE - EAST/PROJEC | FL0041441 | HI | 6.00 | 2.45 |
| Sarasota | NORTH PORT WWTF | CITY OF NORTH PORT WWTP | FLA013378 | HI | 4.40 | 1.85 |
| Sarasota | SARASOTA CO.-ATLANTIC/BRENTWO | SARASOTA CO.-CENTRAL/NOR | FLA134333 | HI | 1.75 | 0.27 |
| Sarasota | SARASOTA CO.-BEE RIDGE | SARASOTA CO.-CENTRAL/NOR | FLA013372 | HI | 8.70 | 1.46 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|---------------------------------|---------------------------|-----------|--------------|---------------------|-----------------|
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SAR | SARASOTA CO.-CENTRAL/NOR | FLA013455 | HI | 4.00 | 2.45 |
| Sarasota | SARASOTA CO.-GULF GATE | SARASOTA CO.-CENTRAL/NOR | FL0032816 | HI | 1.80 | 1.09 |
| Sarasota | SARASOTA CO.-MEADOWOOD | SARASOTA CO.-CENTRAL/NOR | FLA013385 | HI | 0.98 | 0.47 |
| Sarasota | SARASOTA CO.-VENICE EASTSIDE | SARASOTA CO.-VENICE GARDE | FL0041441 | HI | 6.00 | 2.45 |
| Sarasota | SARASOTA CO.-VENICE GARDENS | SARASOTA CO.-VENICE GARDE | FLA043494 | HI | 2.00 | 1.76 |
| Sarasota | SARASOTA WWTF | SARASOTA, CITY OF | FL0040771 | HI | 10.20 | 5.49 |
| Sarasota | SOUTH GATE AWWTP | SARASOTA CO.-SOUTH GATE | FL0032808 | HI | 1.36 | 0.82 |
| County Subtotals | | | | | 49.86 | 22.21 |
| Seminole | ALAFAYA WWTF | ALAFAYA | FLA011074 | HI | 1.54 | 1.05 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRI | ALTAMONTE SPRINGS (PROJEC | FL0033251 | HI | 12.50 | 5.30 |
| Seminole | CASSELBERRY | CASSELBERRY WRF | FLA011066 | HI | 2.20 | 1.22 |
| Seminole | CHULUOTA WWTF | CHULUOTA | FLA011076 | BA | 0.10 | 0.10 |
| Seminole | ORLANDO-IRON BRIDGE | ORLANDO/IRON BRIDGE RD RE | FL0037966 | HI | 40.00 | 17.50 |
| Seminole | PALM VALLEY MHC WWTF | PALM VALLEY | FLA011085 | HI | 0.15 | 0.07 |
| Seminole | SANFORD/NORTH WWTF | SANFORD/NORTH | FL0020141 | HI | 7.30 | 4.92 |
| Seminole | SANFORD/SOUTH WRF #2 | SANFORD/NORTH | FLA181714 | HI | 2.00 | 1.35 |
| Seminole | SEMINOLE CO. - GREENWOOD LAKES | SEMINOLE CO/GREENWOOD LA | FLA011086 | HI | 3.50 | 2.10 |
| Seminole | SEMINOLE CO.-NORTHWEST/YANKEE | SEMINOLE CO.- NORTHWEST/Y | FL0042625 | HB | 5.17 | 2.10 |
| Seminole | SHADOW HILLS/LONGWOOD | SHADOW HILLS/LONGWOOD | FLA011105 | BA | 0.47 | 0.39 |
| Seminole | WEKIVA HUNT CLUB WWTF | ALTAMONTE SPRINGS (PROJEC | FL0036251 | HI | 1.40 | 1.02 |
| Seminole | WEKIVA HUNT CLUB WWTF | WEKIVA HUNT CLUB | FL0036251 | HI | 1.50 | 0.80 |
| Seminole | WINTER SPRINGS WEST | WINTER SPRINGS | FLA011067 | HI | 2.25 | 1.01 |
| Seminole | WINTER SPRINGS-EAST WRF | WINTER SPRINGS EAST | FLA011068 | HI | 2.01 | 1.00 |
| Seminole | WOODLANDS/DES PINAR WWTF | WOODLANDS (DES PINAR) | FLA011080 | BA | 0.50 | 0.29 |
| County Subtotals | | | | | 82.58 | 40.22 |
| St. Johns | ANASTASIA | ANASTASIA | FL0038831 | HI | 0.80 | 0.29 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|-----------------------------------|-----------------------------|-----------|--------------|---------------------|-----------------|
| St. Johns | INNLET BEACH WWTF | INNLET BEACH | FL0044237 | HI | 0.50 | 0.27 |
| St. Johns | JCP WRF | JEA-JULINGTON CREEK | FL0043591 | HB | 1.00 | 0.94 |
| St. Johns | MAINLAND (S.R. 207) | MAINLAND (S.R. 207) | FLA011747 | HI | 0.25 | 0.14 |
| St. Johns | MARSH LANDING WWTF | MARSH LANDING @ PONTE VE | FL0044253 | HI | 0.80 | 0.49 |
| St. Johns | NORTH BEACH UTILITIES | NORTH BEACH UTILITIES | FLA011765 | BA | 0.23 | 0.12 |
| St. Johns | PLAYERS CLUB SOUTH | PLAYERS CLUB SOUTH | FL0044245 | HI | 0.70 | 0.48 |
| St. Johns | PONTE VEDRA WWTF | PONTE VEDRA | FL0117951 | HI | 0.80 | 0.61 |
| St. Johns | SAWGRASS WWTF | SAWGRASS | FL0117897 | HI | 1.50 | 0.85 |
| St. Johns | SR16 W.W.T.P | ST. JOHNS COUNTY SR-16 | FL0043109 | HI | 1.32 | 0.95 |
| St. Johns | ST. AUGUSTINE WWTF #1 | ST. AUGUSTINE, CITY OF #1 | FL0021938 | BA | 4.95 | 3.28 |
| County Subtotals | | | | | 12.85 | 8.42 |
| St. Lucie | FORT PIERCE UTILITY AUTHORITY W | FORT PIERCE UTILITY AUTHOR | FL0027278 | BA | 10.00 | 5.39 |
| St. Lucie | HARBOUR RIDGE WWTF | HARBOUR RIDGE P.U.D. | FLA013986 | HI | 0.12 | 0.07 |
| St. Lucie | ISLAND DUNES | HUTCHINSON - ISLAND DUNES | FLA013980 | HI | 0.12 | 0.04 |
| St. Lucie | PANTHERWOODS | MEADOWOOD/PANTHER WOOD | FLA013982 | HI | 0.11 | 0.04 |
| St. Lucie | PORT ST LUCIE-GLADES WWTF | PORT ST LUCIE-GLADES WWTF | FLA326321 | BA | 5.75 | 5.51 |
| St. Lucie | PORT ST LUCIE-SOUTHPORT | PORT ST LUCIE UTIL SOUTHPO | FLA024929 | BA | 3.14 | 2.22 |
| St. Lucie | PORT ST. LUCIE UTIL-NORTHPORT/DI | PORT ST. LUCIE UTIL-NORTHPO | FLA140228 | BA | 4.00 | 2.19 |
| St. Lucie | PORT ST. LUCIE-WESTPORT | PORT ST LUCIE WESTPORT | FLA139653 | BA | 3.93 | 1.82 |
| St. Lucie | SAVANNA CLUB | SAVANNA CLUB | FLA013958 | BA | 0.15 | 0.06 |
| St. Lucie | SPANISH LAKES COUNTRY CLUB | SPANISH LAKES COUNTRY CLU | FLA013977 | BA | 0.16 | 0.13 |
| St. Lucie | SPANISH LAKES FAIRWAYS WWTF | SPANISH LAKES FAIRWAYS | FLA013998 | HI | 0.25 | 0.15 |
| St. Lucie | ST LUCIE WEST UTILITIES, INC. | ST. LUCIE WEST | FLA013993 | HI | 2.00 | 1.11 |
| St. Lucie | ST. LUCIE CO.-NORTH HUTCHINSON | ST. LUCIE CO.- NORTH HUTCHI | FLA013946 | HI | 0.50 | 0.23 |
| St. Lucie | ST. LUCIE CO.-SOUTH HUTCHINSON IS | ST. LUCIE CO.- SOUTH HUTCHI | FL0139475 | HI | 1.60 | 0.46 |
| St. Lucie | ST. LUCIE-NORTH/HOLIDAY PINES | ST. LUCIE-NORTH (HOLIDAY PI | FLA013969 | BA | 0.30 | 0.13 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|-----------------------------|-----------|--------------|---------------------|-----------------|
| County Subtotals | | | | | 32.13 | 19.55 |
| Sumter | CONTINENTAL COUNTRY CLUB | CONTINENTAL COUNTRY CLU | FLA043699 | BA | 0.20 | 0.10 |
| Sumter | DAVID HANSON/BUSHNELL WWTP | DAVID HANSON WWTP/BUSHN | FLA188697 | BA | 0.25 | 0.16 |
| Sumter | LSSA WWTF | LITTLE SUMTER UTILITY CO. W | FLA017133 | HI | 3.00 | 1.54 |
| Sumter | NORTH SUMTER WRF | NORTH SUMTER WRF | FLA281581 | HI | 2.80 | 2.35 |
| Sumter | SUMTER CORRECTIONAL INSTITUTIO | SUMTER CORRECTIONAL INSTI | FLA013558 | HI | 0.35 | 0.28 |
| Sumter | WILDWOOD WWTF | WILDWOOD | FLA013497 | HI | 3.55 | 1.45 |
| County Subtotals | | | | | 10.15 | 5.88 |
| Suwannee | ADVENT CHRISTIAN VILLAGE | ADVENT CHRISTIAN HOME | FLA011819 | BA | 0.21 | 0.05 |
| Suwannee | BRANFORD | BRANFORD | FLA011806 | BA | 0.12 | 0.06 |
| Suwannee | LIVE OAK, CITY OF | LIVE OAK | FLA011805 | BA | 1.25 | 0.76 |
| County Subtotals | | | | | 1.58 | 0.86 |
| Taylor | PERRY, CITY OF | PERRY, CITY OF | FL0026387 | HI | 1.25 | 0.70 |
| Taylor | TAYLOR CORRECTIONAL INSTITUTIO | TAYLOR CORRECTIONAL INSTI | FLA011831 | BA | 0.40 | 0.18 |
| County Subtotals | | | | | 1.65 | 0.88 |
| Union | LAKE BUTLER WWTF | LAKE BUTLER | FLA118338 | BA | 0.70 | 0.48 |
| County Subtotals | | | | | 0.70 | 0.48 |
| Volusia | DAYTONA-BETHUNE POINT WWTF | DAYTONA REUSE IMPLEMENT | FL0025984 | HI | 13.00 | 4.30 |
| Volusia | DAYTONA-WESTSIDE REGIONAL WW | DAYTONA REUSE IMPLEMENT | FLA111392 | HI | 15.00 | 7.00 |
| Volusia | DELAND BRANDY TRAILS WWTF | DELAND/BRANDY TRAILS | FLA011132 | BA | 0.63 | 0.17 |
| Volusia | DELAND REGIONAL WWTF (WILEY N | DELAND REGIONAL (WILEY M | FL0020303 | HI | 6.00 | 2.76 |
| Volusia | DELTONA LAKES | DELTONA LAKES | FLA111724 | HI | 1.40 | 1.11 |
| Volusia | DELTONA NORTH WWTF | VCUD/DELTONA NORTH | FLA011121 | HI | 0.60 | 0.33 |
| Volusia | EDGEWATER WWTF | EDGEWATER | FL0021431 | HI | 2.75 | 1.07 |
| Volusia | HOLLY HILL WWTF | HOLLY HILL | FL0027677 | HI | 2.40 | 1.87 |
| Volusia | N. PENINSULA UTIL.-SEABRIDGE | N. PENINSULA UTIL.-SEABRIDG | FLA011188 | BA | 0.18 | 0.11 |

| County | Facility Name | Reuse System Name | WAFR ID | Disinfection | WWTP Capacity (mgd) | WWTP Flow (mgd) |
|------------------|--------------------------------|------------------------------|-----------|--------------|---------------------|-----------------|
| Volusia | NEW SMYRNA BEACH WWTF | NEW SMYRNA BEACH | FL0172090 | HI | 6.00 | 3.12 |
| Volusia | ORMOND BEACH WWTF | ORMOND BEACH | FL0020532 | HI | 6.00 | 3.96 |
| Volusia | PORT ORANGE | PORT ORANGE | FL0020559 | HB | 12.00 | 5.30 |
| Volusia | TYMBER CREEK | TYMBER CREEK | FLA011193 | HI | 0.13 | 0.05 |
| Volusia | VCUD - HALIFAX PLANTATION WWTF | VCUD/HALIFAX PLANTATION | FLA011131 | HI | 0.30 | 0.12 |
| Volusia | VCUD/SOUTHEAST REGIONAL WWTF | VCUD/SOUTHEAST REGIONAL | FLA017413 | HI | 0.60 | 0.17 |
| Volusia | VCUD-FOUR TOWNES | VCUD/FOUR TOWNES | FLA011118 | HI | 0.30 | 0.19 |
| Volusia | VCUD-SOUTHWEST REGIONAL WWTF | VCUD/SOUTHWEST REGIONAL | FLA011128 | HI | 1.20 | 0.95 |
| County Subtotals | | | | | 68.49 | 32.59 |
| Wakulla | WAKULLA CO./OTTERCREEK WWTF | WAKULLA CO./OTTER CREEK | FLA010225 | BA | 0.60 | 0.43 |
| Wakulla | WINCO UTILITIES, INC. | WINCO UTILITIES, INC. | FLA016544 | BA | 0.50 | 0.23 |
| County Subtotals | | | | | 1.10 | 0.66 |
| Walton | DEFUNIAK SPRINGS | DEFUNIAK SPRINGS, CITY OF (S | FLA102440 | BA | 0.75 | 0.57 |
| Walton | FREEPORT WWTF | FREEPORT | FLA010245 | BA | 0.60 | 0.14 |
| Walton | POINT WASHINGTON | POINT WASHINGTON | FLA010252 | HI | 2.00 | 0.98 |
| Walton | SANDESTIN | SANDESTIN UTILITY COMPANY | FLA010251 | HI | 4.00 | 1.04 |
| Walton | SEACREST | SEACREST | FLA183555 | HB | 2.00 | 0.34 |
| Walton | SOUTH WALTON UTILITY | SOUTH WALTON UTILITY COM | FLA010248 | HI | 3.65 | 1.35 |
| Walton | WALTON CORRECTIONAL INSTITUTIO | WALTON CORRECTIONAL INST | FLA010254 | BA | 0.23 | 0.16 |
| County Subtotals | | | | | 13.22 | 4.57 |
| Washington | CITY OF VERNON | CITY OF VERNON | FLA102563 | BA | 0.21 | 0.08 |
| Washington | WASHINGTON CORRECTIONAL INSTI | WASHINGTON CO. CORRECTIO | FLA010260 | BA | 0.47 | 0.20 |
| County Subtotals | | | | | 0.67 | 0.28 |
| Totals | | | | | 2,231.04 | 1,425.85 |

Appendix C. Supplemental Water Supplies

| County | Reuse System Name | Source | Flow (mgd) |
|--------------|--------------------------------------|--------------------------|------------|
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | Ground water | 0.65 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | Storage tanks | 0.16 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | Surface water | 0.15 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | Ground water | 0.06 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | Stormwater | 0.22 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | Water recovered from ASR | 0.21 |
| Clay | CCUA-FLEMING ISLAND | Ground water | 0.88 |
| Clay | CCUA-MID-CLAY REGIONAL | Ground water | 0.24 |
| Clay | CCUA-RIDAUGHT LANDING | Ground water | 0.37 |
| Clay | CCUA-SPENCER | Ground water | 1.34 |
| Collier | AVE MARIE UTILITY CO | Concentrate Blend | 0.03 |
| Collier | AVE MARIE UTILITY CO | Ground water | 0.46 |
| Columbia | COLUMBIA CORRECTIONAL INSTITUTION | Drinking water | 0.21 |
| De Soto | DESOTO CORRECTIONAL INSTITUTION | Concentrate Blend | 0.06 |
| Escambia | ECUA-BAYOU MARCUS WRF | Drinking water | 0.00 |
| Flagler | HAMMOCK DUNES | Ground water | 0.26 |
| Franklin | CARRABELLE | Drinking water | 0.04 |
| Indian River | VERO BEACH, CITY OF | Ground water | 0.01 |
| Indian River | VERO BEACH, CITY OF | Drinking water | 0.38 |
| Lee | HUNTER'S RIDGE | Ground water | 0.31 |
| Lee | LEE CO.-GATEWAY | Total | 2.30 |
| Lee | LEE CO.-WATERWAY ESTATES | Total | 0.01 |
| Lee | RESOURCE CONSERVATION SYSTEMS | Stormwater | 0.10 |
| Lee | RESOURCE CONSERVATION SYSTEMS | Ground water | 3.36 |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | Surface water | 11.96 |

| County | Reuse System Name | Source | Flow (mgd) |
|---------------|--|--------------------------|-------------------|
| Martin | INDIAN RIVER PLANTATION | Ground water | 0.03 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | Ground water | 0.02 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | Concentrate Blend | 0.37 |
| Martin | PIPERS LANDING | Ground water | 0.19 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | Ground water | 0.02 |
| Orange | APOPKA-PROJECT ARROW | Ground water | 3.99 |
| Orange | ORLANDO-WATER CONSERV II | Ground water | 1.09 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | Ground water | 0.04 |
| Orange | WEDGEFIELD SUBDIVISION | Stormwater | 0.05 |
| Orange | WEDGEFIELD SUBDIVISION | Ground water | 0.05 |
| Osceola | KISSIMMEE/PARKWAY | Drinking water | 0.15 |
| Osceola | KISSIMMEE/SANDHILL ROAD | Drinking water | 0.22 |
| Osceola | ST. CLOUD - LAKESHORE WRF | Storage tanks | 0.23 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | Ground water | 0.11 |
| Palm Beach | SEACOAST UTILITIES PGA | Drinking water | 0.16 |
| Palm Beach | SEACOAST UTILITIES PGA | Ground water | 0.53 |
| Palm Beach | SEACOAST UTILITIES PGA | Surface water | 0.37 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | Ground water | 0.94 |
| Pinellas | DUNEDIN/MAINLAND | Ground water | 0.01 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | Water recovered from ASR | 0.19 |
| Santa Rosa | GULF BREEZE-TIGER POINT | Stormwater | 0.02 |
| Santa Rosa | GULF BREEZE-TIGER POINT | Ground water | 0.28 |
| Santa Rosa | GULF BREEZE-TIGER POINT | Drinking water | 0.01 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | Stormwater | 0.06 |
| Seminole | CASSELBERRY WRF | Ground water | 0.03 |
| Seminole | WINTER SPRINGS EAST | Ground water | 0.03 |
| St. Johns | NORTH BEACH UTILITIES | Concentrate Blend | 0.07 |
| St. Johns | PONTE VEDRA | Ground water | 0.19 |

| County | Reuse System Name | Source | Flow (mgd) |
|---------------|-----------------------------------|-------------------|-------------------|
| St. Lucie | PORT ST LUCIE-GLADES WWTF | Concentrate Blend | 2.80 |
| St. Lucie | PORT ST. LUCIE UTIL-NORTHPORT/DIW | Concentrate Blend | 1.59 |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | Drinking water | 0.01 |
| St. Lucie | ST. LUCIE CO.- SOUTH HUTCHINSON | Drinking water | 0.05 |
| St. Lucie | ST. LUCIE WEST | Stormwater | 1.91 |
| Volusia | EDGEWATER | Surface water | 0.02 |
| Volusia | ORMOND BEACH | Ground water | 0.69 |
| Volusia | ORMOND BEACH | Stormwater | 0.08 |
| Volusia | PORT ORANGE | Ground water | 0.13 |
| Volusia | PORT ORANGE | Surface water | 0.26 |
| Volusia | PORT ORANGE | Stormwater | 0.08 |
| Totals | 48 | | 40.86 |

Appendix D. Reclaimed Water Utilization

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Alachua | ALACHUA | AI | OC | II | 0.94 | 0.32 | 84 |
| Alachua | ALACHUA | PAA&LI | GCI | III | 0.40 | 0.15 | 197 |
| Alachua | GRU - KANAPAHA | PAA&LI | RI | III | 3.38 | 3.00 | 438 |
| Alachua | GRU - KANAPAHA | PAA&LI | OPAA | III | 2.31 | 0.01 | 89 |
| Alachua | GRU - KANAPAHA | PAA&LI | GCI | III | 1.22 | 0.18 | 140 |
| Alachua | GRU - MAIN STREET | IND | ATP | VII | 0.42 | 0.42 | |
| Alachua | HAWTHORNE | GWR&IPR | RIB | IV | 0.15 | 0.12 | 2 |
| Alachua | HIGH SPRINGS | IND | ATP | VII | 0.12 | 0.03 | |
| Alachua | HIGH SPRINGS | AI | OC | II | 0.12 | 0.07 | 33 |
| Alachua | NEWBERRY WWTF | AI | OC | II | 0.42 | 0.22 | 40 |
| Alachua | UNIV. OF FLORIDA/LAKE ALICE | PAA&LI | OPAA | III | 0.96 | 0.48 | 196 |
| Alachua | UNIV. OF FLORIDA/LAKE ALICE | IND | AOF | VII | 0.30 | 0.30 | |
| County Subtotals | | | | | 10.73 | 5.28 | 1217 |
| Baker | BAKER CORRECTIONAL INSTITUTION | AI | OC | II | 0.19 | 0.17 | 90 |
| Baker | BAKER CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.19 | 0.10 | 18 |
| County Subtotals | | | | | 0.38 | 0.27 | 108 |
| Bay | BAY POINT | PAA&LI | GCI | III | 0.50 | 0.24 | 95 |
| Bay | LYNN HAVEN | PAA&LI | OPAA | III | 0.10 | 0.05 | 40 |
| Bay | LYNN HAVEN | PAA&LI | RI | III | 0.20 | 0.13 | 43 |
| Bay | LYNN HAVEN | PAA&LI | GCI | III | 0.10 | 0.78 | 114 |
| Bay | MILITARY POINT REGIONAL AWT FACILITY | PAA&LI | GCI | III | 1.00 | 0.62 | 120 |
| Bay | MILITARY POINT REGIONAL AWT FACILITY | IND | ATP | VII | 0.11 | 0.10 | |
| Bay | PANAMA CITY BEACH | IND | AOF | VII | 0.01 | 0.01 | 2 |
| Bay | PANAMA CITY BEACH | IND | ATP | VII | 0.01 | 0.01 | 1 |
| Bay | PANAMA CITY BEACH | PAA&LI | OPAA | III | 1.28 | 0.96 | 275 |
| Bay | PANAMA CITY BEACH | PAA&LI | RI | III | 1.02 | 0.76 | 220 |
| Bay | SANDY CREEK RANCH | PAA&LI | GCI | III | 0.08 | 0.03 | |
| County Subtotals | | | | | 4.41 | 3.67 | 910 |
| Bradford | FLORIDA STATE PRISON WWTF | AI | OC | II | 1.78 | 1.11 | 766 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Bradford | STARKE, CITY OF | AI | OC | II | 0.80 | 0.39 | 225 |
| Bradford | STARKE, CITY OF | IND | ATP | VII | 0.12 | 0.10 | |
| County Subtotals | | | | | 2.70 | 1.59 | 991 |
| Brevard | BCUD/BAREFOOT BAY | IND | ATP | VII | 0.01 | 0.00 | |
| Brevard | BCUD/BAREFOOT BAY | AI | OC | II | 0.92 | 0.30 | 350 |
| Brevard | BCUD/BAREFOOT BAY | PAA&LI | GCI | III | 0.13 | 0.14 | 63 |
| Brevard | BCUD/NORTH BREVARD REGIONAL | IND | ATP | VII | 0.02 | 0.02 | |
| Brevard | BCUD/NORTH BREVARD REGIONAL | PAA&LI | GCI | III | 1.25 | 0.21 | 139 |
| Brevard | BCUD/NORTH BREVARD REGIONAL | GWR&IPR | RIB | IV | 0.75 | 0.02 | 14 |
| Brevard | BCUD/PORT ST. JOHN | PAA&LI | OPAA | III | 0.23 | 0.06 | 20 |
| Brevard | BCUD/PORT ST. JOHN | GWR&IPR | AF | IV | 0.15 | 0.00 | 1 |
| Brevard | BCUD/PORT ST. JOHN | GWR&IPR | RIB | IV | 0.36 | 0.24 | 2 |
| Brevard | BCUD/SOUTH BEACHES | PAA&LI | RI | III | 0.30 | 0.54 | 36 |
| Brevard | BCUD/SOUTH BEACHES | PAA&LI | OPAA | III | 0.12 | 0.00 | 16 |
| Brevard | BCUD/SOUTH BEACHES | PAA&LI | GCI | III | 0.99 | 0.84 | 80 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | PAA&LI | RI | III | 1.32 | 1.56 | 656 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | PAA&LI | OPAA | III | 1.89 | 2.15 | 921 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | PAA&LI | GCI | III | 1.07 | 0.32 | 378 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | GWR&IPR | RIB | IV | 0.55 | 0.01 | 82 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | AI | OC | II | 0.39 | 0.00 | 437 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | WL | NA | NA | 2.50 | 0.41 | 163 |
| Brevard | BCUD/SYKES CREEK | PAA&LI | GCI | III | 0.26 | 0.19 | 120 |
| Brevard | BCUD/SYKES CREEK | IND | ATP | VII | 0.09 | 0.09 | |
| Brevard | BCUD/SYKES CREEK | AI | EC | III | 0.39 | 0.10 | 150 |
| Brevard | BCUD/SYKES CREEK | PAA&LI | RI | III | 0.14 | 1.22 | 32 |
| Brevard | CAPE CANAVERAL | PAA&LI | RI | III | 0.97 | 0.97 | 438 |
| Brevard | CAPE CANAVERAL | IND | ATP | VII | 0.08 | 0.08 | |
| Brevard | CAPE CANAVERAL | PAA&LI | OPAA | III | 0.10 | 0.02 | 1 |
| Brevard | CCAFS/REGIONAL | GWR&IPR | RIB | IV | 0.80 | 0.50 | 5 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | IND | AOF | VII | 0.20 | 0.06 | |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | IND | ATP | VII | 0.15 | 0.07 | 9 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | PAA&LI | GCI | III | 0.04 | 0.04 | 14 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | PAA&LI | OPAA | III | 0.62 | 0.62 | 95 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | PAA&LI | RI | III | 1.47 | 1.47 | 352 |
| Brevard | COCOA BEACH WRF | PAA&LI | GCI | III | 7.80 | 3.00 | 1200 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | PAA&LI | GCI | III | 0.50 | 0.31 | 120 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | PAA&LI | OPAA | III | 1.90 | 0.97 | 223 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | PAA&LI | RI | III | 1.00 | 0.42 | 166 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | IND | ATP | VII | 0.60 | 0.33 | |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | PAA&LI | RI | III | 0.40 | 0.00 | 1 |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | IND | ATP | VII | 0.10 | 0.07 | |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | PAA&LI | GCI | III | 0.50 | 0.12 | 80 |
| Brevard | PALM BAY | PAA&LI | OPAA | III | 0.07 | 0.07 | 35 |
| Brevard | PALM BAY | PAA&LI | GCI | III | 0.50 | 0.02 | 170 |
| Brevard | PALM BAY | IND | ATP | VII | 0.28 | 0.19 | 7 |
| Brevard | PALM BAY | IND | AOF | VII | 1.01 | 0.17 | |
| Brevard | PALM BAY | PAA&LI | RI | III | 0.18 | 0.27 | |
| Brevard | RAY BULLARD WRF | PAA&LI | RI | III | 0.87 | 0.87 | 113 |
| Brevard | ROCKLEDGE | PAA&LI | OPAA | III | 0.70 | 0.10 | 5 |
| Brevard | ROCKLEDGE | IND | ATP | VII | 0.11 | 0.11 | |
| Brevard | ROCKLEDGE | PAA&LI | RI | III | 3.32 | 1.62 | 113 |
| Brevard | ROCKLEDGE | PAA&LI | GCI | III | 0.39 | 0.19 | 120 |
| Brevard | SUN LAKE ESTATES | GWR&IPR | RIB | IV | 0.14 | 0.04 | 8 |
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | PAA&LI | RI | III | 0.37 | 0.10 | 155 |
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | PAA&LI | GCI | III | 0.18 | 0.19 | 138 |
| Brevard | TITUSVILLE REUSE SYSTEM | PAA&LI | GCI | III | 1.14 | 0.77 | 300 |
| Brevard | TITUSVILLE REUSE SYSTEM | PAA&LI | OPAA | III | 1.32 | 0.52 | 340 |
| Brevard | TITUSVILLE REUSE SYSTEM | PAA&LI | RI | III | 1.31 | 1.42 | 337 |
| Brevard | TITUSVILLE REUSE SYSTEM | WL | OTH | NA | 4.68 | 0.59 | 292 |
| Brevard | TITUSVILLE REUSE SYSTEM | IND | ATP | VII | 0.04 | 0.04 | 10 |
| County Subtotals | | | | | 47.66 | 24.72 | 8504 |

| | | | | | | | |
|---------|----------------------------|--------|------|-----|------|------|----|
| Broward | BROWARD CO. NORTH REGIONAL | IND | AOF | VII | 1.07 | 1.07 | |
| Broward | BROWARD CO. NORTH REGIONAL | PAA&LI | OPAA | III | 0.20 | 0.20 | 4 |
| Broward | BROWARD CO. NORTH REGIONAL | IND | ATP | VII | 3.17 | 3.17 | |
| Broward | CITY OF MIRAMAR WWTF | PAA&LI | RI | III | 1.58 | 1.58 | 23 |
| Broward | CITY OF MIRAMAR WWTF | IND | ATP | VII | 0.62 | 0.42 | |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Broward | HOLLYWOOD | PAA&LI | GCI | III | 4.00 | 1.88 | 753 |
| Broward | PLANTATION REGIONAL WWTF | IND | ATP | VII | 2.16 | 0.82 | |
| Broward | POMPANO BEACH | PAA&LI | OPAA | III | 0.46 | 0.46 | |
| Broward | POMPANO BEACH | PAA&LI | GCI | III | 0.89 | 0.89 | 300 |
| Broward | SUNRISE SOUTHWEST | GWR&IPR | RIB | IV | 0.45 | 0.35 | 5 |
| County Subtotals | | | | | 14.59 | 10.84 | 1086 |
| Charlotte | CHARLOTTE CO.-BURNT STORE | GWR&IPR | RIB | IV | 0.25 | 0.08 | 7 |
| Charlotte | CHARLOTTE CO.-EASTPORT | PAA&LI | GCI | III | 1.39 | 0.35 | 358 |
| Charlotte | CHARLOTTE CO.-EASTPORT | PAA&LI | RI | III | 0.17 | 0.08 | 52 |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | PAA&LI | GCI | III | 0.97 | 0.48 | 150 |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | PAA&LI | RI | III | 0.04 | 0.07 | 11 |
| Charlotte | CHARLOTTE CO.-WEST PORT | PAA&LI | GCI | III | 0.76 | 0.29 | 244 |
| Charlotte | CHARLOTTE CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 5.90 | 0.07 | |
| Charlotte | CHARLOTTE CORRECTIONAL INSTITUTION | TF | NA | III | 0.11 | 0.11 | |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | PAA&LI | RI | III | 0.14 | 0.05 | 157 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | IND | ATP | VII | 0.35 | 0.09 | |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | PAA&LI | GCI | III | 1.92 | 1.67 | 548 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | PAA&LI | OPAA | III | 0.27 | 0.05 | 46 |
| Charlotte | RIVERWOODS UTILITIES | GWR&IPR | RIB | IV | 0.50 | 0.09 | 2 |
| Charlotte | RIVERWOODS UTILITIES | PAA&LI | OPAA | III | 0.50 | 0.04 | 134 |
| Charlotte | SANDALHAVEN/WILDFLOWER CC | PAA&LI | GCI | III | 0.10 | 0.09 | 60 |
| Charlotte | SANDALHAVEN/WILDFLOWER CC | GWR&IPR | RIB | IV | 0.15 | 0.00 | 1 |
| County Subtotals | | | | | 13.50 | 3.59 | 1770 |
| Citrus | BEVERLY HILLS - ROLLING OAKS | GWR&IPR | RIB | IV | 1.00 | 0.49 | 5 |
| Citrus | CITRUS SPRINGS UTILITIES | GWR&IPR | RIB | IV | 0.20 | 0.09 | 2 |
| Citrus | CRYSTAL RIVER | AI | OC | II | 1.50 | 1.06 | 125 |
| Citrus | INVERNESS REGIONAL | AI | OC | II | 1.50 | 0.54 | 154 |
| Citrus | MEADOWCREST | GWR&IPR | RIB | IV | 0.50 | 0.31 | 4 |
| Citrus | POINT OF WOODS UTILITIES | PAA&LI | GCI | III | 0.06 | 0.02 | 18 |
| Citrus | SUGAR MILL WOODS CYPRESS VILLAGE | AI | OC | II | 0.70 | 0.38 | 33 |
| Citrus | WALDEN WOODS MHP WWTF | GWR&IPR | RIB | IV | 0.10 | 0.03 | 1 |
| County Subtotals | | | | | 5.56 | 2.91 | 341 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Clay | CCUA-FLEMING ISLAND | PAA&LI | GCI | III | 1.95 | 0.32 | 287 |
| Clay | CCUA-FLEMING ISLAND | PAA&LI | RI | III | 4.42 | 1.94 | 12713 |
| Clay | CCUA-MID-CLAY REGIONAL | PAA&LI | RI | III | 0.65 | 0.44 | 3887 |
| Clay | CCUA-RAVINES | GWR&IPR | RIB | IV | 0.20 | 0.11 | 2 |
| Clay | CCUA-RIDAUGHT LANDING | PAA&LI | RI | III | 1.88 | 0.97 | |
| Clay | CCUA-SPENCER | PAA&LI | RI | III | 2.47 | 1.93 | 1090 |
| Clay | CCUA-SPENCER | PAA&LI | GCI | III | 0.31 | 0.32 | 120 |
| Clay | GREEN COVE SPRINGS - HARBOR ROAD WWTP | PAA&LI | GCI | III | 0.75 | 0.39 | 180 |
| County Subtotals | | | | | 12.62 | 6.42 | 18279 |
| Collier | AVE MARIE UTILITY CO | PAA&LI | RI | III | 0.01 | 0.18 | 40 |
| Collier | AVE MARIE UTILITY CO | PAA&LI | OPAA | III | 0.19 | 0.51 | 113 |
| Collier | AVE MARIE UTILITY CO | PAA&LI | GCI | III | 0.00 | 0.00 | |
| Collier | CITY OF NAPLES I | PAA&LI | GCI | III | 4.25 | 3.11 | 1119 |
| Collier | CITY OF NAPLES I | PAA&LI | OPAA | III | 3.78 | 2.55 | 157 |
| Collier | COLLIER CO.-NORTH | PAA&LI | GCI | III | 3.20 | 3.20 | 1350 |
| Collier | COLLIER CO.-NORTH | PAA&LI | RI | III | 3.70 | 3.70 | 1419 |
| Collier | COLLIER CO.-NORTH | PAA&LI | OPAA | III | 1.18 | 1.18 | 396 |
| Collier | COLLIER CO.-SOUTH | PAA&LI | OPAA | III | 0.75 | 0.75 | 125 |
| Collier | COLLIER CO.-SOUTH | PAA&LI | GCI | III | 2.49 | 2.49 | 1261 |
| Collier | COLLIER CO.-SOUTH | PAA&LI | RI | III | 1.50 | 1.50 | 885 |
| Collier | EVERGLADES WWTF | GWR&IPR | RIB | IV | 0.12 | 0.13 | 0 |
| Collier | GOLDEN GATE | GWR&IPR | RIB | IV | 1.25 | 1.23 | 7 |
| Collier | IMMOKALEE | AI | OC | II | 2.50 | 0.95 | 364 |
| Collier | MARCO ISLAND UTILITIES | PAA&LI | GCI | III | 0.88 | 0.70 | 314 |
| Collier | MARCO ISLAND UTILITIES | GWR&IPR | RIB | IV | 3.50 | 0.00 | 21 |
| Collier | MARCO ISLAND UTILITIES | PAA&LI | OPAA | III | 0.82 | 0.67 | 386 |
| Collier | MARCO SHORES UTILITIES | GWR&IPR | RIB | IV | 3.50 | 0.09 | 21 |
| Collier | PORT OF THE ISLANDS/SOUTH | PAA&LI | OPAA | III | 0.31 | 0.00 | 113 |
| County Subtotals | | | | | 33.92 | 22.95 | 8092 |
| Columbia | COLUMBIA CORRECTIONAL INSTITUTION | TF | NA | III | 0.25 | 0.14 | |
| Columbia | COLUMBIA CORRECTIONAL INSTITUTION | AI | OC | II | 0.28 | 0.20 | 36 |
| Columbia | LAKE CITY WWTF | AI | OC | II | 3.00 | 2.35 | 350 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------------|------------|---------------|------|-----------|------------|--------------|
| County Subtotals | | | | | 3.53 | 2.69 | 386 |
| De Soto | DESOTO CORRECTIONAL INSTITUTION | AI | OC | II | 0.50 | 0.35 | 105 |
| De Soto | G PIERCE WOOD MEMORIAL HOSPITAL | AI | OC | II | 0.15 | 0.02 | 206 |
| De Soto | LAKE SUZY WWTF | GWR&IPR | RIB | IV | 0.09 | 0.06 | |
| De Soto | WILLIAM TYSON (ARCADIA) | PAA&LI | OPAA | III | 0.16 | 0.10 | 60 |
| De Soto | WILLIAM TYSON (ARCADIA) | PAA&LI | GCI | III | 0.20 | 0.18 | 73 |
| De Soto | WILLIAM TYSON (ARCADIA) | PAA&LI | RI | III | 0.06 | 0.00 | 1 |
| De Soto | WILLIAM TYSON (ARCADIA) | GWR&IPR | RIB | IV | 0.05 | 0.05 | 2 |
| De Soto | WILLIAM TYSON (ARCADIA) | AI | EC | III | 1.27 | 0.26 | 386 |
| County Subtotals | | | | | 2.47 | 1.01 | 833 |
| Duval | JACKSONVILLE BEACH | PAA&LI | GCI | III | 0.50 | 0.24 | 85 |
| Duval | JACKSONVILLE BEACH | IND | ATP | VII | 4.50 | 0.11 | |
| Duval | JEA-ARLINGTON EAST | IND | ATP | VII | 0.49 | 0.49 | |
| Duval | JEA-ARLINGTON EAST | PAA&LI | GCI | III | 0.65 | 0.40 | |
| Duval | JEA-BLACKS FORD | IND | ATP | VII | 0.00 | 0.00 | |
| Duval | JEA-BUCKMAN STREET | IND | ATP | VII | 2.40 | 2.40 | |
| Duval | JEA-DISTRICT II | IND | ATP | VII | 0.12 | 0.12 | |
| Duval | JEA-DISTRICT II | IND | AOF | VII | 5.00 | 1.26 | |
| Duval | JEA-JACKSONVILLE HEIGHTS | IND | ATP | VII | 0.04 | 0.04 | |
| Duval | JEA-MANDARIN | IND | ATP | VII | 0.05 | 0.00 | |
| Duval | JEA-MANDARIN | PAA&LI | GCI | III | 5.70 | 1.17 | |
| Duval | NORMANDY VILLAGE UTILITY | GWR&IPR | RIB | IV | 0.40 | 0.22 | 7 |
| Duval | SOUTHWEST DISTRICT WWTF | IND | ATP | VII | 0.26 | 0.26 | |
| Duval | USN NAS JACKSONVILLE | PAA&LI | GCI | III | 0.25 | 0.27 | 84 |
| County Subtotals | | | | | 20.36 | 6.98 | 176 |
| Escambia | ECUA-BAYOU MARCUS WRF | WL | NA | NA | 8.20 | 4.97 | 642 |
| Escambia | ECUA-BAYOU MARCUS WRF | IND | ATP | VII | 0.03 | 0.00 | |
| Escambia | ECUA-MAIN STREET | IND | ATP | VII | 7.00 | 1.39 | |
| Escambia | HIGHWAY 191 (SUNDIAL UTILITIES) | GWR&IPR | RIB | IV | 0.13 | 0.06 | 3 |
| Escambia | PENSACOLA BEACH | IND | ATP | VII | 0.16 | 0.03 | |
| County Subtotals | | | | | 15.52 | 6.45 | 645 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Flagler | GRAND HAVEN CDD WWTP | PAA&LI | GCI | III | 0.71 | 0.45 | 223 |
| Flagler | GRAND HAVEN CDD WWTP | PAA&LI | OPAA | III | 0.17 | 0.10 | 45 |
| Flagler | HAMMOCK DUNES | PAA&LI | RI | III | 1.79 | 1.43 | 1000 |
| Flagler | HAMMOCK DUNES | PAA&LI | GCI | III | 1.70 | 0.63 | 220 |
| Flagler | MATANZAS SHORES | GWR&IPR | RIB | IV | 0.32 | 0.06 | 6 |
| Flagler | PALM COAST | PAA&LI | RI | III | 1.67 | 1.35 | 399 |
| Flagler | PALM COAST | PAA&LI | GCI | III | 1.43 | 0.90 | 319 |
| Flagler | PALM COAST | GWR&IPR | AF | IV | 0.60 | 0.36 | 60 |
| Flagler | PALM COAST | GWR&IPR | RIB | IV | 2.30 | 1.76 | 38 |
| Flagler | PLANTATION BAY WWTP | PAA&LI | GCI | III | 0.48 | 0.10 | 75 |
| County Subtotals | | | | | 11.17 | 7.12 | 2384 |
| Franklin | CARRABELLE | AI | OC | II | 0.29 | 0.18 | 31 |
| Franklin | CARRABELLE | PAA&LI | GCI | III | 0.60 | 0.03 | 81 |
| Franklin | CARRABELLE | TF | NA | III | 0.09 | 0.04 | |
| Franklin | EASTPOINT WATER & SEWER DISTRICT | AI | OC | II | 0.30 | 0.12 | 38 |
| Franklin | LANARK VILLAGE | AI | OC | II | 0.11 | 0.04 | 16 |
| County Subtotals | | | | | 1.39 | 0.41 | 167 |
| Gadsden | GADSDEN EAST WWTP | GWR&IPR | RIB | IV | 0.25 | 0.08 | 4 |
| Gadsden | GRETNA, TOWN OF | GWR&IPR | RIB | IV | 0.40 | 0.29 | 3 |
| Gadsden | HAVANA, TOWN OF | AI | OC | II | 0.40 | 0.08 | 174 |
| Gadsden | HAVANA, TOWN OF | IND | ATP | VII | 0.40 | 0.08 | |
| Gadsden | QUINCY, CITY OF | IND | ATP | VII | 0.02 | 0.00 | |
| County Subtotals | | | | | 1.47 | 0.53 | 182 |
| Gilchrist | LANCASTER CORRECTIONAL INSTITUTION | AI | OC | II | 0.12 | 0.11 | 17 |
| Gilchrist | TRENTON WWTF | AI | OC | II | 0.20 | 0.13 | 60 |
| County Subtotals | | | | | 0.32 | 0.24 | 77 |
| Gulf | GULF CORRECTIONAL INSTITUTION | Ai | OC | II | 0.35 | 0.22 | 33 |
| County Subtotals | | | | | 0.35 | 0.22 | 33 |
| Hamilton | JENNINGS | GWR&IPR | AF | IV | 0.18 | 0.11 | 30 |
| County Subtotals | | | | | 0.18 | 0.11 | 30 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---|------------|---------------|------|-----------|------------|--------------|
| Hardee | BOWLING GREEN STP | IND | AOF | VII | 0.32 | 0.15 | 148 |
| Hardee | HARDEE COUNTY CORRECTIONAL | AI | OC | II | 0.21 | 0.23 | 109 |
| Hardee | WAUCHULA WWTP | IND | AOF | VII | 1.20 | 0.59 | |
| Hardee | ZOLFO SPRINGS | AI | OC | II | 0.14 | 0.13 | 68 |
| County Subtotals | | | | | 1.87 | 1.10 | 325 |
| Hendry | CLEWISTON | AI | OC | II | 1.50 | 1.10 | 193 |
| Hendry | HENDRY CORRECTIONAL INSTITUTION | AI | OC | II | 0.36 | 0.19 | 56 |
| Hendry | LABELLE #1 | GWR&IPR | AF | IV | 0.75 | 0.33 | 99 |
| Hendry | PORT LABELLE | GWR&IPR | RIB | IV | 0.50 | 0.21 | 5 |
| County Subtotals | | | | | 3.11 | 1.82 | 353 |
| Hernando | BROOKSVILLE, CITY OF | IND | AOF | VII | 8.00 | 0.83 | 1345 |
| Hernando | HERNANDO AIRPORT SUBREGIONAL WWTF | GWR&IPR | RIB | IV | 0.75 | 0.55 | |
| Hernando | HERNANDO CO./BERKELEY MANOR | GWR&IPR | RIB | IV | 0.75 | 0.16 | |
| Hernando | HERNANDO CO./BROOKRIDGE | GWR&IPR | RIB | IV | 0.75 | 0.31 | |
| Hernando | HERNANDO CO./RIDGE MANOR | GWR&IPR | RIB | IV | 0.75 | 0.31 | |
| Hernando | HERNANDO CO./SPRING HILL | PAA&LI | GCI | III | 2.80 | 1.31 | 356 |
| Hernando | HERNANDO CO./THE GLEN | GWR&IPR | RIB | IV | 1.00 | 0.51 | 65 |
| Hernando | HERNANDO CO./WEEKI WACHEE WWTP | GWR&IPR | RIB | IV | 0.25 | 0.07 | |
| County Subtotals | | | | | 15.05 | 4.06 | 1766 |
| Highlands | AVON PARK WATER POLL. CONTROL FAC. | GWR&IPR | RIB | IV | 1.50 | 0.59 | 17 |
| Highlands | SEBRING CITY OF | GWR&IPR | RIB | IV | 1.50 | 0.84 | 7 |
| Highlands | SUN N LAKE ESTATES OF SEBRING | GWR&IPR | RIB | IV | 0.70 | 0.37 | 3 |
| Highlands | SUN'N LAKE OF SEBRING UNIT 4 | GWR&IPR | RIB | IV | 0.25 | 0.04 | 5 |
| Highlands | TOMOKA HEIGHTS WWTP/PLACID UTILITIES | GWR&IPR | RIB | IV | 0.20 | 0.05 | 1 |
| County Subtotals | | | | | 4.15 | 1.88 | 33 |
| Hillsborough | CW UTILITY - COUNTRY MEADOWS/GOLDEN LAKES | GWR&IPR | RIB | IV | 0.11 | 0.06 | 5 |
| Hillsborough | CW UTILITY - COUNTRY MEADOWS/GOLDEN LAKES | PAA&LI | GCI | III | 0.06 | 0.03 | 32 |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | PAA&LI | RI | III | 8.66 | 8.66 | |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | AI | EC | III | 0.00 | 0.00 | 18 |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | PAA&LI | GCI | III | 0.57 | 0.57 | |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | PAA&LI | OPAA | III | 1.80 | 1.80 | |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | IND | ATP | VII | 1.25 | 1.25 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | PAA&LI | RI | III | 3.68 | 3.68 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | IND | AOF | VII | 4.15 | 4.15 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | IND | ATP | VII | 1.22 | 1.22 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | PAA&LI | OPAA | III | 0.80 | 0.80 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | PAA&LI | GCI | III | 1.18 | 1.18 | |
| Hillsborough | MACDILL AIR FORCE BASE | AI | OC | II | 0.08 | 0.01 | 10 |
| Hillsborough | MACDILL AIR FORCE BASE | GWR&IPR | RIB | IV | 1.20 | 0.05 | 18 |
| Hillsborough | MACDILL AIR FORCE BASE | PAA&LI | GCI | III | 1.20 | 0.37 | 320 |
| Hillsborough | PEBBLE CREEK VILLAGE | PAA&LI | GCI | III | 0.39 | 0.24 | 99 |
| Hillsborough | PEBBLE CREEK VILLAGE | PAA&LI | OPAA | III | 0.01 | 0.01 | 1 |
| Hillsborough | PLANT CITY WRF | PAA&LI | RI | III | 0.51 | 0.05 | 69 |
| Hillsborough | PLANT CITY WRF | IND | ATP | VII | 0.30 | 0.30 | |
| Hillsborough | PLANT CITY WRF | IND | AOF | VII | 3.40 | 1.81 | |
| Hillsborough | PLANT CITY WRF | AI | EC | III | 0.37 | 0.38 | 103 |
| Hillsborough | RICE CREEK UTILITY COMPANY | GWR&IPR | AF | IV | 0.23 | 0.01 | 2 |
| Hillsborough | RICE CREEK UTILITY COMPANY | GWR&IPR | RIB | IV | 0.23 | 0.07 | 5 |
| Hillsborough | TAMPA/HOWARD F. CURREN | PAA&LI | OPAA | III | 0.40 | 0.40 | 255 |
| Hillsborough | TAMPA/HOWARD F. CURREN | PAA&LI | RI | III | 8.00 | 1.67 | 508 |
| Hillsborough | TAMPA/HOWARD F. CURREN | IND | ATP | VII | 8.60 | 1.00 | |
| Hillsborough | TAMPA/HOWARD F. CURREN | IND | AOF | VII | 15.22 | 10.11 | |
| Hillsborough | WINDEMERE/SCARECROW UTIL. | GWR&IPR | RIB | IV | 0.26 | 0.12 | 4 |
| County Subtotals | | | | | 63.87 | 40.00 | 1449 |
| Indian River | IRCUD/WEST REGIONAL WWTF | WL | NA | NA | 4.02 | 1.95 | 181 |
| Indian River | IRCUD/WEST REGIONAL WWTF | PAA&LI | OPAA | III | 0.29 | 0.00 | 120 |
| Indian River | IRCUD/WEST REGIONAL WWTF | GWR&IPR | RIB | IV | 1.24 | 0.07 | 41 |
| Indian River | IRCUD/WEST REGIONAL WWTF | PAA&LI | GCI | III | 4.63 | 2.16 | 1242 |
| Indian River | VERO BEACH, CITY OF | PAA&LI | RI | III | 2.64 | 2.43 | 1596 |
| Indian River | VERO BEACH, CITY OF | PAA&LI | GCI | III | 0.30 | 0.29 | 182 |
| Indian River | VERO BEACH, CITY OF | IND | ATP | VII | 0.12 | 0.40 | |
| Indian River | VERO BEACH, CITY OF | IND | AOF | VII | 0.35 | 0.06 | |
| Indian River | VERO BEACH, CITY OF | GWR&IPR | AF | IV | 0.01 | 0.01 | |
| Indian River | VERO BEACH, CITY OF | PAA&LI | OPAA | III | 0.45 | 0.16 | 108 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|------------------------------------|------------|---------------|------|-----------|------------|--------------|
| County Subtotals | | | | | 14.05 | 7.53 | 3470 |
| Jackson | CITY OF MARIANNA WWTP | AI | OC | II | 4.00 | 1.37 | |
| Jackson | CITY OF MARIANNA WWTP | IND | ATP | VII | 0.04 | 0.04 | |
| Jackson | COTTONDALE, CITY OF (STP) | AI | OC | II | 0.30 | 0.07 | 50 |
| Jackson | JACKSON CORRECTIONAL INSTITUTION | AI | OC | II | 0.24 | 0.17 | 28 |
| Jackson | SNEADS, TOWN OF (STP) | AI | OC | II | 0.73 | 0.41 | 253 |
| County Subtotals | | | | | 5.32 | 2.06 | 331 |
| Jefferson | JEFFERSON CORRECTIONAL INSTITUTION | AI | OC | II | 0.12 | 0.08 | 18 |
| Jefferson | MONTICELLO, CITY OF | WL | NA | NA | 1.00 | 0.54 | 33 |
| County Subtotals | | | | | 1.12 | 0.62 | 51 |
| Lafayette | MAYO | AI | OC | II | 0.15 | 0.11 | 33 |
| Lafayette | MAYO CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.21 | 0.17 | |
| County Subtotals | | | | | 0.36 | 0.28 | 33 |
| Lake | CITY OF EUSTIS | PAA&LI | RI | III | 0.10 | 0.09 | 26 |
| Lake | CITY OF EUSTIS | PAA&LI | OPAA | III | 0.19 | 0.07 | 55 |
| Lake | CITY OF EUSTIS | PAA&LI | GCI | III | 0.60 | 0.41 | 193 |
| Lake | CITY OF EUSTIS | AI | OC | II | 2.56 | 0.47 | 326 |
| Lake | CLERBROOK RV RESORTS | GWR&IPR | RIB | IV | 0.12 | 0.02 | 1 |
| Lake | CLERMONT - EAST | PAA&LI | GCI | III | 0.80 | 0.28 | 217 |
| Lake | CLERMONT - EAST | GWR&IPR | RIB | IV | 2.00 | 0.45 | 5 |
| Lake | CLERMONT - EAST | PAA&LI | RI | III | 2.00 | 0.66 | 336 |
| Lake | CLERMONT - WEST | AI | OC | II | 0.75 | 0.41 | 67 |
| Lake | GROVELAND | AI | OC | II | 0.25 | 0.21 | 27 |
| Lake | LADY LAKE WWTF | GWR&IPR | RIB | IV | 0.25 | 0.08 | 11 |
| Lake | LAKE CORRECTIONAL INSTITUTION | AI | OC | II | 0.18 | 0.16 | 12 |
| Lake | LAKE GROVES UTILITIES, STP | GWR&IPR | RIB | IV | 0.50 | 0.36 | 2 |
| Lake | LEESBURG/CANAL STREET WWTF | AI | OC | II | 6.50 | 2.90 | 675 |
| Lake | MID-FLORIDA LAKES | GWR&IPR | RIB | IV | 0.18 | 0.09 | 10 |
| Lake | MOUNT DORA #1 WWTF | AI | OC | II | 0.26 | 0.05 | 39 |
| Lake | MOUNT DORA #1 WWTF | PAA&LI | OPAA | III | 0.19 | 0.01 | 65 |
| Lake | MOUNT DORA #1 WWTF | IND | ATP | VII | 0.02 | 0.02 | |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------|------------|---------------|------|-----------|------------|--------------|
| Lake | MOUNT DORA #1 WWTF | PAA&LI | GCI | III | 0.47 | 0.22 | 63 |
| Lake | MOUNT DORA #1 WWTF | PAA&LI | RI | III | 0.60 | 0.60 | 2264 |
| Lake | MOUNT DORA #1 WWTF | GWR&IPR | RIB | IV | 0.20 | 0.02 | 4 |
| Lake | OAK SPRINGS MHP | GWR&IPR | RIB | IV | 0.15 | 0.03 | 2 |
| Lake | PENNBROOKE WWTF | PAA&LI | GCI | III | 0.18 | 0.08 | 72 |
| Lake | PENNBROOKE WWTF | GWR&IPR | RIB | IV | 0.03 | 0.00 | 1 |
| Lake | PLANTATION @ LEESBURG | PAA&LI | GCI | III | 0.37 | 0.15 | |
| Lake | PLANTATION @ LEESBURG | GWR&IPR | RIB | IV | 0.23 | 0.02 | |
| Lake | SOUTHLAKE COMMUNITY | GWR&IPR | RIB | IV | 1.18 | 0.68 | 5 |
| Lake | ST. JOHNS - ASTOR PARK | GWR&IPR | RIB | IV | 0.30 | 0.14 | 11 |
| Lake | SUNSHINE PARKWAY | GWR&IPR | RIB | IV | 0.42 | 0.14 | 5 |
| Lake | TAVARES/WOODLEA ROAD | GWR&IPR | RIB | IV | 1.99 | 1.35 | 10 |
| Lake | UMATILLA | GWR&IPR | RIB | IV | 0.10 | 0.01 | |
| Lake | UMATILLA | GWR&IPR | AF | IV | 0.20 | 0.15 | |
| Lake | VILLAGES | GWR&IPR | RIB | IV | 0.75 | 0.04 | 9 |
| Lake | VILLAGES | PAA&LI | GCI | III | 2.83 | 0.82 | 417 |
| Lake | VILLAGES | PAA&LI | OPAA | III | 0.41 | 0.12 | 60 |
| Lake | WATER OAK ESTATES | GWR&IPR | AF | IV | 0.20 | 0.07 | 19 |
| County Subtotals | | | | | 28.05 | 11.40 | 5010 |
| Lee | CITRUS PARK/NORTH | GWR&IPR | RIB | IV | 0.20 | 0.09 | |
| Lee | CROSS CREEK COUNTRY CLUB | PAA&LI | GCI | III | 0.25 | 0.08 | 60 |
| Lee | EAGLE RIDGE | PAA&LI | GCI | III | 0.44 | 0.23 | 90 |
| Lee | FIDDLESTICKS COUNTRY CLUB | PAA&LI | GCI | III | 0.15 | 0.02 | 175 |
| Lee | FIDDLESTICKS COUNTRY CLUB | GWR&IPR | RIB | IV | 0.15 | 0.05 | 1 |
| Lee | FOREST UTILITIES | PAA&LI | GCI | III | 0.50 | 0.23 | 280 |
| Lee | FORT MYERS BEACH | PAA&LI | RI | III | 0.03 | 0.32 | 56 |
| Lee | FORT MYERS BEACH | PAA&LI | GCI | III | 2.17 | 2.00 | 604 |
| Lee | FORT MYERS BEACH | PAA&LI | OPAA | III | 0.19 | 0.56 | 63 |
| Lee | FORT MYERS BEACH | GWR&IPR | RIB | IV | 2.94 | 0.68 | 52 |
| Lee | FORT MYERS CITY CENTRAL | OTH | OTH | NA | 0.07 | 0.09 | 12 |
| Lee | FORT MYERS CITY CENTRAL | IND | AOF | VII | 1.30 | 0.65 | |
| Lee | FORT MYERS CITY CENTRAL | PAA&LI | OPAA | III | 13.63 | 0.13 | 50 |
| Lee | FOUNTAIN LAKES | GWR&IPR | RIB | IV | 0.19 | 0.15 | 4 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|-----------------------------------|------------|---------------|------|-----------|------------|--------------|
| Lee | GASPARILLA ISLAND WATER | PAA&LI | GCI | III | 0.48 | 0.32 | 114 |
| Lee | HUNTER'S RIDGE | PAA&LI | GCI | III | 0.31 | 0.31 | 83 |
| Lee | JAMAICA BAY WEST | GWR&IPR | RIB | IV | 0.30 | 0.01 | 1 |
| Lee | LAKE FAIRWAYS FFEC SIX | PAA&LI | GCI | III | 0.11 | 0.09 | 57 |
| Lee | LEE CO. - FIESTA VILLAGE | PAA&LI | GCI | III | 1.75 | 1.36 | 436 |
| Lee | LEE CO. - FIESTA VILLAGE | PAA&LI | RI | III | 0.26 | 0.29 | 75 |
| Lee | LEE CO.- THREE OAKS | PAA&LI | GCI | III | 2.55 | 1.75 | 746 |
| Lee | LEE CO.- THREE OAKS | PAA&LI | RI | III | 0.10 | 0.06 | 15 |
| Lee | LEE CO.-GATEWAY | PAA&LI | RI | III | 2.00 | 2.32 | 798 |
| Lee | LEE CO.-GATEWAY | PAA&LI | OPAA | III | 0.58 | 0.58 | 158 |
| Lee | LEE CO.-SAN CARLOS | PAA&LI | OPAA | III | 0.01 | 0.01 | 2 |
| Lee | LEE CO.-SAN CARLOS | PAA&LI | GCI | III | 0.47 | 0.21 | 120 |
| Lee | LEE CO.-WATERWAY ESTATES | PAA&LI | GCI | III | 0.25 | 0.06 | 118 |
| Lee | LEE CO.-WATERWAY ESTATES | PAA&LI | RI | III | 0.70 | 0.33 | 393 |
| Lee | LEHIGH ACRES UTILITIES, INC. | PAA&LI | GCI | III | 1.02 | 0.78 | 290 |
| Lee | LEHIGH ACRES UTILITIES, INC. | GWR&IPR | RIB | IV | 1.48 | 0.79 | 34 |
| Lee | NORTH FORT MYERS UTILITY | PAA&LI | RI | III | 1.60 | 0.21 | |
| Lee | NORTH FORT MYERS UTILITY | PAA&LI | GCI | III | 1.10 | 0.64 | 741 |
| Lee | PINE ISLAND WWTP | GWR&IPR | RIB | IV | 0.02 | 0.01 | |
| Lee | PINE ISLAND WWTP | AI | OC | II | 0.25 | 0.08 | 83 |
| Lee | PINE ISLAND WWTP | PAA&LI | RI | III | 0.09 | 0.00 | 5 |
| Lee | RESOURCE CONSERVATION SYSTEMS | PAA&LI | GCI | III | 8.39 | 3.44 | 377 |
| Lee | RESOURCE CONSERVATION SYSTEMS | PAA&LI | RI | III | 17.70 | 4.26 | 1457 |
| Lee | SANIBEL-DONAX | PAA&LI | RI | III | 1.50 | 0.20 | 31 |
| Lee | SANIBEL-DONAX | PAA&LI | GCI | III | 0.50 | 0.88 | 228 |
| Lee | SANIBEL-DONAX | IND | ATP | VII | 1.50 | 0.18 | 5 |
| Lee | SANIBEL-WULFERT | PAA&LI | GCI | III | 0.13 | 0.01 | 90 |
| Lee | SOUTH SEAS PLANTATION | PAA&LI | GCI | III | 0.26 | 0.12 | 32 |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | PAA&LI | RI | III | 25.35 | 22.34 | |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | PAA&LI | OPAA | III | 0.33 | 0.33 | |
| County Subtotals | | | | | 93.29 | 47.22 | 7936 |
| Leon | LAKE JACKSON | GWR&IPR | RIB | IV | 0.56 | 0.25 | 6 |
| Leon | T.P. SMITH | AI | OC | II | 30.80 | 16.91 | 2590 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|----------------------------------|------------|---------------|------|-----------|------------|--------------|
| County Subtotals | | | | | 31.36 | 17.16 | 2597 |
| Levy | CEDAR KEY | GWR&IPR | AF | IV | 0.17 | 0.10 | 1 |
| Levy | CEDAR KEY | PAA&LI | OPAA | III | 0.02 | 0.02 | 2 |
| Levy | CHIEFLAND | GWR&IPR | RIB | IV | 0.48 | 0.17 | 11 |
| Levy | WILLISTON | AI | OC | II | 0.45 | 0.16 | 59 |
| County Subtotals | | | | | 1.11 | 0.44 | 73 |
| Liberty | CITY OF BRISTOL | GWR&IPR | RIB | IV | 0.25 | 0.02 | 3 |
| Liberty | LIBERTY CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.20 | 0.16 | 5 |
| County Subtotals | | | | | 0.45 | 0.18 | 8 |
| Madison | GREENVILLE, TOWN OF | AI | OC | II | 0.12 | 0.06 | 22 |
| Madison | MADISON, CITY OF | IND | ATP | VII | 0.70 | 0.70 | |
| Madison | MADISON, CITY OF | AI | OC | II | 1.37 | 0.52 | 275 |
| County Subtotals | | | | | 2.19 | 1.28 | 297 |
| Manatee | BRADENTON | PAA&LI | RI | III | 0.00 | 0.00 | 2 |
| Manatee | BRADENTON | AI | EC | III | 0.80 | 0.00 | 350 |
| Manatee | BRADENTON | IND | ATP | VII | 0.40 | 0.36 | 14 |
| Manatee | BRADENTON | IND | AOF | VII | 2.19 | 0.11 | 194 |
| Manatee | BRADENTON | PAA&LI | OPAA | III | 0.04 | 0.04 | 41 |
| Manatee | BRADENTON | PAA&LI | GCI | III | 0.20 | 0.18 | 100 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | AI | OC | II | 1.52 | 1.30 | 85 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | PAA&LI | GCI | III | 3.99 | 1.50 | 663 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | PAA&LI | RI | III | 22.53 | 7.80 | 11087 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | AI | EC | III | 5.00 | 4.30 | 1878 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | PAA&LI | OPAA | III | 1.51 | 1.20 | 434 |
| Manatee | PALMETTO | PAA&LI | RI | III | 2.40 | 0.84 | 4480 |
| Manatee | PALMETTO | PAA&LI | GCI | III | 0.23 | 0.10 | 82 |
| Manatee | PALMETTO | IND | ATP | VII | 0.61 | 0.03 | 5 |
| Manatee | PALMETTO | AI | OC | II | 0.82 | 0.00 | 100 |
| County Subtotals | | | | | 42.25 | 17.76 | 19515 |
| Marion | BELLEVIEW | PAA&LI | GCI | III | 0.30 | 0.11 | 70 |
| Marion | BELLEVIEW | AI | OC | II | 0.30 | 0.29 | 20 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--|------------|---------------|------|-----------|------------|--------------|
| Marion | DUNNELLON | AI | OC | II | 0.25 | 0.12 | 51 |
| Marion | LOWELL (MARION) CORRECTIONAL INSTITUTION | AI | OC | II | 0.65 | 0.36 | 90 |
| Marion | MARION LANDING | GWR&IPR | RIB | IV | 0.15 | 0.05 | 2 |
| Marion | MARION OAKS | GWR&IPR | RIB | IV | 0.26 | 0.23 | 2 |
| Marion | MARION/OAK RUN | PAA&LI | GCI | III | 0.29 | 0.17 | 36 |
| Marion | MARION/OAK RUN | GWR&IPR | RIB | IV | 0.80 | 0.23 | 12 |
| Marion | OCALA #1 WWTP | PAA&LI | GCI | III | 1.82 | 0.75 | 347 |
| Marion | OCALA #1 WWTP | PAA&LI | OPAA | III | 0.65 | 0.21 | 79 |
| Marion | OCALA #2 WRF | PAA&LI | GCI | III | 0.35 | 0.16 | 90 |
| Marion | OCALA #2 WRF | AI | OC | II | 5.83 | 2.30 | 653 |
| Marion | OCALA #2 WRF | PAA&LI | OPAA | III | 0.39 | 0.06 | 102 |
| Marion | OCALA #2 WRF | PAA&LI | RI | III | 0.06 | 0.00 | 15 |
| Marion | OCALA #3 WWTP | PAA&LI | OPAA | III | 4.09 | 2.05 | 380 |
| Marion | ON TOP OF THE WORLD/BAY LAUREL | AI | OC | II | 0.75 | 0.39 | 130 |
| Marion | RAINBOW SPRINGS FIFTH REPLAT WWTF | AI | OC | II | 0.23 | 0.15 | 35 |
| Marion | SILVER SPRINGS REGIONAL, WWTP | GWR&IPR | AF | IV | 0.45 | 0.16 | 22 |
| Marion | SILVER SPRINGS SHORES | AI | OC | II | 1.00 | 0.98 | 130 |
| Marion | SPRUCE CREEK SOUTH | GWR&IPR | RIB | IV | 0.45 | 0.12 | 4 |
| Marion | STONECREST PUD | GWR&IPR | RIB | IV | 0.23 | 0.17 | 2 |
| Marion | SUMMERGLEN WWTF | PAA&LI | GCI | III | 0.20 | 0.09 | 120 |
| County Subtotals | | | | | 19.48 | 9.14 | 2391 |
| Martin | INDIAN RIVER PLANTATION | PAA&LI | GCI | III | 0.24 | 0.18 | 60 |
| Martin | INDIANTOWN COMPANY | AI | OC | II | 0.14 | 0.26 | 25 |
| Martin | INDIANTOWN COMPANY | GWR&IPR | RIB | IV | 0.51 | 0.23 | 14 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | PAA&LI | GCI | III | 2.50 | 1.96 | 693 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | PAA&LI | RI | III | 0.41 | 0.18 | 0 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | PAA&LI | OPAA | III | 0.18 | 0.00 | 20 |
| Martin | MARTIN CO. UTIL.- NORTH | PAA&LI | RI | III | 0.40 | 0.50 | 157 |
| Martin | MARTIN CO. UTIL.- NORTH | PAA&LI | GCI | III | 0.40 | 0.16 | 88 |
| Martin | MARTIN CO. UTIL.- NORTH | PAA&LI | OPAA | III | 0.26 | 0.15 | 10 |
| Martin | MARTIN CORRECTIONAL INSTITUTION | TF | NA | III | 0.60 | 0.81 | |
| Martin | MARTIN CORRECTIONAL INSTITUTION | AI | EC | III | 0.60 | 0.78 | 80 |
| Martin | MILES GRANT CONDO | PAA&LI | GCI | III | 0.30 | 0.09 | 60 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Martin | PIPERS LANDING | PAA&LI | GCI | III | 0.10 | 0.06 | 66 |
| Martin | SAILFISH POINT | PAA&LI | GCI | III | 0.52 | 0.10 | 144 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | GWR&IPR | RIB | IV | 0.60 | 0.03 | 2 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | IND | ATP | VII | 0.00 | 0.00 | |
| Martin | SOUTH MARTIN REGIONAL UTILITY | PAA&LI | GCI | III | 1.40 | 0.54 | 150 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | PAA&LI | OPAA | III | 0.10 | 0.07 | 10 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | PAA&LI | RI | III | 0.01 | 0.01 | 5 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | IND | AOF | VII | 0.25 | 0.10 | |
| Martin | STUART, CITY OF | OTH | NA | NA | 4.00 | 0.00 | |
| County Subtotals | | | | | 13.51 | 6.21 | 1584 |
| Miami-Dade | HOMESTEAD | GWR&IPR | RIB | IV | 6.00 | 4.84 | 6 |
| Miami-Dade | MDWASD CENTRAL DISTRICT | OTH | OTH | NA | 0.04 | 0.14 | |
| Miami-Dade | MDWASD CENTRAL DISTRICT | IND | ATP | VII | 7.84 | 4.99 | |
| Miami-Dade | MDWASD NORTH DISTRICT | PAA&LI | OPAA | III | 1.50 | 0.09 | 40 |
| Miami-Dade | MDWASD NORTH DISTRICT | IND | ATP | VII | 2.94 | 2.46 | |
| Miami-Dade | MDWASD SOUTH DISTRICT | IND | ATP | VII | 3.73 | 4.43 | |
| Miami-Dade | MDWASD SOUTH DISTRICT | PAA&LI | OPAA | III | 0.44 | 0.49 | |
| County Subtotals | | | | | 22.49 | 17.43 | 46 |
| Monroe | DUCK KEY (HAWK'S CAY) | PAA&LI | GCI | III | 0.10 | 0.04 | 40 |
| Monroe | KEY COLONY BEACH, CITY OF | PAA&LI | GCI | III | 0.06 | 0.04 | 15 |
| Monroe | KEY WEST RESORT UTILITY | TF | NA | III | 0.10 | 0.10 | |
| Monroe | KEY WEST RESORT UTILITY | PAA&LI | GCI | III | 1.00 | 0.12 | 100 |
| County Subtotals | | | | | 1.26 | 0.30 | 155 |
| Nassau | FLORIDA WATER SERVICES/AMELIA ISLAND | PAA&LI | GCI | III | 0.95 | 0.62 | 295 |
| Nassau | FLORIDA WATER SERVICES/AMELIA ISLAND | IND | ATP | VII | 0.00 | 0.00 | |
| Nassau | FLORIDA WATER SERVICES/AMELIA ISLAND | OTH | OTH | NA | 0.03 | 0.03 | |
| Nassau | NASSAU REGIONAL (SUN RAY) | PAA&LI | GCI | III | 0.43 | 0.43 | |
| Nassau | NASSAU REGIONAL (SUN RAY) | GWR&IPR | RIB | IV | 0.45 | 0.26 | |
| County Subtotals | | | | | 1.85 | 1.33 | 295 |
| Okaloosa | CRESTVIEW | AI | OC | II | 2.10 | 1.36 | 240 |
| Okaloosa | CRESTVIEW INDUSTRIAL (BOB SYKES) | GWR&IPR | AF | IV | 0.30 | 0.12 | 3 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | PAA&LI | RI | III | 2.10 | 1.32 | 208 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | GWR&IPR | RIB | IV | 0.50 | 0.14 | 7 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | PAA&LI | GCI | III | 1.20 | 0.40 | 153 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | PAA&LI | OPAA | III | 0.31 | 0.58 | 52 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | GWR&IPR | AF | IV | 1.30 | 0.08 | 16 |
| Okaloosa | EGLIN A.F.B. AUX FIELD #3 | AI | OC | II | 0.13 | 0.01 | 20 |
| Okaloosa | EGLIN A.F.B. MAIN BASE | AI | OC | II | 1.00 | 0.46 | 104 |
| Okaloosa | EGLIN A.F.B. PLEW | AI | OC | II | 1.50 | 0.44 | 105 |
| Okaloosa | FT. WALTON BEACH WWTP | PAA&LI | GCI | III | 1.55 | 0.61 | 200 |
| Okaloosa | FT. WALTON BEACH WWTP | AI | OC | II | 3.10 | 1.50 | 400 |
| Okaloosa | HURLBURT FIELD AIR FORCE BASE | WL | NA | NA | 1.00 | 0.44 | 700 |
| Okaloosa | MARY ESTHER | AI | OC | II | 1.10 | 0.47 | 183 |
| Okaloosa | NICEVILLE/VALPARAISO REGIONAL | AI | OC | II | 3.00 | 1.68 | 265 |
| Okaloosa | NICEVILLE/VALPARAISO REGIONAL | PAA&LI | OPAA | III | 0.26 | 0.13 | 61 |
| Okaloosa | NICEVILLE/VALPARAISO REGIONAL | PAA&LI | GCI | III | 1.96 | 0.41 | 150 |
| Okaloosa | NICEVILLE/VALPARAISO REGIONAL | PAA&LI | RI | III | 0.48 | 0.22 | 76 |
| Okaloosa | OKALOOSA CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.18 | 0.17 | 6 |
| Okaloosa | OKALOOSA WTR & SWR SYSTEM (GARNIERS) | AI | OC | II | 6.50 | 4.15 | 540 |
| Okaloosa | RUSSELL F.W.STEPHENSON | GWR&IPR | RIB | IV | 1.00 | 0.40 | 12 |
| County Subtotals | | | | | 30.56 | 15.08 | 3501 |
| Okeechobee | OKEECHOBEE | AI | EC | III | 0.80 | 0.43 | 761 |
| Okeechobee | OKEECHOBEE | OTH | OTH | NA | 0.20 | 0.10 | 17 |
| Okeechobee | OKEECHOBEE | AI | OC | II | 0.30 | 0.17 | 282 |
| Okeechobee | OKEECHOBEE CORRECTIONAL INSTITUTION | AI | OC | II | 0.20 | 0.20 | 87 |
| County Subtotals | | | | | 1.50 | 0.89 | 1147 |
| Orange | APOPKA-PROJECT ARROW | PAA&LI | OPAA | III | 0.63 | 0.42 | 140 |
| Orange | APOPKA-PROJECT ARROW | PAA&LI | GCI | III | 1.22 | 0.96 | 307 |
| Orange | APOPKA-PROJECT ARROW | AI | OC | II | 0.40 | 0.07 | 57 |
| Orange | APOPKA-PROJECT ARROW | AI | EC | III | 0.10 | 0.04 | 258 |
| Orange | APOPKA-PROJECT ARROW | PAA&LI | RI | III | 4.64 | 4.64 | 1337 |
| Orange | APOPKA-PROJECT ARROW | IND | ATP | VII | 0.09 | 0.09 | |
| Orange | FAIRWAYS COUNTRY CLUB | GWR&IPR | RIB | IV | 0.15 | 0.03 | 1 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|--------|------------------------------------|------------|---------------|------|-----------|------------|--------------|
| Orange | FAIRWAYS COUNTRY CLUB | PAA&LI | GCI | III | 0.15 | 0.11 | 56 |
| Orange | GULFSTREAM HARBOR MOBILE HOME PARK | GWR&IPR | RIB | IV | 0.10 | 0.05 | 3 |
| Orange | OCOEE STP #2 | OTH | OTH | NA | 0.07 | 0.07 | |
| Orange | OCOEE STP #2 | PAA&LI | GCI | III | 0.75 | 0.51 | 240 |
| Orange | OCOEE STP #2 | GWR&IPR | RIB | IV | 0.25 | 0.25 | 11 |
| Orange | OCOEE STP #2 | PAA&LI | RI | III | 0.78 | 0.78 | |
| Orange | OCUD/EASTERN SERVICE AREA | WL | NA | NA | 6.20 | 5.34 | 300 |
| Orange | OCUD/EASTERN SERVICE AREA | IND | AOF | VII | 13.00 | 10.43 | 93 |
| Orange | OCUD/EASTERN SERVICE AREA | GWR&IPR | RIB | IV | 2.50 | 0.62 | 90 |
| Orange | OCUD/NORTHWEST SERVICE AREA | OTH | NA | NA | 0.35 | 0.35 | |
| Orange | OCUD/NORTHWEST SERVICE AREA | WL | NA | NA | 3.00 | 2.73 | 67 |
| Orange | OCUD/NORTHWEST SERVICE AREA | GWR&IPR | RIB | IV | 4.50 | 1.53 | 38 |
| Orange | OCUD/NORTHWEST SERVICE AREA | TF | NA | III | 0.01 | 0.01 | |
| Orange | OCUD/SOUTH SERVICE AREA | PAA&LI | GCI | III | 5.37 | 1.78 | 1552 |
| Orange | OCUD/SOUTH SERVICE AREA | IND | AOF | VII | 2.45 | 0.64 | 607 |
| Orange | OCUD/SOUTH SERVICE AREA | IND | ATP | VII | 2.30 | 2.12 | 50 |
| Orange | OCUD/SOUTH SERVICE AREA | PAA&LI | RI | III | 5.31 | 0.38 | 2138 |
| Orange | OCUD/SOUTH SERVICE AREA | PAA&LI | OPAA | III | 7.10 | 3.03 | 2132 |
| Orange | ORLANDO/CONSERV I | PAA&LI | RI | III | 2.41 | 0.96 | 493 |
| Orange | ORLANDO/CONSERV I | PAA&LI | OPAA | III | 5.09 | 1.12 | 1052 |
| Orange | ORLANDO/CONSERV I | PAA&LI | GCI | III | 2.01 | 2.05 | 442 |
| Orange | ORLANDO/CONSERV I | IND | ATP | VII | 0.20 | 0.09 | 85 |
| Orange | ORLANDO/CONSERV I | AI | OC | II | 0.14 | 0.06 | 29 |
| Orange | ORLANDO/CONSERV I | GWR&IPR | RIB | IV | 3.95 | 0.05 | 110 |
| Orange | ORLANDO-WATER CONSERV II | GWR&IPR | RIB | IV | 29.20 | 11.96 | 4204 |
| Orange | ORLANDO-WATER CONSERV II | IND | ATP | VII | 0.17 | 0.10 | |
| Orange | ORLANDO-WATER CONSERV II | OTH | NA | IV | 0.10 | 0.03 | 40 |
| Orange | ORLANDO-WATER CONSERV II | PAA&LI | OPAA | III | 10.63 | 7.62 | 2162 |
| Orange | ORLANDO-WATER CONSERV II | AI | OC | II | 8.86 | 0.39 | 2968 |
| Orange | ORLANDO-WATER CONSERV II | PAA&LI | RI | III | 3.06 | 2.61 | 29085 |
| Orange | ORLANDO-WATER CONSERV II | AI | EC | III | 13.91 | 8.08 | 2849 |
| Orange | ORLANDO-WATER CONSERV II | PAA&LI | GCI | III | 4.49 | 3.60 | 1485 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | PAA&LI | OPAA | III | 10.00 | 3.57 | 625 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--|------------|---------------|------|-----------|------------|--------------|
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | PAA&LI | GCI | III | 10.00 | 1.12 | 825 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | GWR&IPR | RIB | IV | 12.50 | 5.47 | 86 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | IND | ATP | VII | 0.75 | 0.75 | 70 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | OTH | OTH | NA | 1.22 | 1.22 | 40 |
| Orange | ROCK SPRINGS MOBILE HOME PARK | GWR&IPR | RIB | IV | 0.15 | 0.08 | 6 |
| Orange | STARLIGHT RANCH MHP | GWR&IPR | RIB | IV | 0.12 | 0.09 | 3 |
| Orange | WEDGEFIELD SUBDIVISION | PAA&LI | GCI | III | 0.27 | 0.33 | 120 |
| Orange | WEDGEFIELD SUBDIVISION | AI | OC | II | 0.10 | 0.01 | 32 |
| Orange | WINTER GARDEN, CITY OF (DW) | PAA&LI | GCI | III | 0.75 | 0.39 | 141 |
| Orange | WINTER PARK | PAA&LI | GCI | III | 0.35 | 0.33 | 198 |
| Orange | WINTER PARK | IND | ATP | VII | 0.02 | 0.02 | 8 |
| Orange | WINTER PARK | PAA&LI | OPAA | III | 0.27 | 0.13 | 105 |
| County Subtotals | | | | | 182.13 | 89.17 | 56738 |
| Osceola | HARMONY COMMUNITY DEV. DISTRICT WWTF | GWR&IPR | RIB | IV | 0.18 | 0.09 | 2 |
| Osceola | KISSIMMEE GOOD SAMARITAN RETIREMENT VILLAG | PAA&LI | GCI | III | 0.06 | 0.06 | 47 |
| Osceola | KISSIMMEE GOOD SAMARITAN RETIREMENT VILLAG | PAA&LI | OPAA | III | 0.02 | 0.00 | 5 |
| Osceola | KISSIMMEE GOOD SAMARITAN RETIREMENT VILLAG | PAA&LI | RI | III | 0.12 | 0.05 | 50 |
| Osceola | KISSIMMEE/PARKWAY | PAA&LI | RI | III | 0.61 | 0.88 | 407 |
| Osceola | KISSIMMEE/PARKWAY | PAA&LI | OPAA | III | 0.25 | 0.07 | 95 |
| Osceola | KISSIMMEE/PARKWAY | GWR&IPR | RIB | IV | 1.50 | 0.41 | 36 |
| Osceola | KISSIMMEE/PARKWAY | PAA&LI | GCI | III | 0.49 | 0.00 | 183 |
| Osceola | KISSIMMEE/SANDHILL ROAD | PAA&LI | RI | III | 2.92 | 1.43 | 460 |
| Osceola | KISSIMMEE/SANDHILL ROAD | PAA&LI | OPAA | III | 3.48 | 0.28 | 595 |
| Osceola | KISSIMMEE/SANDHILL ROAD | PAA&LI | GCI | III | 0.65 | 1.67 | 77 |
| Osceola | KISSIMMEE/SANDHILL ROAD | GWR&IPR | RIB | IV | 2.00 | 1.19 | 12 |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | GWR&IPR | RIB | IV | 1.33 | 1.17 | 6 |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | PAA&LI | GCI | III | 0.56 | 0.13 | 86 |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | PAA&LI | OPAA | III | 0.01 | 0.00 | 5 |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | WL | NA | NA | 0.10 | 0.10 | 169 |
| Osceola | POINCIANA (#2 & #3) | PAA&LI | RI | III | 1.93 | 1.53 | |
| Osceola | POINCIANA (#2 & #3) | PAA&LI | GCI | III | 1.93 | 1.53 | |
| Osceola | POINCIANA (#2 & #3) | AI | OC | II | 0.60 | 0.08 | 270 |
| Osceola | POINCIANA INDUSTRIAL PARK #1 | GWR&IPR | RIB | IV | 0.35 | 0.19 | 5 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|-------------------------|---|------------|---------------|------|--------------|--------------|--------------|
| Osceola | POINCIANA INDUSTRIAL PARK #1 | PAA&LI | OPAA | III | 0.50 | 0.25 | |
| Osceola | ST. CLOUD - LAKESHORE WRF | AI | OC | II | 0.84 | 0.47 | 170 |
| Osceola | ST. CLOUD - LAKESHORE WRF | PAA&LI | RI | III | 7.68 | 1.02 | 7534 |
| Osceola | ST. CLOUD - LAKESHORE WRF | PAA&LI | OPAA | III | 0.40 | 0.40 | 100 |
| Osceola | ST. CLOUD - LAKESHORE WRF | IND | ATP | VII | 0.01 | 0.01 | |
| Osceola | ST. CLOUD - LAKESHORE WRF | PAA&LI | GCI | III | 0.40 | 0.31 | 190 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | GWR&IPR | AF | IV | 1.60 | 0.31 | 180 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | PAA&LI | RI | III | 1.77 | 0.47 | 589 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | PAA&LI | OPAA | III | 2.19 | 2.12 | 1105 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | PAA&LI | GCI | III | 2.17 | 2.17 | 320 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | GWR&IPR | RIB | IV | 12.10 | 6.62 | 309 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | IND | AOF | VII | 3.72 | 0.90 | 1 |
| County Subtotals | | | | | 52.46 | 25.87 | 13009 |
| Palm Beach | BELLE GLADE WWTP | AI | OC | II | 0.07 | 0.02 | 6 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | PAA&LI | OPAA | III | 4.00 | 1.10 | 700 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | PAA&LI | GCI | III | 2.00 | 2.00 | 200 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | PAA&LI | RI | III | 2.00 | 1.10 | 300 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | IND | ATP | VII | 1.08 | 1.08 | 50 |
| Palm Beach | EAST CENTRAL REGIONAL WWTP | WL | NA | NA | 6.00 | 1.28 | 1450 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | PAA&LI | RI | III | 1.09 | 1.05 | 268 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | IND | ATP | VII | 1.75 | 1.27 | |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | PAA&LI | GCI | III | 7.61 | 4.32 | 1318 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | PAA&LI | OPAA | III | 0.92 | 0.62 | 270 |
| Palm Beach | PAHOKEE WWTP | GWR&IPR | RIB | IV | 0.08 | 0.01 | 1 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | WL | NA | NA | 5.00 | 1.49 | 125 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | IND | ATP | VII | 1.55 | 0.30 | |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | PAA&LI | GCI | III | 10.00 | 4.85 | 1412 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | PAA&LI | OPAA | III | 2.00 | 0.71 | 130 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | PAA&LI | RI | III | 10.00 | 4.67 | 2600 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | PAA&LI | OTH | III | 1.19 | 1.19 | |
| Palm Beach | PALM BEACH NORTHERN/ROYAL PALM BCH VILLAG | GWR&IPR | RIB | IV | 1.24 | 0.70 | 20 |
| Palm Beach | SEACOAST UTILITIES PGA | PAA&LI | GCI | III | 10.45 | 6.04 | 205 |
| Palm Beach | SEACOAST UTILITIES PGA | PAA&LI | OPAA | III | 0.17 | 0.15 | 35 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|-------------------------------|------------|---------------|------|-----------|------------|--------------|
| Palm Beach | SEACOAST UTILITIES PGA | PAA&LI | RI | III | 3.82 | 1.18 | 352 |
| Palm Beach | SEACOAST UTILITIES PGA | IND | ATP | VII | 0.00 | 0.00 | 10 |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | PAA&LI | GCI | III | 5.81 | 3.32 | 1286 |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | IND | ATP | VII | 2.00 | 0.71 | |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | PAA&LI | RI | III | 2.09 | 1.16 | 160 |
| Palm Beach | VILLAGE OF WELLINGTON WWTP | PAA&LI | OPAA | III | 1.00 | 0.33 | 70 |
| Palm Beach | VILLAGE OF WELLINGTON WWTP | GWR&IPR | RIB | IV | 0.23 | 0.00 | 20 |
| County Subtotals | | | | | 83.16 | 40.65 | 10987 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | PAA&LI | OPAA | III | 0.76 | 0.73 | 128 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | PAA&LI | GCI | III | 0.40 | 0.40 | 65 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | PAA&LI | RI | III | 0.10 | 0.10 | 25 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | IND | ATP | VII | 0.10 | 0.10 | |
| Pasco | DADE CITY | GWR&IPR | RIB | IV | 1.00 | 0.27 | 24 |
| Pasco | DADE CITY | AI | EC | III | 0.98 | 0.38 | 264 |
| Pasco | FOREST LAKES (LABRADOR) | AI | OC | II | 0.22 | 0.06 | 35 |
| Pasco | JASMINE LAKES | GWR&IPR | RIB | IV | 0.38 | 0.21 | |
| Pasco | PALM TERRACE GARDENS | AI | OC | II | 0.13 | 0.12 | |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | IND | AOF | VII | 0.69 | 0.33 | |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | AI | EC | III | 2.29 | 0.18 | 491 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | GWR&IPR | RIB | IV | 7.71 | 5.94 | 174 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | IND | ATP | VII | 0.32 | 0.32 | |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | PAA&LI | GCI | III | 8.17 | 2.90 | 2128 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | PAA&LI | OPAA | III | 0.96 | 1.69 | 239 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | PAA&LI | RI | III | 4.50 | 7.62 | 1349 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | AI | OC | II | 0.60 | 0.06 | 40 |
| Pasco | SEVEN SPRINGS WWTF | PAA&LI | GCI | III | 0.43 | 0.20 | 138 |
| Pasco | SEVEN SPRINGS WWTF | PAA&LI | OPAA | III | 0.34 | 0.18 | 309 |
| Pasco | SEVEN SPRINGS WWTF | PAA&LI | RI | III | 1.26 | 1.36 | 322 |
| Pasco | TRAVELER'S REST RV PARK WWTP | AI | OC | II | 0.04 | 0.00 | 12 |
| Pasco | TRAVELER'S REST RV PARK WWTP | PAA&LI | GCI | III | 0.04 | 0.02 | 20 |
| Pasco | TRAVELER'S REST RV PARK WWTP | GWR&IPR | RIB | IV | 0.05 | 0.01 | 4 |
| Pasco | ZEPHYRHILLS | GWR&IPR | RIB | IV | 2.25 | 1.73 | 20 |
| Pasco | ZEPHYRHILLS | PAA&LI | GCI | III | 0.48 | 0.23 | 62 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--|------------|---------------|------|-----------|------------|--------------|
| Pasco | ZEPHYRHILLS | PAA&LI | OPAA | III | 0.60 | 0.18 | 77 |
| County Subtotals | | | | | 34.78 | 25.30 | 5925 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | PAA&LI | OPAA | III | 0.42 | 1.10 | 30 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | PAA&LI | GCI | III | 0.97 | 1.10 | 249 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | PAA&LI | RI | III | 21.41 | 1.30 | 5577 |
| Pinellas | DUNEDIN/MAINLAND | IND | AOF | VII | 0.18 | 0.18 | |
| Pinellas | DUNEDIN/MAINLAND | IND | ATP | VII | 0.27 | 0.27 | |
| Pinellas | DUNEDIN/MAINLAND | PAA&LI | OPAA | III | 0.85 | 0.42 | 453 |
| Pinellas | DUNEDIN/MAINLAND | PAA&LI | RI | III | 2.04 | 2.04 | 577 |
| Pinellas | DUNEDIN/MAINLAND | PAA&LI | GCI | III | 0.34 | 0.24 | 143 |
| Pinellas | LARGO | AI | OC | II | 0.50 | 0.02 | 6 |
| Pinellas | LARGO | IND | AOF | VII | 3.00 | 2.47 | |
| Pinellas | LARGO | IND | ATP | VII | 1.00 | 0.00 | 24 |
| Pinellas | LARGO | PAA&LI | GCI | III | 3.50 | 0.72 | 614 |
| Pinellas | LARGO | PAA&LI | OPAA | III | 2.50 | 1.22 | 2270 |
| Pinellas | LARGO | PAA&LI | RI | III | 7.50 | 2.47 | 438 |
| Pinellas | OLDSMAR | PAA&LI | RI | III | 3.79 | 0.93 | 1648 |
| Pinellas | ON TOP OF THE WORLD | PAA&LI | GCI | III | 0.60 | 0.15 | 52 |
| Pinellas | ON TOP OF THE WORLD | PAA&LI | RI | III | 0.23 | 0.23 | 54 |
| Pinellas | PINELLAS CO. - BELLEAIR | PAA&LI | GCI | III | 1.06 | 0.50 | 220 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | PAA&LI | OPAA | III | 1.39 | 1.39 | |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | PAA&LI | RI | III | 78.84 | 13.33 | 57 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | PAA&LI | GCI | III | 0.78 | 0.78 | |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | IND | ATP | VII | 1.20 | 1.20 | |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMATI | IND | ATP | VII | 0.80 | 0.80 | |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMATI | PAA&LI | GCI | III | 9.90 | 1.80 | 1194 |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMATI | PAA&LI | OPAA | III | 3.00 | 1.50 | 879 |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMATI | PAA&LI | RI | III | 3.30 | 3.50 | 379 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | PAA&LI | RI | III | 24.00 | 6.00 | 3744 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | PAA&LI | OPAA | III | 31.20 | 9.50 | 2938 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | IND | ATP | VII | 4.00 | 0.93 | |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | IND | AOF | VII | 0.50 | 0.14 | |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | PAA&LI | GCI | III | 8.70 | 4.50 | 1086 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|-------------------------|-------------------------------|------------|---------------|------|---------------|--------------|--------------|
| Pinellas | TARPON SPRINGS | PAA&LI | GCI | III | 0.19 | 0.21 | 113 |
| Pinellas | TARPON SPRINGS | PAA&LI | OPAA | III | 0.15 | 0.62 | 131 |
| Pinellas | TARPON SPRINGS | IND | ATP | VII | 0.03 | 0.03 | |
| Pinellas | TARPON SPRINGS | IND | AOF | VII | 0.00 | 0.00 | |
| Pinellas | TARPON SPRINGS | PAA&LI | RI | III | 0.60 | 0.53 | 1433 |
| County Subtotals | | | | | 218.75 | 62.11 | 24308 |
| Polk | AUBURNDALE ALLRED WWTP | GWR&IPR | RIB | IV | 0.20 | 0.09 | 40 |
| Polk | AUBURNDALE ALLRED WWTP | AI | OC | II | 1.29 | 0.75 | 189 |
| Polk | AUBURNDALE REGIONAL WWTP | GWR&IPR | RIB | IV | 0.26 | 0.16 | 28 |
| Polk | AUBURNDALE REGIONAL WWTP | AI | OC | II | 1.28 | 0.78 | 130 |
| Polk | BARTOW | IND | ATP | VII | 4.00 | 1.58 | |
| Polk | CITY OF DAVENPORT WWTP | GWR&IPR | RIB | IV | 0.15 | 0.00 | 2 |
| Polk | CYPRESS LAKES | PAA&LI | GCI | III | 0.18 | 0.12 | 137 |
| Polk | FORT MEADE | IND | AOF | VII | 1.00 | 0.37 | |
| Polk | GRENELEFE GOLF & RACQUET CLUB | GWR&IPR | RIB | IV | 0.34 | 0.12 | 2 |
| Polk | HAINES CITY | GWR&IPR | RIB | IV | 2.97 | 0.64 | 15 |
| Polk | HAINES CITY | IND | ATP | VII | 0.19 | 0.19 | |
| Polk | HAINES CITY | AI | EC | III | 0.15 | 0.05 | 17 |
| Polk | HAINES CITY | AI | OC | II | 1.42 | 0.16 | 178 |
| Polk | HAINES CITY | PAA&LI | OPAA | III | 0.01 | 0.02 | 8 |
| Polk | HAINES CITY | PAA&LI | GCI | III | 0.75 | 0.40 | 140 |
| Polk | LAKE ALFRED | GWR&IPR | RIB | IV | 0.35 | 0.26 | |
| Polk | LAKE ALFRED | AI | EC | III | 0.32 | 0.06 | 151 |
| Polk | LAKE WALES UTIL. CO/NALCREST | AI | OC | II | 0.25 | 0.14 | 50 |
| Polk | LAKE WALES, CITY OF | IND | AOF | VII | 0.29 | 0.10 | 85 |
| Polk | LAKE WALES, CITY OF | IND | ATP | VII | 0.03 | 0.03 | |
| Polk | LAKE WALES, CITY OF | AI | OC | II | 0.53 | 0.06 | 75 |
| Polk | LAKE WALES, CITY OF | GWR&IPR | RIB | IV | 1.20 | 1.06 | 21 |
| Polk | LAKE WALES, CITY OF | PAA&LI | OPAA | III | 0.04 | 0.04 | 20 |
| Polk | LAKE WALES, CITY OF | OTH | OTH | NA | 0.10 | 0.10 | |
| Polk | LAKELAND - GLENDALE | IND | AOF | VII | 7.00 | 5.39 | |
| Polk | POINCIANA #5 | GWR&IPR | RIB | IV | 0.94 | 1.19 | 50 |
| Polk | POINCIANA #5 | PAA&LI | GCI | III | 0.26 | 0.00 | 150 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|----------------------------------|------------|---------------|------|-----------|------------|--------------|
| Polk | POLK CO.-CENTRAL REGIONAL | GWR&IPR | AF | IV | 0.50 | 0.34 | 70 |
| Polk | POLK CO.-CENTRAL REGIONAL | GWR&IPR | RIB | IV | 0.60 | 0.25 | 19 |
| Polk | POLK CO.-MT OLIVE WWTF | GWR&IPR | AF | IV | 0.12 | 0.07 | 23 |
| Polk | POLK CO.-MT OLIVE WWTF | GWR&IPR | RIB | IV | 0.10 | 0.03 | 3 |
| Polk | POLK CO.-NORTHEAST REGIONAL | PAA&LI | RI | III | 3.00 | 0.81 | |
| Polk | POLK CO.-NORTHEAST REGIONAL | GWR&IPR | RIB | IV | 3.00 | 0.75 | |
| Polk | POLK CO.-NORTHWEST REGIONAL | GWR&IPR | AF | IV | 0.19 | 0.57 | 104 |
| Polk | POLK CO.-NORTHWEST REGIONAL | PAA&LI | RI | III | 0.67 | 0.15 | 355 |
| Polk | POLK CO.-NORTHWEST REGIONAL | PAA&LI | GCI | III | 0.30 | 0.01 | 125 |
| Polk | POLK CO.-OAK HILL ESTATES | GWR&IPR | RIB | IV | 0.30 | 0.21 | 3 |
| Polk | POLK CO.-SUN RAY WWTP | GWR&IPR | RIB | IV | 0.27 | 0.25 | 4 |
| Polk | POLK CO.-SW REGIONAL WWTF | PAA&LI | OPAA | III | 0.40 | 0.26 | |
| Polk | POLK CO.-SW REGIONAL WWTF | PAA&LI | GCI | III | 0.63 | 0.04 | 380 |
| Polk | POLK CO.-SW REGIONAL WWTF | PAA&LI | RI | III | 0.97 | 0.53 | |
| Polk | POLK CO.-SW REGIONAL WWTF | WL | NA | NA | 2.00 | 0.45 | 150 |
| Polk | POLK CO.-U.S. 27-192 (POLO PARK) | GWR&IPR | RIB | IV | 0.60 | 0.31 | 5 |
| Polk | POLK CO.-WAVERLY | GWR&IPR | RIB | IV | 0.13 | 0.02 | 3 |
| Polk | POLK CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.31 | 0.24 | 3 |
| Polk | SWISS GOLF CLUB | GWR&IPR | AF | IV | 0.18 | 0.02 | 4 |
| Polk | SWISS GOLF CLUB | GWR&IPR | RIB | IV | 0.03 | 0.04 | 0 |
| Polk | SWISS VILLAGE MHP | GWR&IPR | RIB | IV | 0.14 | 0.04 | 1 |
| Polk | WINTER HAVEN #2 | AI | EC | III | 0.50 | 0.17 | 63 |
| Polk | WINTER HAVEN #2 | PAA&LI | OPAA | III | 0.46 | 0.06 | 103 |
| Polk | WINTER HAVEN #2 | IND | ATP | VII | 0.20 | 0.20 | |
| Polk | WINTER HAVEN #2 | PAA&LI | RI | III | 0.09 | 0.00 | 40 |
| Polk | WINTER HAVEN #2 | PAA&LI | GCI | III | 0.40 | 0.39 | 216 |
| Polk | WINTER HAVEN #3 | IND | ATP | VII | 0.75 | 0.29 | |
| County Subtotals | | | | | 42.31 | 20.38 | 3163 |
| Putnam | CRESCENT CITY, CITY OF | GWR&IPR | RIB | IV | 0.35 | 0.14 | 16 |
| Putnam | PALATKA, CITY OF | PAA&LI | GCI | III | 0.85 | 0.35 | 110 |
| Putnam | RIVER PARK MHP | PAA&LI | GCI | III | 0.10 | 0.02 | 100 |
| County Subtotals | | | | | 1.30 | 0.51 | 226 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---|------------|---------------|------|-----------|------------|--------------|
| Santa Rosa | AVALON UTILITIES | PAA&LI | GCI | III | 0.12 | 0.02 | 14 |
| Santa Rosa | GULF BREEZE-TIGER POINT | AI | OC | II | 0.73 | 0.00 | 100 |
| Santa Rosa | GULF BREEZE-TIGER POINT | IND | ATP | VII | 0.02 | 0.00 | 4 |
| Santa Rosa | GULF BREEZE-TIGER POINT | PAA&LI | GCI | III | 1.30 | 0.67 | 225 |
| Santa Rosa | GULF BREEZE-TIGER POINT | PAA&LI | OPAA | III | 0.83 | 0.27 | 107 |
| Santa Rosa | GULF BREEZE-TIGER POINT | PAA&LI | RI | III | 0.88 | 0.52 | 131 |
| Santa Rosa | GULF BREEZE-TIGER POINT | GWR&IPR | RIB | IV | 0.30 | 0.13 | 4 |
| Santa Rosa | HOLLEY-NAVARRE WASTEWATER SYSTEM | PAA&LI | GCI | III | 1.19 | 0.74 | |
| Santa Rosa | HOLLEY-NAVARRE WASTEWATER SYSTEM | PAA&LI | OPAA | III | 0.05 | 0.14 | |
| Santa Rosa | JAY, TOWN OF | GWR&IPR | RIB | IV | 0.12 | 0.06 | 1 |
| Santa Rosa | NAVARRE BEACH | IND | ATP | VII | 0.03 | 0.01 | 5 |
| Santa Rosa | PACE WATER SYSTEM #1 | PAA&LI | GCI | III | 0.55 | 0.28 | 225 |
| Santa Rosa | PACE WATER SYSTEM #1 | PAA&LI | OPAA | III | 0.05 | 0.05 | 80 |
| Santa Rosa | PACE WATER SYSTEM #1 | PAA&LI | RI | III | 0.13 | 0.13 | |
| County Subtotals | | | | | 6.29 | 3.03 | 895 |
| Sarasota | AQUASOURCE/FRUITVILLE WWTP | PAA&LI | GCI | III | 2.40 | 1.49 | 210 |
| Sarasota | AQUASOURCE/FRUITVILLE WWTP | GWR&IPR | RIB | IV | 0.10 | 0.07 | 1 |
| Sarasota | CAMELOT LAKES | PAA&LI | OPAA | III | 0.09 | 0.06 | 26 |
| Sarasota | CITY OF NORTH PORT WWTP | PAA&LI | OPAA | III | 0.05 | 0.08 | 13 |
| Sarasota | CITY OF NORTH PORT WWTP | PAA&LI | GCI | III | 0.33 | 0.49 | 214 |
| Sarasota | CITY OF NORTH PORT WWTP | PAA&LI | RI | III | 0.28 | 0.12 | 77 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | PAA&LI | OPAA | III | 0.27 | 0.01 | 100 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | PAA&LI | GCI | III | 2.05 | 0.88 | 627 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | PAA&LI | RI | III | 3.64 | 1.14 | 1229 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. REG | PAA&LI | GCI | III | 11.81 | 1.96 | 2534 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. REG | PAA&LI | OPAA | III | 0.24 | 0.24 | 773 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. REG | PAA&LI | RI | III | 2.24 | 2.24 | 1907 |
| Sarasota | SARASOTA CO.-SOUTH GATE | PAA&LI | GCI | III | 0.50 | 0.00 | 140 |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | PAA&LI | RI | III | 1.56 | 0.18 | 344 |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | PAA&LI | GCI | III | 7.64 | 0.86 | 708 |
| Sarasota | SARASOTA, CITY OF | PAA&LI | OPAA | III | 2.75 | 0.90 | |
| Sarasota | SARASOTA, CITY OF | AI | OC | II | 4.82 | 1.78 | 3350 |
| Sarasota | SARASOTA, CITY OF | PAA&LI | GCI | III | 1.46 | 0.87 | 610 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|-------------------------|-------------------------------------|------------|---------------|------|--------------|--------------|--------------|
| Sarasota | SARASOTA, CITY OF | PAA&LI | RI | III | 3.00 | 0.04 | |
| Sarasota | SARASOTA, CITY OF | AI | EC | III | 1.22 | 0.36 | 1200 |
| County Subtotals | | | | | 46.44 | 13.75 | 14063 |
| Seminole | ALAFAYA | PAA&LI | GCI | III | 0.13 | 0.13 | 175 |
| Seminole | ALAFAYA | GWR&IPR | RIB | IV | 1.00 | 0.18 | 67 |
| Seminole | ALAFAYA | PAA&LI | RI | III | 1.00 | 0.80 | |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | PAA&LI | GCI | III | 0.50 | 0.00 | 19 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | IND | AOF | VII | 0.01 | 0.01 | |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | IND | ATP | VII | 0.14 | 0.14 | |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | PAA&LI | OPAA | III | 2.00 | 1.00 | 3351 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | OTH | OTH | III | 0.65 | 0.65 | |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | FP | NA | III | 0.10 | 0.10 | |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | PAA&LI | RI | III | 10.00 | 4.16 | 2566 |
| Seminole | CASSELBERRY WRF | PAA&LI | RI | III | 1.56 | 0.71 | 797 |
| Seminole | CASSELBERRY WRF | PAA&LI | GCI | III | 0.36 | 0.18 | 61 |
| Seminole | CASSELBERRY WRF | IND | ATP | VII | 0.15 | 0.15 | |
| Seminole | CASSELBERRY WRF | GWR&IPR | RIB | IV | 0.29 | 0.20 | 11 |
| Seminole | CHULUOTA | GWR&IPR | AF | IV | 0.10 | 0.10 | 17 |
| Seminole | ORLANDO/IRON BRIDGE RD REGIONAL | IND | ATP | VII | | 2.96 | |
| Seminole | PALM VALLEY | PAA&LI | OPAA | III | 0.06 | 0.01 | 3 |
| Seminole | PALM VALLEY | PAA&LI | RI | III | 0.09 | 0.06 | 40 |
| Seminole | SANFORD/NORTH | AI | EC | III | 2.13 | 0.12 | 295 |
| Seminole | SANFORD/NORTH | PAA&LI | OPAA | III | 3.50 | 2.01 | 904 |
| Seminole | SANFORD/NORTH | TF | NA | III | 0.06 | 0.06 | |
| Seminole | SANFORD/NORTH | PAA&LI | RI | III | 4.23 | 0.49 | 803 |
| Seminole | SANFORD/NORTH | AI | OC | II | 1.96 | 2.26 | 669 |
| Seminole | SANFORD/NORTH | PAA&LI | GCI | III | 1.40 | 0.55 | 250 |
| Seminole | SANFORD/NORTH | IND | AOF | VII | 0.55 | 0.61 | |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | PAA&LI | OPAA | III | 3.71 | 1.45 | 141 |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | AI | OC | II | 0.35 | 0.28 | 73 |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | GWR&IPR | RIB | IV | 0.36 | 0.37 | 18 |
| Seminole | SEMINOLE CO/GREENWOOD LAKES | GWR&IPR | RIB | IV | 1.79 | 0.45 | 4 |
| Seminole | SEMINOLE CO/GREENWOOD LAKES | PAA&LI | RI | III | 1.73 | 0.83 | 254 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|-----------------------------------|------------|---------------|------|-----------|------------|--------------|
| Seminole | SHADOW HILLS/LONGWOOD | GWR&IPR | RIB | IV | 0.47 | 0.39 | 8 |
| Seminole | WEKIVA HUNT CLUB | GWR&IPR | RIB | IV | 0.40 | 0.19 | 8 |
| Seminole | WEKIVA HUNT CLUB | IND | ATP | VII | 0.03 | 0.03 | |
| Seminole | WEKIVA HUNT CLUB | PAA&LI | GCI | III | 0.65 | 0.31 | 10 |
| Seminole | WEKIVA HUNT CLUB | PAA&LI | OPAA | III | 0.05 | 0.03 | 1 |
| Seminole | WEKIVA HUNT CLUB | PAA&LI | RI | III | 0.50 | 0.24 | 4 |
| Seminole | WINTER SPRINGS | AI | OC | II | 0.28 | 0.12 | |
| Seminole | WINTER SPRINGS | GWR&IPR | RIB | IV | 0.72 | 0.18 | |
| Seminole | WINTER SPRINGS | PAA&LI | RI | III | 0.71 | 0.71 | |
| Seminole | WINTER SPRINGS EAST | PAA&LI | RI | III | 1.72 | 0.59 | |
| Seminole | WINTER SPRINGS EAST | PAA&LI | OPAA | III | 0.12 | 0.01 | 9 |
| Seminole | WINTER SPRINGS EAST | GWR&IPR | RIB | IV | 0.61 | 0.13 | 7 |
| Seminole | WINTER SPRINGS EAST | AI | OC | II | 0.20 | 0.05 | 40 |
| Seminole | WINTER SPRINGS EAST | PAA&LI | GCI | III | 1.08 | 0.26 | 155 |
| Seminole | WOODLANDS (DES PINAR) | GWR&IPR | RIB | IV | 0.40 | 0.29 | 3 |
| County Subtotals | | | | | 47.85 | 24.54 | 10763 |
| St. Johns | ANASTASIA | PAA&LI | GCI | III | 0.80 | 0.29 | 104 |
| St. Johns | INNLET BEACH | PAA&LI | GCI | III | 0.50 | 0.24 | 230 |
| St. Johns | JEA-JULINGTON CREEK | GWR&IPR | RIB | IV | 0.05 | 0.00 | |
| St. Johns | JEA-JULINGTON CREEK | IND | ATP | VII | 0.04 | 0.04 | |
| St. Johns | JEA-JULINGTON CREEK | PAA&LI | GCI | III | 0.63 | 0.28 | |
| St. Johns | JEA-JULINGTON CREEK | PAA&LI | OPAA | III | 0.91 | 0.40 | |
| St. Johns | MAINLAND (S.R. 207) | PAA&LI | GCI | III | 0.25 | 0.14 | 150 |
| St. Johns | MARSH LANDING @ PONTE VEDRA LAKES | PAA&LI | GCI | III | 0.80 | 0.36 | 290 |
| St. Johns | NORTH BEACH UTILITIES | GWR&IPR | RIB | IV | 0.23 | 0.18 | 1 |
| St. Johns | PLAYERS CLUB SOUTH | PAA&LI | GCI | III | 0.70 | 0.29 | 90 |
| St. Johns | PONTE VEDRA | PAA&LI | GCI | III | 0.60 | 0.63 | 120 |
| St. Johns | PONTE VEDRA | IND | ATP | VII | 0.03 | 0.03 | |
| St. Johns | PONTE VEDRA | PAA&LI | OPAA | III | 0.32 | 0.00 | 80 |
| St. Johns | SAWGRASS | PAA&LI | GCI | III | 1.50 | 0.41 | 290 |
| St. Johns | ST. AUGUSTINE, CITY OF #1 | IND | ATP | VII | 1.04 | 0.35 | |
| St. Johns | ST. JOHNS COUNTY SR-16 | PAA&LI | GCI | III | 1.32 | 0.24 | 209 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------------|------------|---------------|------|-----------|------------|--------------|
| County Subtotals | | | | | 9.71 | 3.88 | 1564 |
| St. Lucie | FORT PIERCE UTILITY AUTHORITY | IND | ATP | VII | 0.25 | 0.25 | |
| St. Lucie | HARBOUR RIDGE P.U.D. | PAA&LI | GCI | III | 0.12 | 0.07 | 200 |
| St. Lucie | HUTCHINSON - ISLAND DUNES | PAA&LI | GCI | III | 0.12 | 0.04 | 63 |
| St. Lucie | MEADOWOOD/PANTHER WOODS | PAA&LI | GCI | III | 0.11 | 0.04 | 120 |
| St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | PAA&LI | GCI | III | 0.93 | 0.31 | 120 |
| St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | PAA&LI | RI | III | 2.11 | 0.29 | 310 |
| St. Lucie | PORT ST LUCIE WESTPORT | PAA&LI | GCI | III | 2.00 | 0.26 | 280 |
| St. Lucie | SAVANNA CLUB | GWR&IPR | RIB | IV | 0.15 | 0.06 | 1 |
| St. Lucie | SPANISH LAKES COUNTRY CLUB | GWR&IPR | RIB | IV | 0.16 | 0.08 | 1 |
| St. Lucie | SPANISH LAKES COUNTRY CLUB | GWR&IPR | AF | IV | 0.16 | 0.05 | 1 |
| St. Lucie | SPANISH LAKES FAIRWAYS | GWR&IPR | RIB | IV | 0.17 | 0.04 | 3 |
| St. Lucie | SPANISH LAKES FAIRWAYS | PAA&LI | GCI | III | 0.25 | 0.10 | 45 |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | PAA&LI | OPAA | III | 0.31 | 0.07 | 29 |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | PAA&LI | RI | III | 0.19 | 0.17 | 26 |
| St. Lucie | ST. LUCIE CO.- SOUTH HUTCHINSON | PAA&LI | RI | III | 1.60 | 0.50 | 35 |
| St. Lucie | ST. LUCIE WEST | PAA&LI | GCI | III | 0.25 | 0.17 | |
| St. Lucie | ST. LUCIE WEST | PAA&LI | RI | III | 1.73 | 1.79 | |
| St. Lucie | ST. LUCIE-NORTH (HOLIDAY PINES) | GWR&IPR | RIB | IV | 0.30 | 0.13 | 4 |
| County Subtotals | | | | | 10.91 | 4.42 | 1237 |
| Sumter | CONTINENTAL COUNTRY CLUB | AI | OC | II | 0.20 | 0.10 | 28 |
| Sumter | DAVID HANSON WWTP/BUSHNELL | AI | OC | II | 0.25 | 0.16 | 14 |
| Sumter | LITTLE SUMTER UTILITY CO. WWTF | PAA&LI | OPAA | III | 0.45 | 0.20 | 140 |
| Sumter | LITTLE SUMTER UTILITY CO. WWTF | PAA&LI | GCI | III | 2.66 | 1.24 | 861 |
| Sumter | LITTLE SUMTER UTILITY CO. WWTF | GWR&IPR | RIB | IV | 0.42 | 0.06 | 5 |
| Sumter | NORTH SUMTER WRF | PAA&LI | GCI | III | 3.52 | 2.14 | 1264 |
| Sumter | NORTH SUMTER WRF | GWR&IPR | RIB | IV | 0.21 | 0.03 | 16 |
| Sumter | SUMTER CORRECTIONAL INSTITUTION | PAA&LI | OPAA | III | 0.35 | 0.17 | 250 |
| Sumter | SUMTER CORRECTIONAL INSTITUTION | AI | OC | II | 0.35 | 0.11 | 37 |
| Sumter | WILDWOOD | GWR&IPR | RIB | IV | 1.25 | 0.01 | 14 |
| Sumter | WILDWOOD | PAA&LI | OPAA | III | 2.00 | 0.96 | 1000 |
| Sumter | WILDWOOD | PAA&LI | GCI | III | 1.30 | 0.37 | 141 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|--------------------------------------|------------|---------------|------|-----------|------------|--------------|
| County Subtotals | | | | | 12.96 | 5.56 | 3771 |
| Suwannee | ADVENT CHRISTIAN HOME | GWR&IPR | RIB | IV | 0.17 | 0.05 | 2 |
| Suwannee | BRANFORD | AI | OC | II | 0.12 | 0.06 | 7 |
| Suwannee | LIVE OAK | AI | OC | II | 1.25 | 0.76 | 178 |
| County Subtotals | | | | | 1.54 | 0.86 | 187 |
| Taylor | PERRY, CITY OF | AI | OC | II | 1.25 | 0.70 | 185 |
| Taylor | TAYLOR CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.40 | 0.18 | 11 |
| County Subtotals | | | | | 1.65 | 0.88 | 196 |
| Union | LAKE BUTLER | AI | OC | II | 0.70 | 0.48 | 240 |
| County Subtotals | | | | | 0.70 | 0.48 | 240 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | IND | ATP | VII | 2.10 | 2.10 | |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | PAA&LI | RI | III | 1.00 | 0.50 | 60 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | PAA&LI | GCI | III | 6.00 | 2.30 | 1083 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | PAA&LI | OPAA | III | 1.00 | 0.50 | 200 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | IND | ATP | VII | 0.25 | 0.24 | 25 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | PAA&LI | GCI | III | 2.30 | 0.81 | 300 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | PAA&LI | OPAA | III | 2.27 | 0.63 | 590 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | PAA&LI | RI | III | 3.45 | 0.33 | 700 |
| Volusia | DELAND/BRANDY TRAILS | AI | OC | II | 0.63 | 0.17 | 70 |
| Volusia | DELAND/BRANDY TRAILS | GWR&IPR | RIB | IV | 0.15 | 0.00 | 23 |
| Volusia | DELTONA LAKES | GWR&IPR | AF | IV | 0.03 | 0.27 | |
| Volusia | DELTONA LAKES | PAA&LI | GCI | III | 0.50 | 0.42 | |
| Volusia | DELTONA LAKES | GWR&IPR | RIB | IV | 0.05 | 0.04 | |
| Volusia | DELTONA LAKES | PAA&LI | RI | III | 0.40 | 0.38 | |
| Volusia | EDGEWATER | IND | ATP | VII | 0.80 | 0.80 | |
| Volusia | EDGEWATER | PAA&LI | RI | III | 3.75 | 1.09 | 283 |
| Volusia | EDGEWATER | PAA&LI | OPAA | III | 0.25 | 0.10 | |
| Volusia | HOLLY HILL | PAA&LI | RI | III | 0.04 | 0.01 | 20 |
| Volusia | HOLLY HILL | PAA&LI | OPAA | III | 0.01 | 0.01 | 30 |
| Volusia | HOLLY HILL | PAA&LI | GCI | III | 0.60 | 0.38 | 70 |
| Volusia | N. PENINSULA UTIL.-SEABRIDGE | GWR&IPR | RIB | IV | 0.18 | 0.10 | 1 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|---------------------------------|------------|---------------|------|-----------|------------|--------------|
| Volusia | NEW SMYRNA BEACH | PAA&LI | RI | III | 1.22 | 1.40 | 183 |
| Volusia | NEW SMYRNA BEACH | PAA&LI | GCI | III | 2.09 | 1.21 | 566 |
| Volusia | NEW SMYRNA BEACH | IND | ATP | VII | 0.11 | 0.11 | 30 |
| Volusia | ORMOND BEACH | PAA&LI | GCI | III | 1.80 | 0.58 | 240 |
| Volusia | ORMOND BEACH | PAA&LI | OPAA | III | 0.22 | 0.16 | 50 |
| Volusia | ORMOND BEACH | PAA&LI | RI | III | 2.80 | 1.88 | 610 |
| Volusia | PORT ORANGE | PAA&LI | OPAA | III | 0.00 | 0.00 | 250 |
| Volusia | PORT ORANGE | PAA&LI | RI | III | 4.80 | 4.69 | 1800 |
| Volusia | PORT ORANGE | IND | ATP | VII | 0.59 | 0.59 | 30 |
| Volusia | PORT ORANGE | PAA&LI | GCI | III | 1.80 | 0.00 | 200 |
| Volusia | TYMBER CREEK | GWR&IPR | RIB | IV | 0.13 | 0.05 | 2 |
| Volusia | VCUD/DELTONA NORTH | PAA&LI | GCI | III | 0.21 | 0.00 | 53 |
| Volusia | VCUD/DELTONA NORTH | IND | ATP | VII | 0.05 | 0.05 | |
| Volusia | VCUD/DELTONA NORTH | PAA&LI | OPAA | III | 0.60 | 0.07 | 20 |
| Volusia | VCUD/DELTONA NORTH | GWR&IPR | RIB | IV | 0.58 | 0.21 | 5 |
| Volusia | VCUD/FOUR TOWNES | GWR&IPR | RIB | IV | 0.30 | 0.19 | 18 |
| Volusia | VCUD/HALIFAX PLANTATION WWTF | GWR&IPR | RIB | IV | 0.20 | 0.12 | 3 |
| Volusia | VCUD/SOUTHEAST REGIONAL | IND | ATP | VII | 0.01 | 0.01 | |
| Volusia | VCUD/SOUTHEAST REGIONAL | AI | EC | III | 0.60 | 0.17 | 305 |
| Volusia | VCUD/SOUTHWEST REGIONAL | GWR&IPR | RIB | IV | 0.43 | 0.17 | 8 |
| Volusia | VCUD/SOUTHWEST REGIONAL | PAA&LI | RI | III | 0.54 | 0.77 | 126 |
| Volusia | VCUD/SOUTHWEST REGIONAL | IND | ATP | VII | 0.01 | 0.05 | |
| Volusia | VCUD/SOUTHWEST REGIONAL | PAA&LI | GCI | III | 0.55 | 0.01 | 88 |
| County Subtotals | | | | | 45.39 | 23.66 | 8043 |
| Wakulla | WAKULLA CO./OTTER CREEK | AI | OC | II | 0.60 | 0.43 | 41 |
| Wakulla | WINCO UTILITIES, INC. | AI | OC | II | 0.50 | 0.23 | 64 |
| County Subtotals | | | | | 1.10 | 0.66 | 105 |
| Walton | DEFUNIAK SPRINGS, CITY OF (STP) | AI | OC | II | 0.75 | 0.57 | 100 |
| Walton | FREEPORT | GWR&IPR | RIB | IV | 0.60 | 0.14 | 2 |
| Walton | POINT WASHINGTON | PAA&LI | GCI | III | 1.25 | 0.50 | 132 |
| Walton | POINT WASHINGTON | AI | OC | II | 0.72 | 0.18 | 87 |
| Walton | SANDESTIN UTILITY COMPANY | PAA&LI | GCI | III | 0.92 | 0.37 | 236 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Reuse Type | Reuse Sub-Typ | Part | Cap (mgd) | Flow (mgd) | Area (acres) |
|------------------|-----------------------------------|------------|---------------|------|-----------------|---------------|----------------|
| Walton | SANDESTIN UTILITY COMPANY | PAA&LI | RI | III | 2.17 | 0.55 | 779 |
| Walton | SEACREST | PAA&LI | GCI | III | 1.25 | 0.13 | 132 |
| Walton | SEACREST | AI | OC | II | 0.72 | 0.18 | 87 |
| Walton | SOUTH WALTON UTILITY COMPANY | PAA&LI | RI | III | 0.06 | 0.00 | 8 |
| Walton | SOUTH WALTON UTILITY COMPANY | GWR&IPR | AF | IV | 2.50 | 0.15 | 20 |
| Walton | SOUTH WALTON UTILITY COMPANY | IND | ATP | VII | 0.36 | 0.08 | 6 |
| Walton | SOUTH WALTON UTILITY COMPANY | PAA&LI | GCI | III | 3.94 | 1.11 | 603 |
| Walton | WALTON CORRECTIONAL INSTITUTION | GWR&IPR | RIB | IV | 0.23 | 0.16 | 10 |
| County Subtotals | | | | | 15.46 | 4.13 | 2202 |
| Washington | CITY OF VERNON | AI | OC | II | 0.21 | 0.08 | |
| Washington | WASHINGTON CO. CORRECTIONAL INST. | GWR&IPR | AF | IV | 0.47 | 0.20 | 3 |
| County Subtotals | | | | | 0.68 | 0.28 | 3 |
| Totals | | | | | 1,416.61 | 663.28 | 256,201 |

**Please note that where capacity of reuse equals flow of reuse, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

Appendix E. Effluent Disposal Summary For Reuse Systems

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|--------------------------------------|-------------------------|--------------------------------|-----------------|------------|
| Alachua | GRU - KANAPAHA | Deep Well Injection | Deep Well Injection | 10.00 | 6.69 |
| Alachua | GRU - MAIN STREET | Other | Other | 5.51 | 5.51 |
| Alachua | UNIV. OF FLORIDA/LAKE ALICE | Deep Well Injection | Deep Well Injection | 3.00 | 0.99 |
| County Subtotals | | | | 18.51 | 13.19 |
| Bay | LYNN HAVEN | Surface Water Discharge | Ocean Outfall | 2.50 | 1.13 |
| Bay | MILITARY POINT REGIONAL AWT FACILITY | Surface Water Discharge | Ocean Outfall | 7.00 | 3.05 |
| Bay | PANAMA CITY BEACH | Surface Water Discharge | To Coastal or Estuarine Waters | 7.00 | 1.87 |
| County Subtotals | | | | 16.50 | 6.05 |
| Bradford | STARKE, CITY OF | Surface Water Discharge | To Other Surface Waters | 1.25 | 0.22 |
| County Subtotals | | | | 1.25 | 0.22 |
| Brevard | BCUD/BAREFOOT BAY | Surface Water Discharge | To Coastal or Estuarine Waters | 0.90 | 0.00 |
| Brevard | BCUD/SOUTH BEACHES | Deep Well Injection | Deep Well Injection | 8.00 | 4.39 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | Surface Water Discharge | To Other Surface Waters | 2.50 | 0.00 |
| Brevard | BCUD/SYKES CREEK | Deep Well Injection | Deep Well Injection | 6.00 | 1.71 |
| Brevard | CAPE CANAVERAL | Surface Water Discharge | To Coastal or Estuarine Waters | 1.80 | 0.19 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | Surface Water Discharge | To Coastal or Estuarine Waters | 0.99 | 0.22 |
| Brevard | COCOA BEACH WRF | Surface Water Discharge | To Coastal or Estuarine Waters | 6.00 | 0.26 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | Deep Well Injection | Deep Well Injection | 14.92 | 2.14 |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | Deep Well Injection | Deep Well Injection | 14.92 | 2.70 |
| Brevard | PALM BAY | Deep Well Injection | Deep Well Injection | 5.00 | 0.21 |
| Brevard | RAY BULLARD WRF | Deep Well Injection | Deep Well Injection | 2.50 | 0.47 |
| Brevard | ROCKLEDGE | Deep Well Injection | Deep Well Injection | 4.50 | 0.20 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|---------------------------------------|-------------------------|--------------------------------|-----------------|------------|
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | Other | To Wetlands | 1.48 | 1.48 |
| County Subtotals | | | | 69.51 | 13.96 |
| Broward | BROWARD CO. NORTH REGIONAL | Deep Well Injection | Not Applicable | 60.00 | 33.00 |
| Broward | BROWARD CO. NORTH REGIONAL | Surface Water Discharge | Ocean Outfall | 66.00 | 35.37 |
| Broward | CITY OF MIRAMAR WWTF | Deep Well Injection | Deep Well Injection | 5.09 | 5.09 |
| Broward | HOLLYWOOD | Deep Well Injection | Deep Well Injection | 7.70 | 7.70 |
| Broward | HOLLYWOOD | Surface Water Discharge | Ocean Outfall | 46.30 | 38.30 |
| Broward | PLANTATION REGIONAL WWTF | Deep Well Injection | Deep Well Injection | 24.00 | 13.02 |
| Broward | POMPANO BEACH | Other | Other | 0.35 | 0.35 |
| County Subtotals | | | | 209.44 | 132.83 |
| Charlotte | CHARLOTTE CO.-BURNT STORE | Deep Well Injection | Deep Well Injection | 0.56 | 0.14 |
| Charlotte | CHARLOTTE CO.-EASTPORT | Deep Well Injection | Deep Well Injection | 9.61 | 2.28 |
| Charlotte | CHARLOTTE CO.-EASTPORT | Other | Other | 1.50 | 0.49 |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | Other | Other | 1.00 | 0.04 |
| Charlotte | CHARLOTTE CO.-WEST PORT | Deep Well Injection | Deep Well Injection | 4.75 | 0.11 |
| Charlotte | CHARLOTTE CO.-WEST PORT | Other | Other | 0.16 | 0.00 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | Deep Well Injection | Deep Well Injection | 2.94 | 0.08 |
| County Subtotals | | | | 20.52 | 3.15 |
| Clay | CCUA-FLEMING ISLAND | Surface Water Discharge | To Coastal or Estuarine Waters | 6.37 | 0.59 |
| Clay | CCUA-RIDAUGHT LANDING | Surface Water Discharge | To Coastal or Estuarine Waters | 1.88 | 0.00 |
| Clay | CCUA-SPENCER | Surface Water Discharge | To Coastal or Estuarine Waters | 0.50 | 0.00 |
| Clay | GREEN COVE SPRINGS - HARBOR ROAD WWTP | Surface Water Discharge | To Other Surface Waters | 0.75 | 0.09 |
| County Subtotals | | | | 9.49 | 0.68 |
| Collier | CITY OF NAPLES I | Surface Water Discharge | To Coastal or Estuarine Waters | 2.42 | 0.66 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|-----------------------------------|-------------------------|--------------------------------|-----------------|------------|
| Collier | COLLIER CO.-NORTH | Deep Well Injection | Deep Well Injection | 37.30 | 0.44 |
| Collier | COLLIER CO.-SOUTH | Deep Well Injection | Deep Well Injection | 36.20 | 1.11 |
| Collier | IMMOKALEE | Deep Well Injection | Deep Well Injection | 4.99 | 0.70 |
| Collier | MARCO ISLAND UTILITIES | Deep Well Injection | Deep Well Injection | 5.76 | 0.37 |
| Collier | PORT OF THE ISLANDS/SOUTH | Surface Water Discharge | To Wetlands | 0.20 | 0.05 |
| County Subtotals | | | | 86.87 | 3.32 |
| Columbia | COLUMBIA CORRECTIONAL INSTITUTION | Other | Other | 0.21 | 0.21 |
| County Subtotals | | | | 0.21 | 0.21 |
| De Soto | WILLIAM TYSON (ARCADIA) | Surface Water Discharge | To Other Surface Waters | 2.00 | 0.13 |
| County Subtotals | | | | 2.00 | 0.13 |
| Duval | JACKSONVILLE BEACH | Surface Water Discharge | To Other Surface Waters | 4.50 | 2.22 |
| Duval | JEA-ARLINGTON EAST | Surface Water Discharge | To Other Surface Waters | 20.00 | 14.30 |
| Duval | JEA-BLACKS FORD | Surface Water Discharge | To Other Surface Waters | 0.75 | 0.57 |
| Duval | JEA-BUCKMAN STREET | Surface Water Discharge | To Other Surface Waters | 52.50 | 27.13 |
| Duval | JEA-DISTRICT II | Surface Water Discharge | To Other Surface Waters | 10.00 | 3.44 |
| Duval | JEA-JACKSONVILLE HEIGHTS | Surface Water Discharge | To Other Surface Waters | 2.50 | 1.05 |
| Duval | JEA-MANDARIN | Surface Water Discharge | To Other Surface Waters | 7.50 | 5.23 |
| Duval | SOUTHWEST DISTRICT WWTF | Surface Water Discharge | To Other Surface Waters | 10.00 | 8.67 |
| Duval | USN NAS JACKSONVILLE | Surface Water Discharge | To Other Surface Waters | 2.25 | 0.59 |
| County Subtotals | | | | 110.00 | 63.20 |
| Escambia | ECUA-MAIN STREET | Surface Water Discharge | To Coastal or Estuarine Waters | 20.00 | 15.43 |
| Escambia | PENSACOLA BEACH | Surface Water Discharge | To Coastal or Estuarine Waters | 2.40 | 0.75 |
| County Subtotals | | | | 22.40 | 16.18 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|---------------------------------------|-------------------------|--------------------------------|-----------------|------------|
| Flagler | PALM COAST | Surface Water Discharge | To Coastal or Estuarine Waters | 1.60 | 0.34 |
| Flagler | PLANTATION BAY WWTP | Other | Other | 0.48 | 0.02 |
| County Subtotals | | | | 2.08 | 0.36 |
| Gadsden | HAVANA, TOWN OF | Surface Water Discharge | To Other Surface Waters | 0.40 | 0.16 |
| Gadsden | QUINCY, CITY OF | Surface Water Discharge | To Other Surface Waters | 1.50 | 0.76 |
| County Subtotals | | | | 1.90 | 0.91 |
| Hernando | HERNANDO CO./SPRING HILL | Other | Other | 1.27 | 0.68 |
| County Subtotals | | | | 1.27 | 0.68 |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | Surface Water Discharge | To Other Surface Waters | 21.00 | 6.60 |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | Surface Water Discharge | To Other Surface Waters | 5.87 | 5.87 |
| Hillsborough | PEBBLE CREEK VILLAGE | Surface Water Discharge | To Other Surface Waters | 0.40 | 0.08 |
| Hillsborough | PLANT CITY WRF | Surface Water Discharge | To Other Surface Waters | 2.68 | 1.57 |
| Hillsborough | TAMPA/HOWARD F. CURREN | Surface Water Discharge | Ocean Outfall | 96.00 | 57.07 |
| County Subtotals | | | | 125.95 | 71.20 |
| Indian River | VERO BEACH, CITY OF | Surface Water Discharge | To Coastal or Estuarine Waters | 1.78 | 0.09 |
| County Subtotals | | | | 1.78 | 0.09 |
| Lake | CLERMONT - WEST | Other | Other | 0.24 | 0.24 |
| County Subtotals | | | | 0.24 | 0.24 |
| Lee | FORT MYERS BEACH | Deep Well Injection | Deep Well Injection | 7.90 | 0.26 |
| Lee | FORT MYERS CITY CENTRAL | Surface Water Discharge | To Coastal or Estuarine Waters | 11.00 | 5.23 |
| Lee | GASPARILLA ISLAND WATER | Deep Well Injection | Deep Well Injection | 0.81 | 0.01 |
| Lee | GASPARILLA ISLAND WATER | Other | Other | 0.00 | 0.00 |
| Lee | HUNTER'S RIDGE | Other | Other | 0.20 | 0.04 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|-----------------------------------|-------------------------|--------------------------------|-----------------|------------|
| Lee | LAKE FAIRWAYS FFEC SIX | Other | Other | 0.30 | 0.05 |
| Lee | LEE CO. - FIESTA VILLAGE | Surface Water Discharge | Ocean Outfall | 5.00 | 1.02 |
| Lee | LEE CO.- THREE OAKS | Deep Well Injection | Deep Well Injection | 7.40 | 0.03 |
| Lee | LEE CO.-WATERWAY ESTATES | Surface Water Discharge | To Coastal or Estuarine Waters | 1.00 | 0.67 |
| Lee | NORTH FORT MYERS UTILITY | Deep Well Injection | Deep Well Injection | 4.00 | 0.73 |
| Lee | PINE ISLAND WWTP | Deep Well Injection | Deep Well Injection | 0.13 | 0.02 |
| Lee | RESOURCE CONSERVATION SYSTEMS | Deep Well Injection | Deep Well Injection | 7.90 | 0.24 |
| Lee | SANIBEL-DONAX | Deep Well Injection | Deep Well Injection | 2.50 | 0.07 |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | Surface Water Discharge | To Coastal or Estuarine Waters | 15.10 | 0.45 |
| County Subtotals | | | | 63.24 | 8.83 |
| Levy | CEDAR KEY | Surface Water Discharge | To Other Surface Waters | 0.12 | 0.00 |
| County Subtotals | | | | 0.12 | 0.00 |
| Manatee | BRADENTON | Surface Water Discharge | To Coastal or Estuarine Waters | 6.00 | 5.28 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | Deep Well Injection | Not Applicable | 15.00 | 5.20 |
| Manatee | PALMETTO | Surface Water Discharge | Ocean Outfall | 1.40 | 0.21 |
| County Subtotals | | | | 22.40 | 10.69 |
| Martin | MARTIN CO. UTIL.- NORTH | Deep Well Injection | Deep Well Injection | 7.37 | 0.28 |
| Martin | STUART, CITY OF | Deep Well Injection | Deep Well Injection | 13.50 | 1.56 |
| County Subtotals | | | | 20.87 | 1.84 |
| Miami-Dade | MDWASD CENTRAL DISTRICT | Surface Water Discharge | Ocean Outfall | 143.00 | 110.90 |
| Miami-Dade | MDWASD NORTH DISTRICT | Deep Well Injection | Deep Well Injection | 33.90 | 0.19 |
| Miami-Dade | MDWASD NORTH DISTRICT | Other | Other | 3.53 | 3.53 |
| Miami-Dade | MDWASD NORTH DISTRICT | Surface Water Discharge | Ocean Outfall | 112.50 | 89.91 |
| Miami-Dade | MDWASD SOUTH DISTRICT | Deep Well Injection | Deep Well Injection | 112.50 | 92.10 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|--|-------------------------|-------------------------|-----------------|------------|
| County Subtotals | | | | 405.43 | 296.63 |
| Monroe | DUCK KEY (HAWK'S CAY) | Other | Other | 0.10 | 0.04 |
| Monroe | KEY COLONY BEACH, CITY OF | Other | Other | 0.34 | 0.17 |
| Monroe | KEY WEST RESORT UTILITY | Other | Other | 0.50 | 0.16 |
| County Subtotals | | | | 0.94 | 0.37 |
| Okaloosa | OKALOOSA CORRECTIONAL INSTITUTION | Other | Other | 0.18 | 0.17 |
| County Subtotals | | | | 0.18 | 0.17 |
| Orange | APOPKA-PROJECT ARROW | Other | Other | 0.47 | 0.09 |
| Orange | WINTER GARDEN, CITY OF (DW) | Surface Water Discharge | To Other Surface Waters | 2.50 | 1.29 |
| County Subtotals | | | | 2.97 | 1.38 |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | Other | Other | 0.41 | 0.41 |
| Osceola | POINCIANA (#2 & #3) | Surface Water Discharge | To Wetlands | 0.26 | 0.00 |
| County Subtotals | | | | 0.66 | 0.41 |
| Palm Beach | BELLE GLADE WWTP | Deep Well Injection | Deep Well Injection | 4.50 | 2.93 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | Surface Water Discharge | Ocean Outfall | 17.50 | 13.65 |
| Palm Beach | EAST CENTRAL REGIONAL WWTP | Deep Well Injection | Deep Well Injection | 70.00 | 36.92 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | Deep Well Injection | Deep Well Injection | 18.00 | 0.56 |
| Palm Beach | PAHOKEE WWTP | Deep Well Injection | Deep Well Injection | 4.00 | 0.57 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | Deep Well Injection | Deep Well Injection | 36.40 | 6.80 |
| Palm Beach | PALM BEACH NORTHERN/ROYAL PALM BCH VILLA | Deep Well Injection | Deep Well Injection | 7.92 | 0.93 |
| Palm Beach | SEACOAST UTILITIES PGA | Deep Well Injection | Deep Well Injection | 15.00 | 1.08 |
| Palm Beach | SEACOAST UTILITIES PGA | Other | Other | 1.00 | 0.07 |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | Surface Water Discharge | Ocean Outfall | 24.00 | 11.76 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|--|-------------------------|--------------------------------|-----------------|------------|
| Palm Beach | VILLAGE OF WELLINGTON WWTP | Deep Well Injection | Deep Well Injection | 4.75 | 3.42 |
| County Subtotals | | | | 203.07 | 78.69 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | Surface Water Discharge | To Coastal or Estuarine Waters | 28.50 | 10.00 |
| Pinellas | DUNEDIN/MAINLAND | Surface Water Discharge | To Other Surface Waters | 1.22 | 1.22 |
| Pinellas | LARGO | Surface Water Discharge | To Coastal or Estuarine Waters | 15.00 | 5.87 |
| Pinellas | OLDSMAR | Surface Water Discharge | To Coastal or Estuarine Waters | 2.25 | 0.68 |
| Pinellas | PINELLAS CO. - BELLEAIR | Surface Water Discharge | Ocean Outfall | 0.90 | 0.15 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | Surface Water Discharge | To Other Surface Waters | 20.00 | 7.72 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | Deep Well Injection | Deep Well Injection | 134.00 | 12.23 |
| Pinellas | TARPON SPRINGS | Surface Water Discharge | To Coastal or Estuarine Waters | 4.00 | 0.59 |
| County Subtotals | | | | 205.87 | 38.45 |
| Polk | AUBURNDALE ALLRED WWTP | Surface Water Discharge | Ocean Outfall | 0.65 | 0.00 |
| Polk | LAKE WALES UTIL. CO/NALCREST | Other | Other | 0.25 | 0.12 |
| Polk | LAKELAND - GLENDALE | Surface Water Discharge | To Wetlands | 20.00 | 6.76 |
| Polk | POLK CO.-NORTHEAST REGIONAL | Other | Other | 2.00 | 0.00 |
| Polk | WINTER HAVEN #3 | Surface Water Discharge | To Other Surface Waters | 7.50 | 3.68 |
| County Subtotals | | | | 30.40 | 10.56 |
| Putnam | CRESCENT CITY, CITY OF | Surface Water Discharge | To Other Surface Waters | 0.25 | 0.00 |
| Putnam | PALATKA, CITY OF | Surface Water Discharge | To Other Surface Waters | 3.00 | 1.61 |
| County Subtotals | | | | 3.25 | 1.61 |
| Santa Rosa | AVALON UTILITIES | Other | Other | 0.10 | 0.00 |
| Santa Rosa | NAVARRE BEACH | Surface Water Discharge | To Other Surface Waters | 0.90 | 0.24 |
| Santa Rosa | PACE WATER SYSTEM #1 | Surface Water Discharge | To Wetlands | 1.00 | 0.64 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|---|-------------------------|--------------------------------|-----------------|------------|
| County Subtotals | | | | 2.00 | 0.88 |
| Sarasota | CITY OF NORTH PORT WWTP | Deep Well Injection | Deep Well Injection | 4.40 | 0.88 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | Surface Water Discharge | To Other Surface Waters | 4.00 | 0.00 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. R | Surface Water Discharge | To Coastal or Estuarine Waters | 1.80 | 0.92 |
| Sarasota | SARASOTA CO.-SOUTH GATE | Surface Water Discharge | To Coastal or Estuarine Waters | 1.36 | 0.82 |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | Deep Well Injection | Deep Well Injection | 6.10 | 1.15 |
| Sarasota | SARASOTA, CITY OF | Surface Water Discharge | To Coastal or Estuarine Waters | 10.20 | 1.98 |
| County Subtotals | | | | 27.86 | 5.74 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | Surface Water Discharge | To Other Surface Waters | 12.50 | 0.14 |
| Seminole | ORLANDO/IRON BRIDGE RD REGIONAL | Surface Water Discharge | To Other Surface Waters | 28.00 | 6.91 |
| Seminole | ORLANDO/IRON BRIDGE RD REGIONAL | Surface Water Discharge | To Wetlands | 35.00 | 12.50 |
| Seminole | SANFORD/NORTH | Surface Water Discharge | To Other Surface Waters | 1.00 | 0.18 |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | Surface Water Discharge | To Wetlands | 0.75 | 0.00 |
| Seminole | WEKIVA HUNT CLUB | Surface Water Discharge | To Other Surface Waters | 2.90 | 0.00 |
| County Subtotals | | | | 80.15 | 19.73 |
| St. Johns | ANASTASIA | Surface Water Discharge | To Coastal or Estuarine Waters | 4.00 | 2.63 |
| St. Johns | INNLET BEACH | Surface Water Discharge | To Other Surface Waters | 0.50 | 0.00 |
| St. Johns | JEA-JULINGTON CREEK | Surface Water Discharge | To Other Surface Waters | 1.00 | 0.26 |
| St. Johns | MARSH LANDING @ PONTE VEDRA LAKES | Surface Water Discharge | To Other Surface Waters | 0.80 | 0.15 |
| St. Johns | PLAYERS CLUB SOUTH | Surface Water Discharge | To Other Surface Waters | 0.70 | 0.13 |
| St. Johns | PONTE VEDRA | Surface Water Discharge | To Other Surface Waters | 0.15 | 0.11 |
| St. Johns | SAWGRASS | Surface Water Discharge | To Other Surface Waters | 1.20 | 0.44 |
| St. Johns | ST. AUGUSTINE, CITY OF #1 | Surface Water Discharge | To Coastal or Estuarine Waters | 4.95 | 3.28 |
| St. Johns | ST. JOHNS COUNTY SR-16 | Surface Water Discharge | To Wetlands | 0.50 | 0.59 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

| County | Reuse System Name | Disposal Type | Disposal Sub-Type | Capacity (mgd)* | Flow (mgd) |
|------------------|--------------------------------------|-------------------------|--------------------------------|-----------------|---------------|
| County Subtotals | | | | 13.80 | 7.60 |
| St. Lucie | FORT PIERCE UTILITY AUTHORITY | Deep Well Injection | Deep Well Injection | 11.50 | 4.94 |
| St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | Deep Well Injection | Deep Well Injection | 2.80 | 1.58 |
| St. Lucie | PORT ST LUCIE WESTPORT | Deep Well Injection | Deep Well Injection | 6.05 | 1.56 |
| St. Lucie | PORT ST LUCIE-GLADES WWTF | Deep Well Injection | Deep Well Injection | 12.00 | 5.51 |
| St. Lucie | PORT ST. LUCIE UTIL-NORTHPORT/DIW | Deep Well Injection | Deep Well Injection | 7.53 | 3.79 |
| St. Lucie | ST. LUCIE CO.- SOUTH HUTCHINSON | Surface Water Discharge | Ocean Outfall | 1.60 | 0.00 |
| St. Lucie | ST. LUCIE WEST | Surface Water Discharge | To Other Surface Waters | 2.00 | 1.11 |
| County Subtotals | | | | 43.48 | 18.49 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | Surface Water Discharge | To Other Surface Waters | 28.00 | 5.90 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | Surface Water Discharge | To Other Surface Waters | 6.00 | 0.40 |
| Volusia | EDGEWATER | Surface Water Discharge | To Coastal or Estuarine Waters | 0.83 | 0.65 |
| Volusia | HOLLY HILL | Surface Water Discharge | To Coastal or Estuarine Waters | 2.40 | 1.47 |
| Volusia | NEW SMYRNA BEACH | Surface Water Discharge | To Coastal or Estuarine Waters | 1.80 | 0.19 |
| Volusia | ORMOND BEACH | Surface Water Discharge | To Other Surface Waters | 6.00 | 2.11 |
| Volusia | PORT ORANGE | Surface Water Discharge | Ocean Outfall | 6.00 | 0.01 |
| County Subtotals | | | | 51.03 | 10.73 |
| Walton | POINT WASHINGTON | Other | Other | 0.57 | 0.08 |
| Walton | SEACREST | Other | Other | 1.10 | 0.03 |
| County Subtotals | | | | 1.67 | 0.11 |
| Totals | | | | 1,879.29 | 839.52 |

**Please note that where capacity of disposal equals flow of disposal, the facility did not report capacity; therefore, the capacity was assumed to be at least the amount of the reported flow.*

Appendix F. Public Access Reuse Systems

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|-----------|--------------------------------------|------------|--------------|-------|---------|--|
| Alachua | ALACHUA | 0 | 1 | 0 | 0 | |
| Alachua | GRU - KANAPAHA | 849 | 1 | 1 | 0 | Botanical Gardens & TREEO Center |
| Alachua | UNIV. OF FLORIDA/LAKE ALICE | 0 | 1 | 0 | 0 | Co-generation power plant |
| Bay | BAY POINT | 0 | 2 | 0 | 0 | N/A |
| Bay | LYNN HAVEN | 139 | 1 | 1 | 1 | |
| Bay | MILITARY POINT REGIONAL AWT FACILITY | 0 | 1 | 0 | 0 | |
| Bay | PANAMA CITY BEACH | 468 | 0 | 3 | 0 | |
| Bay | SANDY CREEK RANCH | 0 | 1 | 0 | 0 | |
| Brevard | BCUD/BAREFOOT BAY | 0 | 1 | 0 | 0 | NA |
| Brevard | BCUD/NORTH BREVARD REGIONAL | 56 | 1 | 0 | 0 | |
| Brevard | BCUD/PORT ST. JOHN | 0 | 0 | 0 | 0 | Unknown |
| Brevard | BCUD/SOUTH BEACHES | 889 | 1 | 2 | 0 | |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | 5991 | 3 | 4 | 4 | Decorative Fountains |
| Brevard | BCUD/SYKES CREEK | 960 | 1 | 0 | 0 | NA |
| Brevard | CAPE CANAVERAL | 830 | 0 | 6 | 1 | Reclaimed water sent to Port Canaveral |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | 1502 | 1 | 20 | 21 | Concrete Mix & Cooling Tower Water |
| Brevard | COCOA BEACH WRF | 1680 | 2 | 7 | 2 | NA |
| Brevard | MELBOURNE/NORTH SERVICE AREA | 451 | 1 | 1 | 1 | NA |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | 1 | 1 | 0 | 0 | Na |
| Brevard | PALM BAY | 402 | 1 | 1 | 0 | Cooling Towers |
| Brevard | RAY BULLARD WRF | 2103 | 0 | 1 | 0 | NA |
| Brevard | ROCKLEDGE | 1320 | 1 | 6 | 0 | NA |
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | 1457 | 1 | 0 | 0 | NA |
| Brevard | TITUSVILLE REUSE SYSTEM | 1356 | 2 | 8 | 6 | |
| Broward | BROWARD CO. NORTH REGIONAL | 0 | 0 | 0 | 0 | Business, Commercial & Industrial Parks |
| Broward | CITY OF MIRAMAR WWTF | 1211 | 0 | 2 | 3 | NA |
| Broward | HOLLYWOOD | 0 | 5 | 1 | 0 | median strips w/in City & City-owned nursery |
| Broward | POMPANO BEACH | 5 | 1 | 1 | 0 | NA |
| Charlotte | CHARLOTTE CO.-EASTPORT | 304 | 3 | 0 | 0 | NA |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | 71 | 2 | 0 | 0 | NA |
| Charlotte | CHARLOTTE CO.-WEST PORT | 0 | 3 | 0 | 0 | NA |
| Charlotte | CHARLOTTE CORRECTIONAL INSTITUTION | 0 | 0 | 0 | 0 | Toilet Flushing |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | 506 | 4 | 2 | 0 | NA |
| Charlotte | RIVERWOODS UTILITIES | 0 | 1 | 0 | 0 | NA |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|--------------|--|------------|--------------|-------|---------|---|
| Charlotte | SANDALHAVEN/WILDFLOWER CC | 0 | 1 | 0 | 0 | |
| Citrus | POINT OF WOODS UTILITIES | 0 | 1 | 0 | 0 | |
| Clay | CCUA-FLEMING ISLAND | 3754 | 2 | 1 | 1 | |
| Clay | CCUA-MID-CLAY REGIONAL | 770 | 0 | 0 | 0 | |
| Clay | CCUA-RAVINES | 0 | 0 | 0 | 0 | NA |
| Clay | CCUA-RIDAUGHT LANDING | 1179 | 0 | 0 | 0 | |
| Clay | CCUA-SPENCER | 3776 | 1 | 0 | 0 | |
| Clay | GREEN COVE SPRINGS - HARBOR ROAD WWTP | 0 | 1 | 0 | 0 | NA |
| Collier | AVE MARIE UTILITY CO | 101 | 0 | 3 | 2 | NA |
| Collier | CITY OF NAPLES I | 0 | 10 | 8 | 3 | Naples Zoo; use reclaimed water to wash animals |
| Collier | COLLIER CO.-NORTH | 2283 | 10 | 5 | 0 | NA |
| Collier | COLLIER CO.-SOUTH | 1538 | 10 | 1 | 1 | NA |
| Collier | MARCO ISLAND UTILITIES | 0 | 3 | 2 | 2 | |
| Columbia | COLUMBIA CORRECTIONAL INSTITUTION | 0 | 0 | 0 | 0 | Commerical Laundry |
| De Soto | WILLIAM TYSON (ARCADIA) | 1 | 1 | 1 | 0 | NA |
| Duval | JACKSONVILLE BEACH | 0 | 1 | 1 | 0 | |
| Duval | JEA-ARLINGTON EAST | 0 | 1 | 1 | 0 | NA |
| Duval | JEA-MANDARIN | 283 | 3 | 0 | 1 | NA |
| Duval | USN NAS JACKSONVILLE | 0 | 1 | 0 | 0 | |
| Flagler | GRAND HAVEN CDD WWTP | 0 | 1 | 0 | 0 | NA |
| Flagler | HAMMOCK DUNES | 700 | 2 | 0 | 0 | NA |
| Flagler | PLANTATION BAY WWTP | 0 | 1 | 0 | 0 | |
| Franklin | CARRABELLE | 0 | 1 | 0 | 0 | Toilet flushing @ Franklin Correctional Institute |
| Gadsden | HAVANA, TOWN OF | 0 | 0 | 0 | 0 | Reuse used in chlorination system and for iriga. |
| Gadsden | QUINCY, CITY OF | 0 | 0 | 0 | 0 | Reuse used in chlorination/dechlorination system |
| Hardee | BOWLING GREEN STP | 0 | 0 | 0 | 0 | Mining Operations |
| Hardee | WAUCHULA WWTP | 0 | 0 | 0 | 0 | Mining Operation |
| Hernando | HERNANDO CO./SPRING HILL | 0 | 1 | 0 | 0 | |
| Hillsborough | CW UTILITY - COUNTRY MEADOWS/GOLDEN LA | 0 | 2 | 0 | 0 | |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | 11836 | 6 | 2 | 6 | |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | 3563 | 5 | 1 | 9 | NA |
| Hillsborough | MACDILL AIR FORCE BASE | 0 | 2 | 0 | 0 | |
| Hillsborough | PEBBLE CREEK VILLAGE | 0 | 1 | 0 | 0 | |
| Hillsborough | PLANT CITY WRF | 136 | 0 | 0 | 0 | Dust Control, Contractor fill station |
| Hillsborough | TAMPA/HOWARD F. CURREN | 1860 | 0 | 46 | 9 | Trucks water for landscape & dust control |
| Indian River | IRCUD/WEST REGIONAL WWTP | 0 | 6 | 0 | 0 | MAN-MADE WETLANDS |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|--------------|-----------------------------------|------------|--------------|-------|---------|-------------------------------|
| Indian River | VERO BEACH, CITY OF | 509 | 3 | 6 | 1 | NA |
| Lake | CITY OF EUSTIS | 120 | 2 | 2 | 0 | |
| Lake | CLERMONT - EAST | 2095 | 1 | 0 | 0 | NA |
| Lake | LEESBURG/CANAL STREET WWTF | 0 | 0 | 0 | 0 | NA |
| Lake | MOUNT DORA #1 WWTF | 561 | 1 | 0 | 2 | NA |
| Lake | PENNBROOKE WWTF | 0 | 1 | 0 | 0 | |
| Lake | PLANTATION @ LEESBURG | 0 | 1 | 0 | 0 | NA |
| Lake | VILLAGES | 0 | 6 | 9 | 0 | |
| Lee | CROSS CREEK COUNTRY CLUB | 0 | 1 | 0 | 0 | |
| Lee | EAGLE RIDGE | 0 | 1 | 0 | 0 | |
| Lee | FIDDLESTICKS COUNTRY CLUB | 0 | 2 | 0 | 0 | |
| Lee | FOREST UTILITIES | 0 | 2 | 0 | 0 | |
| Lee | FORT MYERS BEACH | 0 | 5 | 2 | 0 | |
| Lee | FORT MYERS CITY CENTRAL | 0 | 0 | 1 | 0 | NA |
| Lee | GASPARILLA ISLAND WATER | 0 | 1 | 0 | 0 | |
| Lee | HUNTER'S RIDGE | 0 | 1 | 0 | 0 | |
| Lee | LAKE FAIRWAYS FFEC SIX | 0 | 1 | 0 | 0 | |
| Lee | LEE CO. - FIESTA VILLAGE | 0 | 4 | 2 | 1 | Roadway median and toll boths |
| Lee | LEE CO.- THREE OAKS | 0 | 5 | 0 | 0 | |
| Lee | LEE CO.-GATEWAY | 2430 | 0 | 3 | 1 | |
| Lee | LEE CO.-SAN CARLOS | 0 | 1 | 0 | 0 | |
| Lee | LEE CO.-WATERWAY ESTATES | 0 | 1 | 0 | 0 | |
| Lee | LEHIGH ACRES UTILITIES, INC. | 0 | 3 | 0 | 0 | |
| Lee | NORTH FORT MYERS UTILITY | 500 | 3 | 0 | 0 | |
| Lee | RESOURCE CONSERVATION SYSTEMS | 6650 | 5 | 4 | 0 | |
| Lee | SANIBEL-DONAX | 10 | 3 | 1 | 1 | |
| Lee | SANIBEL-WULFERT | 0 | 1 | 0 | 0 | |
| Lee | SOUTH SEAS PLANTATION | 0 | 1 | 0 | 0 | |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | 33124 | 0 | 13 | 11 | Decorative Fountain |
| Levy | CEDAR KEY | 0 | 0 | 0 | 0 | Cemetery Irrigation |
| Manatee | BRADENTON | 0 | 1 | 0 | 0 | |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | 3240 | 7 | 7 | 3 | NA |
| Manatee | PALMETTO | 2407 | 1 | 9 | 1 | NA |
| Marion | BELLEVIEW | 0 | 1 | 0 | 0 | |
| Marion | MARION/OAK RUN | 0 | 1 | 0 | 0 | |
| Marion | OCALA #1 WWTP | 0 | 2 | 1 | 0 | |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|------------|--|------------|--------------|-------|---------|--|
| Marion | OCALA #2 WRF | 4 | 1 | 3 | 0 | |
| Marion | OCALA #3 WWTP | 0 | 0 | 0 | 0 | Airport subsurface irrigation/dust control |
| Marion | SUMMERGLEN WWTF | 0 | 1 | 0 | 0 | |
| Martin | INDIAN RIVER PLANTATION | 0 | 1 | 0 | 0 | |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | 244 | 6 | 1 | 0 | Blend with nanofiltration concentrate |
| Martin | MARTIN CO. UTIL.- NORTH | 1000 | 1 | 1 | 1 | Pressurized IQ pump station feeds reuse subtypes |
| Martin | MILES GRANT CONDO | 0 | 1 | 0 | 0 | |
| Martin | PIPERS LANDING | 0 | 1 | 0 | 0 | |
| Martin | SAILFISH POINT | 0 | 1 | 0 | 0 | |
| Martin | SOUTH MARTIN REGIONAL UTILITY | 0 | 3 | 0 | 1 | |
| Miami-Dade | MDWASD CENTRAL DISTRICT | 0 | 0 | 0 | 0 | Flushing, Washdown & Pump Seal Lubrication |
| Miami-Dade | MDWASD NORTH DISTRICT | 0 | 0 | 0 | 1 | Flushing, washdown & pump seal lube |
| Miami-Dade | MDWASD SOUTH DISTRICT | 0 | 0 | 0 | 0 | Flushing, washdown, pump seal lube, irrigation |
| Monroe | KEY COLONY BEACH, CITY OF | 0 | 1 | 4 | 0 | City parks can deliver water to remote parks |
| Monroe | KEY WEST RESORT UTILITY | 0 | 1 | 0 | 0 | |
| Nassau | FLORIDA WATER SERVICES/AMELIA ISLAND | 0 | 3 | 0 | 0 | |
| Nassau | NASSAU REGIONAL (SUN RAY) | 0 | 2 | 0 | 0 | |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | 533 | 2 | 1 | 0 | |
| Okaloosa | FT. WALTON BEACH WWTP | 0 | 1 | 0 | 0 | |
| Okaloosa | NICEVILLE/VALPARAISO REGIONAL | 275 | 2 | 1 | 1 | Cemetery |
| Orange | APOPKA-PROJECT ARROW | 4446 | 2 | 7 | 3 | NA |
| Orange | FAIRWAYS COUNTRY CLUB | 0 | 1 | 0 | 0 | |
| Orange | OCOEE STP #2 | 1300 | 1 | 1 | 0 | NA |
| Orange | OCUD/NORTHWEST SERVICE AREA | 0 | 0 | 0 | 0 | Outfall from wetlands discharges to Lake Marden |
| Orange | OCUD/SOUTH SERVICE AREA | 2493 | 5 | 13 | 5 | Irrigation at Sea World. |
| Orange | ORLANDO/CONSERV I | 3355 | 2 | 21 | 2 | |
| Orange | ORLANDO-WATER CONSERV II | 3380 | 3 | 37 | 2 | Production of soil cement; in sand mixing |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | 0 | 5 | 0 | 0 | Bus wash, tree farm, dust control, sidewalk wash |
| Orange | WEDGEFIELD SUBDIVISION | 0 | 1 | 0 | 0 | |
| Orange | WINTER GARDEN, CITY OF (DW) | 0 | 1 | 0 | 0 | NA |
| Orange | WINTER PARK | 0 | 2 | 1 | 0 | Glenhaven Cemetery |
| Osceola | HARMONY COMMUNITY DEV. DISTRICT WWTF | 0 | 0 | 0 | 0 | Public Access irrigation supplied by wells |
| Osceola | KISSIMMEE GOOD SAMARITAN RETIREMENT VI | 99 | 1 | 1 | 0 | |
| Osceola | KISSIMMEE/PARKWAY | 2558 | 2 | 0 | 0 | Two Cemeteries |
| Osceola | KISSIMMEE/SANDHILL ROAD | 2548 | 1 | 0 | 0 | NA |
| Osceola | KISSIMMEE-BUENAVENTURA LAKES | 0 | 1 | 0 | 0 | NA |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|------------|--|------------|--------------|-------|---------|--|
| Osceola | POINCIANA (#2 & #3) | 4041 | 2 | 0 | 0 | Reuse water can be sent to Toho Water Authority |
| Osceola | ST. CLOUD - LAKESHORE WRF | 3173 | 1 | 24 | 2 | Wash water for sludge presses |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT | 4484 | 5 | 10 | 3 | NA |
| Palm Beach | BOCA RATON (PROJECT IRIS) | 652 | 2 | 5 | 2 | NA |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | 2750 | 14 | 13 | 3 | Roger Dean Stadium; process water, irrigation |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | 3868 | 4 | 2 | 0 | NA |
| Palm Beach | SEACOAST UTILITIES PGA | 0 | 9 | 1 | 0 | |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | 300 | 7 | 0 | 0 | |
| Palm Beach | VILLAGE OF WELLINGTON WWTP | 0 | 0 | 1 | 0 | |
| Pasco | CITY OF NEW PORT RICHEY WWTF | 99 | 1 | 7 | 8 | |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | 10968 | 16 | 3 | 9 | NA |
| Pasco | SEVEN SPRINGS WWTF | 1947 | 1 | 1 | 4 | 26 commecial irrig. Customers |
| Pasco | TRAVELER'S REST RV PARK WWTP | 0 | 1 | 0 | 0 | |
| Pasco | ZEPHYRHILLS | 0 | 1 | 2 | 2 | |
| Pinellas | CLEARWATER MASTER URBAN REUSE | 2238 | 3 | 5 | 2 | NA |
| Pinellas | DUNEDIN/MAINLAND | 3025 | 2 | 65 | 3 | 2 cooling towers, 106 commercial |
| Pinellas | LARGO | 2256 | 7 | 13 | 5 | Cooling towers, biosolids facility |
| Pinellas | OLDSMAR | 1364 | 0 | 3 | 0 | Medians, public building grounds, housing/comm irr |
| Pinellas | ON TOP OF THE WORLD | 236 | 1 | 0 | 0 | NA |
| Pinellas | PINELLAS CO. - BELLEAIR | 0 | 2 | 0 | 0 | NA |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | 20892 | 3 | 84 | 5 | |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLA | 2826 | 11 | 2 | 7 | NA |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYST | 10211 | 6 | 131 | 64 | 336 Commercial Properties; 121 multifamily |
| Pinellas | TARPON SPRINGS | 668 | 1 | 9 | 2 | NA |
| Polk | CYPRESS LAKES | 0 | 2 | 0 | 0 | |
| Polk | HAINES CITY | 0 | 1 | 1 | 0 | |
| Polk | LAKE WALES, CITY OF | 0 | 0 | 0 | 0 | Road construction projects |
| Polk | LAKELAND - GLENDALE | 0 | 0 | 0 | 0 | NA |
| Polk | POINCIANA #5 | 0 | 1 | 0 | 0 | |
| Polk | POLK CO.-NORTHEAST REGIONAL | 1051 | 0 | 0 | 0 | NA |
| Polk | POLK CO.-NORTHWEST REGIONAL | 854 | 1 | 0 | 0 | NA |
| Polk | POLK CO.-SW REGIONAL WWTF | 694 | 3 | 1 | 0 | NA |
| Polk | SWISS GOLF CLUB | 0 | 1 | 0 | 0 | |
| Polk | WINTER HAVEN #2 | 104 | 2 | 1 | 0 | |
| Putnam | PALATKA, CITY OF | 0 | 1 | 0 | 0 | |
| Putnam | RIVER PARK MHP | 0 | 1 | 0 | 0 | |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|------------|---------------------------------------|------------|--------------|-------|---------|---|
| Santa Rosa | GULF BREEZE-TIGER POINT | 612 | 1 | 2 | 0 | NA |
| Santa Rosa | HOLLEY-NAVARRE WASTEWATER SYSTEM | 0 | 1 | 0 | 0 | |
| Santa Rosa | PACE WATER SYSTEM #1 | 87 | 1 | 1 | 0 | Lawn spraying insecticides for lawn services. |
| Sarasota | AQUASOURCE/FRUITVILLE WWTP | 0 | 1 | 0 | 0 | |
| Sarasota | CAMELOT LAKES | 0 | 0 | 1 | 0 | |
| Sarasota | CITY OF NORTH PORT WWTP | 0 | 2 | 0 | 0 | |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | 2871 | 5 | 1 | 0 | |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA C | 4850 | 12 | 3 | 0 | |
| Sarasota | SARASOTA CO.-SOUTH GATE | 0 | 0 | 0 | 0 | NA |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | 217 | 7 | 0 | 0 | |
| Sarasota | SARASOTA, CITY OF | 83 | 3 | 28 | 5 | Decorative Fountains, Industrial Applications |
| Seminole | ALAFAYA | 1282 | 1 | 7 | 2 | Entrance of Sanctuary and Live Oak Irrigation |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | 5825 | 1 | 7 | 6 | Car wash; fire prot; toilet flushing; cooling tow |
| Seminole | CASSELBERRY WRF | 1542 | 1 | 7 | 0 | Irrigation of roadway medians |
| Seminole | SANFORD/NORTH | 2461 | 2 | 14 | 5 | NA |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | 5 | 0 | 1 | 0 | |
| Seminole | SEMINOLE CO/GREENWOOD LAKES | 0 | 0 | 0 | 0 | Lake Mary Car Wash |
| Seminole | WEKIVA HUNT CLUB | 14 | 2 | 0 | 0 | Plant Nursery |
| Seminole | WINTER SPRINGS | 990 | 0 | 3 | 0 | NA |
| Seminole | WINTER SPRINGS EAST | 774 | 1 | 3 | 0 | NA |
| St. Johns | ANASTASIA | 0 | 1 | 0 | 0 | |
| St. Johns | INNLET BEACH | 0 | 2 | 0 | 0 | |
| St. Johns | JEA-JULINGTON CREEK | 0 | 1 | 0 | 0 | NA |
| St. Johns | MAINLAND (S.R. 207) | 0 | 1 | 0 | 0 | |
| St. Johns | MARSH LANDING @ PONTE VEDRA LAKES | 0 | 2 | 0 | 0 | |
| St. Johns | PLAYERS CLUB SOUTH | 0 | 2 | 0 | 0 | |
| St. Johns | PONTE VEDRA | 0 | 2 | 0 | 0 | NA |
| St. Johns | SAWGRASS | 0 | 1 | 0 | 0 | NA |
| St. Johns | ST. JOHNS COUNTY SR-16 | 0 | 1 | 0 | 0 | NA |
| St. Lucie | HARBOUR RIDGE P.U.D. | 0 | 2 | 0 | 0 | |
| St. Lucie | HUTCHINSON - ISLAND DUNES | 0 | 1 | 0 | 0 | |
| St. Lucie | MEADOWOOD/PANTHER WOODS | 0 | 1 | 0 | 0 | |
| St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | 478 | 1 | 0 | 0 | |
| St. Lucie | PORT ST LUCIE WESTPORT | 0 | 1 | 0 | 0 | |
| St. Lucie | SPANISH LAKES FAIRWAYS | 0 | 1 | 0 | 0 | |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | 152 | 0 | 1 | 0 | Dune Line Restoration |

| County | Reuse System Name | Residences | Golf Courses | Parks | Schools | Unique Uses |
|---------------|--------------------------------------|----------------|--------------|------------|------------|---|
| St. Lucie | ST. LUCIE CO.- SOUTH HUTCHINSON | 104 | 0 | 0 | 0 | NA |
| St. Lucie | ST. LUCIE WEST | 5109 | 1 | 1 | 6 | |
| Sumter | LITTLE SUMTER UTILITY CO. WWTF | 0 | 12 | 7 | 0 | |
| Sumter | NORTH SUMTER WRF | 0 | 9 | 0 | 0 | |
| Sumter | SUMTER CORRECTIONAL INSTITUTION | 0 | 0 | 0 | 0 | Florida National Cemetery |
| Sumter | WILDWOOD | 0 | 6 | 2 | 0 | Tank Hose Down, Pump seal water, Chlorination Car |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | 816 | 6 | 6 | 3 | NA |
| Volusia | DELAND REGIONAL (WILEY M NASH) | 4 | 3 | 5 | 3 | Fernery Irrigation/Freeze Protection |
| Volusia | DELTONA LAKES | 377 | 1 | 0 | 1 | NA |
| Volusia | EDGEWATER | 2980 | 0 | 2 | 0 | NA |
| Volusia | HOLLY HILL | 0 | 1 | 1 | 2 | NA |
| Volusia | NEW SMYRNA BEACH | 732 | 7 | 6 | 1 | Dust Control & mixing lawn and pest solutions |
| Volusia | ORMOND BEACH | 1030 | 2 | 7 | 2 | |
| Volusia | PORT ORANGE | 6533 | 2 | 2 | 4 | NA |
| Volusia | VCUD/DELTONA NORTH | 0 | 1 | 1 | 1 | NA |
| Walton | POINT WASHINGTON | 0 | 1 | 0 | 0 | |
| Walton | SANDESTIN UTILITY COMPANY | 0 | 3 | 0 | 0 | |
| Walton | SEACREST | 0 | 1 | 0 | 0 | |
| Walton | SOUTH WALTON UTILITY COMPANY | 0 | 4 | 0 | 0 | |
| Totals | | 246,841 | 477 | 794 | 272 | |

Appendix G. Edible Crop Inventory

| County | Reuse System Name | Name of Agricultural Operation | Crops Irrigated | Irrigation Method | Area (acres) |
|--------------|-------------------------|---|-------------------|----------------------------|--------------|
| Brevard | BCUD/SYKES CREEK | Harvey's Groves | Citrus | Microjet | 150 |
| De Soto | WILLIAM TYSON (ARCADIA | Brewer Citrus | Grapefruit | Microjet | 43 |
| De Soto | WILLIAM TYSON (ARCADIA | Coaker Grove | Grapefruit | Microjet | 85 |
| De Soto | WILLIAM TYSON (ARCADIA | Mary H. Smith/Pepper Grove | Oranges | Microjet | 60 |
| De Soto | WILLIAM TYSON (ARCADIA | Perry Grove/Sorrels Citrus | Oranges | Microjet | 20 |
| De Soto | WILLIAM TYSON (ARCADIA | Sorrels Citrus | Oranges | Microjet | 40 |
| De Soto | WILLIAM TYSON (ARCADIA | Sorrels Citrus | Oranges | Microjet | 80 |
| De Soto | WILLIAM TYSON (ARCADIA | Turner Citrus/B&D Veach Inc. | Oranges | Microjet | 58 |
| Hillsborough | HILLS. CO./NORTHWEST RE | Bay Tree Farm | Citrus/horse farm | unknown | 6 |
| Hillsborough | HILLS. CO./NORTHWEST RE | Woodham Citrus Grove | Citrus | Sprinkler System | 12 |
| Hillsborough | PLANT CITY WRF | Johnson Orange Grove | Oranges | Micro-jet | 57 |
| Hillsborough | PLANT CITY WRF | Willaford Orange Grove | Oranges | Micro-jet | 46 |
| Manatee | BRADENTON | Mixon Fruit Farms, Inc. | Citrus | Microjet | 350 |
| Manatee | MANATEE CO. MASTER RE | Blossom Groves | Citrus | Micro-jet | 1000 |
| Manatee | MANATEE CO. MASTER RE | McClure Farms | Tomatoes | Ditch Furrow | 878 |
| Martin | MARTIN CORRECTIONAL IN | Citrus Cultivation for Martin Correctional Inst | Citrus groves | Close ground spray system | 80 |
| Okeechobee | OKEECHOBEE | Williamson Cattle Company | Citrus | Microjet | 761 |
| Orange | AOPKA-PROJECT ARROW | Bronson Nurseries | Citrus | Microjet | 258 |
| Orange | ORLANDO-WATER CONSER | CRA-MAR Grove Service | Citrus | Under Tree Micro Sprinkler | 90 |
| Orange | ORLANDO-WATER CONSER | Florida Brace Corp. | Citrus | Under Tree Micro Sprinkler | 20 |
| Orange | ORLANDO-WATER CONSER | Ferris, Dr. Geraldine | Citrus | Under Tree Micro Sprinkler | 40 |
| Orange | ORLANDO-WATER CONSER | Fabry, Paul | Citrus | Under Tree Sprinkler | 9 |
| Orange | ORLANDO-WATER CONSER | Fabry, Carl & Pat | Citrus | Under Tree Micro Sprinkler | 38 |
| Orange | ORLANDO-WATER CONSER | Extreme Grove Investments, LLC | Citrus | Under Tree Micro Sprinkler | 60 |
| Orange | ORLANDO-WATER CONSER | Eddy Groves | Citrus | Under Tree Micro Sprinkler | 94 |

| County | Reuse System Name | Name of Agricultural Operation | Crops Irrigated | Irrigation Method | Area (acres) |
|--------|----------------------|---------------------------------------|--|----------------------------|--------------|
| Orange | ORLANDO-WATER CONSER | Dunn, Mrs. Walter Jr. | Citrus | Under Tree Micro Sprinkler | 30 |
| Orange | ORLANDO-WATER CONSER | Davis Grove Service | Citrus | Under Tree Micro Sprinkler | 9 |
| Orange | ORLANDO-WATER CONSER | Clonts Groves | Citrus | Under Tree Micro Sprinkler | 530 |
| Orange | ORLANDO-WATER CONSER | Chicone Groves | Citrus | Under Tree Micro Sprinkler | 210 |
| Orange | ORLANDO-WATER CONSER | Chessher | Citrus | Under Tree Micro Sprinkler | 2 |
| Orange | ORLANDO-WATER CONSER | Catherine Ross Groves | Citrus | Under Tree Micro Sprinkler | 232 |
| Orange | ORLANDO-WATER CONSER | Cannon | Citrus | Under Tree Micro Sprinkler | 5 |
| Orange | ORLANDO-WATER CONSER | Butler, R & R | Citrus | Under Tree Micro Sprinkler | 39 |
| Orange | ORLANDO-WATER CONSER | Boice, Bill | Citrus | Under Tree Micro Sprinkler | 9 |
| Orange | ORLANDO-WATER CONSER | Appadu, Mahabir | Citrus | Under Tree Micro Sprinkler | 10 |
| Orange | ORLANDO-WATER CONSER | Fowler Groves Limited | Citrus | Under Tree Micro Sprinkler | 10 |
| Orange | ORLANDO-WATER CONSER | Baker Heritage (RCID&Karl Corp) | Citrus | Under Tree Micro Sprinkler | 50 |
| Orange | ORLANDO-WATER CONSER | Story Properties (Hilltop) | Citrus | Under Tree Micro Sprinkler | 38 |
| Orange | ORLANDO-WATER CONSER | Wiggins, James | Citrus | Under Tree Micro Sprinkler | 7 |
| Orange | ORLANDO-WATER CONSER | White, Maurice | Fruits, Veggies | Under Tree Micro Sprinkler | 2 |
| Orange | ORLANDO-WATER CONSER | Tilworth Groves | Citrus | Under Tree Micro Sprinkler | 48 |
| Orange | ORLANDO-WATER CONSER | Ford Et. Al. (Veech, Stanford&Avalon) | Citrus | Under Tree Sprinkler | 79 |
| Orange | ORLANDO-WATER CONSER | Story, Gary & Cheryl | Citrus | Under Tree Micro Sprinkler | 3 |
| Orange | ORLANDO-WATER CONSER | Ford, Les | Citrus | Under Tree Sprinkler | 9 |
| Orange | ORLANDO-WATER CONSER | Raidle/Feil | Citrus | Under Tree Micro Sprinkler | 95 |
| Orange | ORLANDO-WATER CONSER | Peacock, Clawson | Fruits, Veggies | Under Tree Micro Sprinkler | 6 |
| Orange | ORLANDO-WATER CONSER | OCNGN Holdings, Inc. | Citrus | Under Tree Micro Sprinkler | 197 |
| Orange | ORLANDO-WATER CONSER | Napier, Jake | Fruits, Veggies | Under Tree Micro Sprinkler | 3 |
| Orange | ORLANDO-WATER CONSER | Mid Florida Citrus Foundation | Pecans, Persimmons, Grapes, Figs, Citrus | Under Tree Micro Sprinkler | 168 |
| Orange | ORLANDO-WATER CONSER | Korean Presbyterian Church | Citrus | Under Tree Micro Sprinkler | 30 |
| Orange | ORLANDO-WATER CONSER | Jones, Dayne A. & Lisa A. | Citrus | Under Tree Micro Sprinkler | 40 |
| Orange | ORLANDO-WATER CONSER | Jack Ross Groves | Citrus | Under Tree Micro Sprinkler | 90 |

| County | Reuse System Name | Name of Agricultural Operation | Crops Irrigated | Irrigation Method | Area (acres) |
|-------------------|------------------------|-------------------------------------|--|----------------------------|--------------------|
| Orange | ORLANDO-WATER CONSER | Hoyos, Alberto and Selena | Citrus | Under Tree Micro Sprinkler | 10 |
| Orange | ORLANDO-WATER CONSER | Hi-Acres Services | Citrus | Under Tree Micro & Impact | 225 |
| Orange | ORLANDO-WATER CONSER | Herman, Michael | Citrus | Under Tree Micro Sprinkler | 4 |
| Orange | ORLANDO-WATER CONSER | Gotthard, Darrell | Fruits & Veggies | Under Tree Micro Sprinkler | 4 |
| Orange | ORLANDO-WATER CONSER | Gotthard, Darrell | Citrus | Under Tree Micro Sprinkler | 4 |
| Orange | ORLANDO-WATER CONSER | Gleason Groves | Citrus | Under Tree Micro Sprinkler | 40 |
| Orange | ORLANDO-WATER CONSER | Genesis 1:28 Business Partners, LLC | Citrus | Under Tree Micro Sprinkler | 5 |
| Orange | ORLANDO-WATER CONSER | Thompson, June & Bowers, Linda | Citrus | Under Tree Micro Sprinkler | 5 |
| Orange | ORLANDO-WATER CONSER | McKinnon Groves | Citrus | Under Tree Micro Sprinkler | 250 |
| Pasco | DADE CITY | Ron Wilson Site | Grapes/Peaches/Blueberries | Drip Irrigation/Microjets | 8 |
| Pasco | DADE CITY | Sid Larkin and Son, Inc | Citrus | Drip Irrigation/Microjets | 256 |
| Pasco | PASCO CO. MASTER REUSE | Price/Altman Groves | Citrus | Microjet | 150 |
| Pasco | PASCO CO. MASTER REUSE | EPCO Groves | Citrus | Microjet | 341 |
| Polk | HAINES CITY | Robert Sons & Carl Sons | Oranges and Tangerines | Microjet | 17 |
| Polk | LAKE ALFRED | Summit Grove Spray Field | Oranges | Microjet | 151 |
| Polk | WINTER HAVEN #2 | Sprayfield | Oranges & Grapefruit | Microjet | 63 |
| Sarasota | SARASOTA, CITY OF | Britt Groves | Citrus | Microjet | 300 |
| Sarasota | SARASOTA, CITY OF | Hi-Hat Groves | Citrus | Microjet | 900 |
| Seminole | SANFORD/NORTH | Dutch Mill Nursery | Citrus | Microjet/Drip | 8 |
| Seminole | SANFORD/NORTH | Hoops Farm | Strawberries, peas, beans, corn & herbs | Underground Tile | 9 |
| Seminole | SANFORD/NORTH | IFAS/CFREC | Cabbage, tomatoes, melons, other (research only) | Overhead/emitter | 8 |
| Seminole | SANFORD/NORTH | SITE 10 | Citrus | Microjet | 270 |
| Volusia | VCUD/SOUTHEAST REGION | Volusia County | Citrus | Drip | 305 |
| Total Area | | | | | 9,619 acres |

Appendix H. Charges for Use of Reclaimed Water

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|---------|--------------------------------------|-----------------|----------------------------|--------------------|
| Alachua | GRU - KANAPAHA | RES D | 10.00 | 0.00 |
| Alachua | GRU - MAIN STREET | RES D | 10.00 | 0.00 |
| Alachua | GRU - MAIN STREET | NRES | 10.00 | 0.00 |
| Bay | LYNN HAVEN | RES D | 0.00 | 0.00 |
| Bay | LYNN HAVEN | NRES | 0.00 | 0.00 |
| Bay | MILITARY POINT REGIONAL AWT FACILITY | NRES | 0.00 | 0.16 |
| Bay | PANAMA CITY BEACH | RES D | 5.60 | 0.45 |
| Bay | PANAMA CITY BEACH | NRES | 5.60 | 0.45 |
| Brevard | BCUD/NORTH BREVARD REGIONAL | NRES | 33.00 | 0.00 |
| Brevard | BCUD/NORTH BREVARD REGIONAL | RES D | 6.00 | 0.00 |
| Brevard | BCUD/PORT ST. JOHN | RES D | 5.00 | 0.00 |
| Brevard | BCUD/PORT ST. JOHN | NRES | 10.00 | 0.00 |
| Brevard | BCUD/SOUTH BEACHES | RES D | 6.00 | 0.00 |
| Brevard | BCUD/SOUTH BEACHES | NRES | 10.00 | 0.00 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | RES D | 5.00 | 0.00 |
| Brevard | BCUD/SOUTH CENTRAL REGIONAL | NRES | 10.00 | 0.00 |
| Brevard | BCUD/SYKES CREEK | NRES | 41.67 | 0.00 |
| Brevard | BCUD/SYKES CREEK | RES D | 6.00 | 0.00 |
| Brevard | CAPE CANAVERAL | RES D | 0.00 | 0.00 |
| Brevard | CAPE CANAVERAL | NRES | 0.00 | 0.00 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | NRES | 15.00 | 0.25 |
| Brevard | CITY OF COCOA RECLAIMED WATER SYSTEM | RES D | 6.00 | 0.25 |
| Brevard | COCOA BEACH WRF | NRES | 0.00 | 0.26 |
| Brevard | COCOA BEACH WRF | RES D | 8.00 | 0.00 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | NRES | 16.00 | 0.00 |
| Brevard | MELBOURNE/NORTH SERVICE AREA | RES D | 4.00 | 0.00 |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | RES D | 4.00 | 0.00 |
| Brevard | MELBOURNE/SOUTH SERVICE AREA | NRES | 16.00 | 0.00 |
| Brevard | PALM BAY | NRES | 16.06 | 1.06 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|-----------|---------------------------------------|-----------------|----------------------------|--------------------|
| Brevard | PALM BAY | RESD | 16.06 | 0.00 |
| Brevard | ROCKLEDGE | NRES | 0.00 | 0.00 |
| Brevard | ROCKLEDGE | RESD | 10.00 | 0.10 |
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | NRES | 0.00 | 0.00 |
| Brevard | THE GREAT OUTDOORS GOLF/R V RESORT | RESD | 0.00 | 0.00 |
| Brevard | TITUSVILLE REUSE SYSTEM | NRES | 7.00 | 0.00 |
| Brevard | TITUSVILLE REUSE SYSTEM | RESD | 7.00 | 0.00 |
| Broward | BROWARD CO. NORTH REGIONAL | NRES | 0.00 | 0.25 |
| Broward | HOLLYWOOD | NRES | 0.00 | 0.10 |
| Broward | POMPANO BEACH | RESD | 7.84 | 0.53 |
| Broward | POMPANO BEACH | NRES | 0.00 | 0.53 |
| Charlotte | CHARLOTTE CO.-BURNT STORE | NRES | 0.00 | 0.28 |
| Charlotte | CHARLOTTE CO.-BURNT STORE | RESD | 0.00 | 2.24 |
| Charlotte | CHARLOTTE CO.-EASTPORT | NRES | 0.00 | 0.28 |
| Charlotte | CHARLOTTE CO.-EASTPORT | RESD | 0.00 | 2.24 |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | RESD | 0.00 | 2.24 |
| Charlotte | CHARLOTTE CO.-ROTONDA WEST | NRES | 0.00 | 0.28 |
| Charlotte | CHARLOTTE CO.-WEST PORT | RESD | 0.00 | 2.24 |
| Charlotte | CHARLOTTE CO.-WEST PORT | NRES | 0.00 | 0.28 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | NRES | 0.00 | 0.19 |
| Charlotte | ENGLEWOOD WATER DISTRICT SOUTH | RESD | 0.00 | 0.19 |
| Clay | CCUA-FLEMING ISLAND | NRES | 92.18 | 1.33 |
| Clay | CCUA-FLEMING ISLAND | RESD | 11.52 | 0.45 |
| Clay | CCUA-MID-CLAY REGIONAL | NRES | 92.18 | 1.33 |
| Clay | CCUA-MID-CLAY REGIONAL | RESD | 11.52 | 0.45 |
| Clay | CCUA-RIDAUGHT LANDING | NRES | 92.18 | 1.33 |
| Clay | CCUA-RIDAUGHT LANDING | RESD | 11.52 | 0.45 |
| Clay | CCUA-SPENCER | RESD | 11.52 | 0.45 |
| Clay | CCUA-SPENCER | NRES | 92.18 | 1.33 |
| Clay | GREEN COVE SPRINGS - HARBOR ROAD WWTP | NRES | 1500.00 | 0.00 |
| Collier | AVE MARIE UTILITY CO | RESD | 6.80 | 0.65 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|--------------|---------------------------------------|-----------------|----------------------------|--------------------|
| Collier | AVE MARIE UTILITY CO | NRES | 6.80 | 0.65 |
| Collier | CITY OF NAPLES I | RESD | 35.00 | 0.31 |
| Collier | COLLIER CO.-NORTH | RESD | 5.20 | 0.40 |
| Collier | COLLIER CO.-NORTH | NRES | 0.00 | 0.31 |
| Collier | COLLIER CO.-SOUTH | RESD | 5.20 | 0.40 |
| Collier | COLLIER CO.-SOUTH | NRES | 0.00 | 0.31 |
| Collier | MARCO ISLAND UTILITIES | NRES | 0.00 | 0.59 |
| Collier | MARCO SHORES UTILITIES | NA | 0.00 | 0.00 |
| Duval | JEA-ARLINGTON EAST | NRES | 0.00 | 0.10 |
| Duval | JEA-MANDARIN | NRES | 0.00 | 0.10 |
| Duval | JEA-MANDARIN | RESD | 0.00 | 1.11 |
| Flagler | GRAND HAVEN CDD WWTP | NRES | 0.00 | 0.30 |
| Flagler | HAMMOCK DUNES | NRES | 0.00 | 0.40 |
| Flagler | HAMMOCK DUNES | RESD | 25.61 | 0.80 |
| Flagler | PALM COAST | NRES | 0.00 | 0.20 |
| Flagler | PLANTATION BAY WWTP | NRES | 0.00 | 0.07 |
| Hernando | HERNANDO CO./SPRING HILL | NRES | 0.00 | 0.00 |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | RESD | 3.75 | 0.25 |
| Hillsborough | HILLS. CO./NORTHWEST REUSE SYSTEM | NRES | 3.75 | 0.55 |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | RESD | 3.75 | 0.25 |
| Hillsborough | HILLS. CO./SOUTH-CENTRAL REUSE SYSTEM | NRES | 3.75 | 0.55 |
| Hillsborough | PEBBLE CREEK VILLAGE | NRES | 45.00 | 0.05 |
| Hillsborough | PLANT CITY WRF | RESD | 3.20 | 0.99 |
| Hillsborough | PLANT CITY WRF | NRES | 48.00 | 0.25 |
| Hillsborough | TAMPA/HOWARD F. CURREN | NRES | 0.00 | 1.60 |
| Hillsborough | TAMPA/HOWARD F. CURREN | RESD | 0.00 | 1.60 |
| Indian River | IRCUD/WEST REGIONAL WWTF | NRES | 0.00 | 0.15 |
| Indian River | VERO BEACH, CITY OF | NRES | 0.00 | 0.62 |
| Indian River | VERO BEACH, CITY OF | RESD | 0.00 | 0.62 |
| Lake | CITY OF EUSTIS | NRES | 0.00 | 0.14 |
| Lake | CITY OF EUSTIS | RESD | 4.26 | 0.84 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|---------|-----------------------------------|-----------------|----------------------------|--------------------|
| Lake | CLERMONT - EAST | NRES | 0.00 | 0.30 |
| Lake | CLERMONT - EAST | RESD | 0.00 | 0.00 |
| Lake | MOUNT DORA #1 WWTF | NRES | 10.00 | 1.04 |
| Lake | MOUNT DORA #1 WWTF | RESD | 10.00 | 0.79 |
| Lee | FORT MYERS BEACH | NRES | 0.00 | 0.25 |
| Lee | FORT MYERS CITY CENTRAL | NRES | 0.00 | 0.72 |
| Lee | HUNTER'S RIDGE | NRES | 1273.18 | 0.00 |
| Lee | LAKE FAIRWAYS FFEC SIX | NRES | 0.00 | 0.25 |
| Lee | LEE CO. - FIESTA VILLAGE | NRES | 0.00 | 0.25 |
| Lee | LEE CO.- THREE OAKS | RESD | 0.00 | 0.25 |
| Lee | LEE CO.- THREE OAKS | NRES | 0.00 | 0.25 |
| Lee | LEE CO.-GATEWAY | RESD | 0.00 | 0.25 |
| Lee | LEE CO.-GATEWAY | NRES | 0.00 | 0.25 |
| Lee | LEE CO.-SAN CARLOS | NRES | 0.00 | 0.04 |
| Lee | LEE CO.-WATERWAY ESTATES | RESD | 0.00 | 0.25 |
| Lee | LEE CO.-WATERWAY ESTATES | NRES | 0.00 | 0.04 |
| Lee | LEHIGH ACRES UTILITIES, INC. | NRES | 0.00 | 0.43 |
| Lee | PINE ISLAND WWTP | RESD | 0.00 | 0.25 |
| Lee | PINE ISLAND WWTP | NRES | 0.00 | 0.25 |
| Lee | RESOURCE CONSERVATION SYSTEMS | RESD | 5.63 | 1.23 |
| Lee | RESOURCE CONSERVATION SYSTEMS | NRES | 0.00 | 0.54 |
| Lee | SANIBEL-DONAX | NRES | 0.00 | 0.10 |
| Lee | SANIBEL-DONAX | RESD | 0.00 | 1.99 |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | NRES | 0.00 | 0.50 |
| Lee | WATER INDEPENDENCE FOR CAPE CORAL | RESD | 9.50 | 0.00 |
| Manatee | BRADENTON | RESD | 0.00 | 0.52 |
| Manatee | BRADENTON | NRES | 0.00 | 0.47 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | RESD | 0.00 | 0.50 |
| Manatee | MANATEE CO. MASTER REUSE SYSTEM | NRES | 0.00 | 0.10 |
| Manatee | PALMETTO | RESD | 5.35 | 0.00 |
| Marion | Ocala #2 WRF | RESD | 4.60 | 0.36 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|----------|--------------------------------------|-----------------|----------------------------|--------------------|
| Marion | OCALA #2 WRF | NRES | 0.00 | 0.07 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | NRES | 0.00 | 0.40 |
| Martin | MARTIN CO. CONSOLIDATED REUSE SYSTEM | RESD | 0.00 | 0.40 |
| Martin | MARTIN CO. UTIL.- NORTH | NRES | 0.00 | 0.40 |
| Martin | MARTIN CO. UTIL.- NORTH | RESD | 0.00 | 0.40 |
| Martin | SOUTH MARTIN REGIONAL UTILITY | NRES | 0.00 | 0.90 |
| Monroe | KEY COLONY BEACH, CITY OF | NRES | 800.00 | 0.00 |
| Monroe | KEY WEST RESORT UTILITY | NRES | 0.00 | 0.53 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | RESD | 0.00 | 0.30 |
| Okaloosa | DESTIN WATER USERS/GEORGE FRENCH | NRES | 0.00 | 0.30 |
| Okaloosa | EGLIN A.F.B. MAIN BASE | NA | 0.00 | 0.00 |
| Okaloosa | EGLIN A.F.B. PLEW | NA | 0.00 | 0.00 |
| Orange | APOPKA-PROJECT ARROW | NRES | 0.00 | 0.62 |
| Orange | APOPKA-PROJECT ARROW | RESD | 5.37 | 0.92 |
| Orange | OCOEE STP #2 | RESD | 6.44 | 0.69 |
| Orange | OCUD/NORTHWEST SERVICE AREA | NRES | 0.00 | 3.17 |
| Orange | OCUD/NORTHWEST SERVICE AREA | RESD | 0.00 | 3.17 |
| Orange | OCUD/SOUTH SERVICE AREA | RESD | 3.14 | 0.84 |
| Orange | OCUD/SOUTH SERVICE AREA | NRES | 47.15 | 0.84 |
| Orange | ORLANDO/CONSERV I | NRES | 0.00 | 0.69 |
| Orange | ORLANDO/CONSERV I | RESD | 0.00 | 0.81 |
| Orange | ORLANDO-WATER CONSERV II | NRES | 47.15 | 0.84 |
| Orange | ORLANDO-WATER CONSERV II | RESD | 3.14 | 0.84 |
| Orange | REEDY CREEK IMPROVEMENT DISTRICT | NRES | 0.00 | 0.78 |
| Osceola | HARMONY COMMUNITY DEV. DISTRICT WWTF | NRES | 180.00 | 1.13 |
| Osceola | HARMONY COMMUNITY DEV. DISTRICT WWTF | RESD | 3.50 | 0.90 |
| Osceola | KISSIMMEE/PARKWAY | RESD | 3.50 | 0.90 |
| Osceola | KISSIMMEE/PARKWAY | NRES | 105.00 | 0.90 |
| Osceola | KISSIMMEE/SANDHILL ROAD | NRES | 105.00 | 0.90 |
| Osceola | KISSIMMEE/SANDHILL ROAD | RESD | 3.50 | 0.90 |
| Osceola | POINCIANA (#2 & #3) | RESD | 0.00 | 0.68 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|------------|---|-----------------|----------------------------|--------------------|
| Osceola | ST. CLOUD - LAKESHORE WRF | RESD | 4.64 | 0.59 |
| Osceola | ST. CLOUD - LAKESHORE WRF | NRES | 4.64 | 0.59 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | NRES | 90.00 | 0.90 |
| Osceola | TOHOPEKALIGA WATER AUTHORITY CAMELOT S/D | RESD | 6.00 | 0.90 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | RESD | 0.00 | 0.32 |
| Palm Beach | BOCA RATON (PROJECT IRIS) | NRES | 0.00 | 0.32 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | RESD | 0.00 | 0.39 |
| Palm Beach | LOXAHATCHEE ENV. CONTROL DIST. | NRES | 0.00 | 0.30 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | NRES | 4.00 | 0.15 |
| Palm Beach | PALM BCH CO. SOUTHERN REGIONAL | RESD | 2.50 | 0.15 |
| Palm Beach | SEACOAST UTILITIES PGA | NRES | 6.46 | 0.25 |
| Palm Beach | SOUTH CENTRAL REGIONAL WWTP | RESD | 0.00 | 0.20 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | RESD | 9.75 | 0.00 |
| Pasco | CITY OF NEW PORT RICHEY WWTF | NRES | 9.75 | 0.00 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | RESD | 14.82 | 0.00 |
| Pasco | PASCO CO. MASTER REUSE SYSTEM | NRES | 0.00 | 0.71 |
| Pasco | SEVEN SPRINGS WWTF | NRES | 0.00 | 0.31 |
| Pasco | SEVEN SPRINGS WWTF | RESD | 0.00 | 0.31 |
| Pasco | ZEPHYRHILLS | NRES | 50.00 | 0.16 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | RESD | 15.08 | 0.47 |
| Pinellas | CLEARWATER MASTER URBAN REUSE | NRES | 15.08 | 0.47 |
| Pinellas | DUNEDIN/MAINLAND | NRES | 14.18 | 0.50 |
| Pinellas | DUNEDIN/MAINLAND | RESD | 14.18 | 0.50 |
| Pinellas | LARGO | RESD | 10.00 | 0.00 |
| Pinellas | LARGO | NRES | 28.00 | 0.85 |
| Pinellas | OLDSMAR | RESD | 7.60 | 0.95 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | NRES | 7.00 | 0.29 |
| Pinellas | PINELLAS CO.-SOUTH CROSS BAYOU | RESD | 9.00 | 0.00 |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMAT | RESD | 9.00 | 0.00 |
| Pinellas | PINELLAS CO.-WILLIAM E. DUNN WATER RECLAMAT | NRES | 7.00 | 0.29 |
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | RESD | 14.86 | 0.43 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|------------|--|-----------------|----------------------------|--------------------|
| Pinellas | ST. PETERSBURG MASTER URBAN REUSE SYSTEM | NRES | 14.86 | 0.43 |
| Pinellas | TARPON SPRINGS | RESD | 21.50 | 0.95 |
| Pinellas | TARPON SPRINGS | NRES | 21.50 | 0.95 |
| Polk | HAINES CITY | NRES | 2000.00 | 0.00 |
| Polk | LAKE WALES, CITY OF | NRES | 0.00 | 0.34 |
| Polk | LAKE WALES, CITY OF | RESD | 0.00 | 0.34 |
| Polk | POLK CO.-NORTHEAST REGIONAL | NRES | 0.00 | 0.12 |
| Polk | POLK CO.-NORTHWEST REGIONAL | NRES | 0.00 | 0.12 |
| Polk | POLK CO.-NORTHWEST REGIONAL | RESD | 0.00 | 0.21 |
| Polk | POLK CO.-SW REGIONAL WWTF | RESD | 0.00 | 0.21 |
| Polk | POLK CO.-SW REGIONAL WWTF | NRES | 0.00 | 0.12 |
| Santa Rosa | GULF BREEZE-TIGER POINT | RESD | 5.00 | 0.00 |
| Santa Rosa | PACE WATER SYSTEM #1 | RESD | 10.00 | 0.50 |
| Santa Rosa | PACE WATER SYSTEM #1 | NRES | 0.00 | 0.00 |
| Sarasota | CITY OF NORTH PORT WWTP | NRES | 0.00 | 0.55 |
| Sarasota | CITY OF NORTH PORT WWTP | RESD | 0.00 | 0.55 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | RESD | 0.00 | 0.80 |
| Sarasota | CITY OF VENICE - EAST/PROJECT WAVE | NRES | 0.00 | 0.08 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. RE | RESD | 0.00 | 0.44 |
| Sarasota | SARASOTA CO.-CENTRAL/NORTH SARASOTA CO. RE | NRES | 0.00 | 0.44 |
| Sarasota | SARASOTA CO.-SOUTH GATE | NRES | 0.00 | 0.44 |
| Sarasota | SARASOTA CO.-SOUTH GATE | RESD | 0.00 | 0.44 |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | RESD | 0.00 | 0.44 |
| Sarasota | SARASOTA CO.-VENICE GARDENS #1 | NRES | 0.00 | 0.44 |
| Sarasota | SARASOTA, CITY OF | RESD | 10.30 | 0.85 |
| Sarasota | SARASOTA, CITY OF | NRES | 0.00 | 0.33 |
| Seminole | ALAFAYA | NRES | 0.00 | 0.60 |
| Seminole | ALAFAYA | RESD | 8.24 | 0.00 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | RESD | 12.00 | 0.00 |
| Seminole | ALTAMONTE SPRINGS (PROJECT APRICOT) | NRES | 3.98 | 0.98 |
| Seminole | CASSELBERRY WRF | NRES | 20.95 | 1.56 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|-----------|--------------------------------------|-----------------|----------------------------|--------------------|
| Seminole | CASSELBERRY WRF | RES D | 2.27 | 0.94 |
| Seminole | SANFORD/NORTH | NRES | 3.95 | 0.57 |
| Seminole | SANFORD/NORTH | RES D | 3.95 | 0.57 |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | RES D | 0.00 | 0.46 |
| Seminole | SEMINOLE CO.- NORTHWEST/YANKEE LAKE | NRES | 0.00 | 0.46 |
| Seminole | SEMINOLE CO/GREENWOOD LAKES | NRES | 0.00 | 0.46 |
| Seminole | SEMINOLE CO/GREENWOOD LAKES | RES D | 0.00 | 0.46 |
| Seminole | WEKIVA HUNT CLUB | RES D | 3.65 | 0.39 |
| Seminole | WINTER SPRINGS | RES D | 8.55 | 0.25 |
| Seminole | WINTER SPRINGS EAST | RES D | 8.55 | 0.25 |
| St. Johns | ANASTASIA | NRES | 1500.00 | 0.00 |
| St. Johns | INNLET BEACH | NRES | 0.00 | 0.00 |
| St. Johns | JEA-JULINGTON CREEK | NRES | 0.00 | 0.10 |
| St. Johns | MARSH LANDING @ PONTE VEDRA LAKES | NRES | 0.00 | 0.00 |
| St. Johns | PLAYERS CLUB SOUTH | NRES | 0.00 | 0.00 |
| St. Johns | ST. JOHNS COUNTY SR-16 | NRES | 0.00 | 0.16 |
| St. Lucie | MEADOWOOD/PANTHER WOODS | NRES | 0.00 | 0.00 |
| St. Lucie | PORT ST LUCIE UTIL SOUTHPORT | NRES | 0.00 | 0.28 |
| St. Lucie | PORT ST LUCIE WESTPORT | NRES | 0.00 | 0.53 |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | NRES | 0.00 | 2.62 |
| St. Lucie | ST. LUCIE CO.- NORTH HUTCHINSON | RES D | 0.00 | 2.62 |
| St. Lucie | ST. LUCIE WEST | RES D | 15.60 | 0.00 |
| St. Lucie | ST. LUCIE WEST | NRES | 0.00 | 0.18 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | NRES | 3.39 | 0.00 |
| Volusia | DAYTONA REUSE IMPLEMENTATION PROGRAM | RES D | 3.39 | 0.00 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | RES D | 0.00 | 0.45 |
| Volusia | DELAND REGIONAL (WILEY M NASH) | NRES | 0.00 | 0.45 |
| Volusia | DELAND/BRANDY TRAILS | RES D | 0.00 | 0.45 |
| Volusia | DELAND/BRANDY TRAILS | NRES | 0.00 | 0.45 |
| Volusia | EDGEWATER | RES D | 10.61 | 0.54 |
| Volusia | HOLLY HILL | NRES | 300.00 | 0.10 |

| County | Reuse System Name | Charge Category | \$ Charge/month/connection | \$ Charge/1000 gal |
|-----------------|--------------------------|------------------------|-----------------------------------|---------------------------|
| Volusia | NEW SMYRNA BEACH | NRES | 0.00 | 0.15 |
| Volusia | NEW SMYRNA BEACH | RESD | 10.00 | 0.00 |
| Volusia | ORMOND BEACH | NRES | 644.50 | 0.09 |
| Volusia | ORMOND BEACH | RESD | 16.00 | 0.00 |
| Volusia | PORT ORANGE | NRES | 304.70 | 0.50 |
| Volusia | PORT ORANGE | RESD | 8.75 | 0.50 |
| Volusia | VCUD/DELTONA NORTH | NRES | 0.00 | 0.10 |
| Volusia | VCUD/SOUTHWEST REGIONAL | NRES | 0.00 | 0.10 |
| Averages | | | \$40.88 /month/connection | \$0.45 /1000 gal |

Appendix I. Disposal Facilities (Domestic Wastewater Treatment Facilities With No Reuse)

| County Name | Facility ID | Domestic WWTF Name | DEP District | WMD | Cap (MGD) | Flow (mgd) | Current Data? (Y/N) |
|------------------|-------------|-------------------------------------|--------------|--------|-----------|------------|---------------------|
| BAKER | FL0040495 | MACCLENNY, CITY OF | NED | SJRWMD | 1.30 | 0.71 | Y |
| County Subtotals | | | | | 1.30 | 0.71 | |
| BAY | FL0170909 | MILLVILLE AWT FACILITY, THE CITY OF | NWD | NFWWMD | 5.00 | 2.70 | Y |
| County Subtotals | | | | | 5.00 | 2.70 | |
| BROWARD | FL0040398 | COOPER CITY WEST WWTP | SED | SFWMD | 3.10 | 2.68 | Y |
| BROWARD | FLA041301 | CORAL SPRINGS IMP.DIST. WWTF | SED | SFWMD | 6.00 | 4.78 | N |
| BROWARD | FLA013583 | FERNCREST WWTF | SED | SFWMD | 0.60 | 0.40 | N |
| BROWARD | FLA041378 | FORT LAUDERDALE - G.T. LOHMEYER | SED | SFWMD | 43.00 | 8.28 | N |
| BROWARD | FLA169617 | MARGATE, CITY OF EAST WWTP | SED | SFWMD | 2.20 | 2.81 | N |
| BROWARD | FLA041289 | MARGATE,CITY OF WEST WWTP | SED | SFWMD | 10.00 | 7.28 | N |
| BROWARD | FLA013575 | PEMBROKE PINES, CITY OF WWTP | SED | SFWMD | 9.50 | 4.30 | N |
| BROWARD | FLA041947 | SUNRISE NO.1 WWTP (SPRINGTREE) | SED | SFWMD | 10.00 | 8.27 | N |
| BROWARD | FLA042641 | SUNRISE NO.3 WWTP (SAWGRASS) | SED | SFWMD | 20.00 | 13.58 | N |
| BROWARD | FL0040541 | TOWN OF DAVIE WWTP | SED | SJRWMD | 5.00 | 3.45 | Y |
| County Subtotals | | | | | 109.40 | 55.82 | |
| CALHOUN | FL0026867 | BLOUNTSTOWN, CITY OF (STP) | NWD | NFWWMD | 1.50 | 0.46 | Y |
| County Subtotals | | | | | 1.50 | 0.46 | |
| CHARLOTTE | FLA118371 | PUNTA GORDA WWTP | SD | SFWMD | 3.20 | 1.72 | Y |
| County Subtotals | | | | | 3.20 | 1.72 | |
| CITRUS | FLA011844 | BRENTWOOD UTILITIES | SWD | SFWMD | 0.50 | 0.29 | Y |
| County Subtotals | | | | | 0.50 | 0.29 | |
| CLAY | FL0022853 | CAMP BLANDING WWTP | NED | SJRWMD | 0.90 | 0.10 | Y |
| CLAY | FL0025151 | CCUA-MILLER STREET WWTP | NED | SJRWMD | 5.00 | 3.05 | Y |
| CLAY | FL0030210 | GREEN COVE SPRINGS SOUTH WWTF | NED | SJRWMD | 0.50 | 0.23 | Y |
| CLAY | FL0023922 | ORANGE PARK WWTF | NED | SJRWMD | 2.50 | 0.90 | Y |
| CLAY | FLA011383 | PARK OF THE PALMS | NED | SJRWMD | 0.33 | 0.01 | Y |
| County Subtotals | | | | | 9.23 | 4.29 | |
| DIXIE | FL0027791 | CROSS CITY #1, CITY OF | NED | SRWMD | 0.40 | 0.24 | N |
| DIXIE | FLA016664 | SUWANNEE WATER AND SEWER DISTRI | NED | SRWMD | 0.25 | 0.02 | Y |
| County Subtotals | | | | | 0.65 | 0.26 | |

| County Name | Facility ID | Domestic WWTF Name | DEP District | WMD | Cap (MGD) | Flow (mgd) | Current Data? (Y/N) |
|------------------|-------------|--------------------------------------|--------------|--------|-----------|------------|---------------------|
| DUVAL | FL0023248 | ATLANTIC BEACH-BUCCANEER WWTF | NED | SJRWMD | 1.90 | 0.71 | Y |
| DUVAL | FL0038776 | ATLANTIC BEACH-MAIN WWTF | NED | SJRWMD | 3.00 | 1.65 | Y |
| DUVAL | FL0027812 | BALDWIN, TOWN OF | NED | SJRWMD | 0.40 | 0.22 | Y |
| DUVAL | FL0026778 | BEACON HILLS WWTF | NED | SJRWMD | 1.30 | 0.72 | Y |
| DUVAL | FL0023221 | JEA - JACKSONVILLE INTERNATIONAL A | NED | SJRWMD | 0.20 | 0.12 | N |
| DUVAL | FL0023621 | JEA-HOLLY OAKS SUBDIVISION | NED | SJRWMD | 1.00 | 1.01 | N |
| DUVAL | FL0023604 | JEA-MONTEREY WWTF | NED | SJRWMD | 3.60 | 1.66 | Y |
| DUVAL | FL0025828 | JEA-ORTEGA HILLS SUBDIVISION | NED | SJRWMD | 0.22 | 0.08 | N |
| DUVAL | FL0026751 | JEA-ROYAL LAKES SUBDIVISION | NED | SJRWMD | 3.50 | 1.99 | Y |
| DUVAL | FL0023663 | JEA-SAN JOSE SUBDIVISION | NED | SJRWMD | 2.25 | 1.38 | Y |
| DUVAL | FL0024767 | JEA-SAN PABLO WWTF | NED | SJRWMD | 0.50 | 0.54 | N |
| DUVAL | FL0020427 | NEPTUNE BEACH WWTF | NED | SJRWMD | 1.50 | 0.58 | Y |
| DUVAL | FL0000922 | USN MAYPORT | NED | SJRWMD | 2.00 | 0.81 | Y |
| DUVAL | FL0026786 | WOODMERE SUBDIVISION | NED | SJRWMD | 0.70 | 0.41 | N |
| County Subtotals | | | | | 22.07 | 11.88 | |
| ESCAMBIA | FL0032468 | CENTURY, TOWN OF | NWD | NWFWMD | 0.45 | 0.38 | Y |
| ESCAMBIA | FL0002500 | US NAS PENSACOLA | NWD | NWFWMD | 2.35 | 1.03 | Y |
| County Subtotals | | | | | 2.80 | 1.41 | |
| FLAGLER | FL0039756 | BEVERLY BEACH - OCEAN CITY UTILITI | NED | SJRWMD | 0.22 | 0.04 | Y |
| FLAGLER | FL0020907 | BUNNELL, CITY OF | NED | SJRWMD | 0.60 | 0.28 | Y |
| FLAGLER | FL0026611 | FLAGLER BEACH, CITY OF | NED | SJRWMD | 1.00 | 0.49 | Y |
| County Subtotals | | | | | 1.82 | 0.80 | |
| FRANKLIN | FL0038857 | APALACHICOLA, CITY OF | NWD | NWFWMD | 2.00 | 0.24 | Y |
| County Subtotals | | | | | 2.00 | 0.24 | |
| GADSDEN | FL0027669 | CHATTAHOOCHEE, CITY OF (STP) | NWD | NWFWMD | 0.40 | 0.32 | Y |
| GADSDEN | FL0031402 | FLORIDA STATE HOSPITAL | NWD | NWFWMD | 1.30 | 0.34 | Y |
| County Subtotals | | | | | 1.70 | 0.65 | |
| GULF | FL0020206 | PORT ST JOE, CITY OF (REUSE IN 2008) | NWD | NWFWMD | 34.75 | 3.51 | Y |
| GULF | FL0020125 | WEWAHITCHKA, CITY OF (STP) | NWD | NWFWMD | 0.20 | 0.09 | Y |
| County Subtotals | | | | | 34.95 | 3.60 | |
| HAMILTON | FL0027880 | JASPER, CITY OF | NED | SRWMD | 1.20 | 0.55 | Y |
| HAMILTON | FLA116220 | WHITE SPRINGS, TOWN OF | NED | SRWMD | 0.15 | 0.03 | Y |
| County Subtotals | | | | | 1.35 | 0.58 | |

| County Name | Facility ID | Domestic WWTF Name | DEP District | WMD | Cap (MGD) | Flow (mgd) | Current Data? (Y/N) |
|------------------|-------------|-----------------------------------|--------------|--------|-----------|------------|---------------------|
| HIGHLANDS | FL0040029 | AVON PARK CORRECTIONAL INSTITUTI | SD | SFWMD | 0.50 | 0.31 | N |
| HIGHLANDS | FLA014328 | HIGHLANDS UTILITY CO. AKA WESTERN | SD | SFWMD | 0.20 | 0.07 | Y |
| HIGHLANDS | FLA014309 | SEBRING AIRPORT AUTHORITY | SD | SFWMD | 0.10 | 0.03 | Y |
| HIGHLANDS | FLA143391 | VILLAGES OF HIGHLANDS RIDGE | SD | SFWMD | 0.20 | 0.04 | Y |
| County Subtotals | | | | | 1.00 | 0.44 | |
| HOLMES | FL0027731 | BONIFAY, CITY OF (STP) | NWD | NFWWMD | 1.40 | 0.64 | Y |
| County Subtotals | | | | | 1.40 | 0.64 | |
| JACKSON | FL0038555 | GRACEVILLE CITY OF WWTP | NWD | NFWWMD | 1.10 | 0.42 | Y |
| County Subtotals | | | | | 1.10 | 0.42 | |
| LEE | FL0021270 | FORT MYERS SOUTH AWWTP | SD | SFWMD | 12.00 | 8.79 | Y |
| County Subtotals | | | | | 12.00 | 8.79 | |
| MARION | FLA010735 | ASSOCIATED GROCERS OF FLORIDA | CD | SWFWMD | 0.20 | 0.00 | Y |
| MARION | FLA010757 | ROLLING GREENS MHP | CD | SJRWMD | 0.25 | 0.12 | Y |
| County Subtotals | | | | | 0.45 | 0.12 | |
| MIAMI-DADE | FLA013641 | AMERICANA VILLAGE CONDO ASSOC. | SED | SFWMD | 0.20 | 0.13 | Y |
| MIAMI-DADE | FLA013637 | CRICKET CLUB CONDOMINIUM | SED | SFWMD | 0.11 | 0.07 | Y |
| County Subtotals | | | | | 0.31 | 0.20 | |
| MONROE | FLA147117 | BOCA CHICA NAVAL AIR STATION | SD | SFWMD | 0.44 | 0.14 | N |
| MONROE | FLA014867 | KEY HAVEN UTILITY | SD | SFWMD | 0.20 | 0.11 | N |
| MONROE | FLA015009 | NORTH KEY LARGO W.W.T.P. | SD | SFWMD | 0.55 | 0.33 | N |
| MONROE | FL0025976 | RICHARD A. HEYMAN WWTP -KEY WES | SD | SFWMD | 10.00 | 4.85 | Y |
| County Subtotals | | | | | 11.19 | 5.43 | |
| NASSAU | FL0038407 | CALLAHAN, TOWN OF | NED | SJRWMD | 0.30 | 0.22 | Y |
| NASSAU | FL0027260 | FERNANDINA BEACH, CITY OF | NED | SJRWMD | 3.50 | 1.79 | Y |
| NASSAU | FL0043079 | HILLIARD | NED | SJRWMD | 0.32 | 0.33 | Y |
| NASSAU | FL0032654 | MARSH COVE WWTF | NED | SJRWMD | 0.12 | 0.02 | Y |
| County Subtotals | | | | | 4.24 | 2.35 | |
| PINELLAS | FL0034789 | MID-COUNTY SERVICES INC.(DYNA-FLO | SWD | SWFWMD | 0.90 | 0.65 | Y |
| County Subtotals | | | | | 0.90 | 0.65 | |
| POLK | FL0020338 | MULBERRY, CITY OF WWTP | SWD | SWFWMD | 0.75 | 0.29 | Y |
| POLK | FLA013012 | SKYVIEW UTILITIES LTD | SWD | SWFWMD | 0.40 | 0.25 | N |
| POLK | FLA013009 | VILLAGE - LAKELAND THE | SWD | SWFWMD | 0.10 | 0.03 | Y |

| County Name | Facility ID | Domestic WWTF Name | DEP District | WMD | Cap (MGD) | Flow (mgd) | Current Data? (Y/N) |
|------------------|-------------|--------------------------------|--------------|--------|---------------|---------------|---------------------|
| County Subtotals | | | | | 1.25 | 0.57 | |
| SANTA ROSA | FL0021903 | MILTON, CITY OF | NWD | NWFWMD | 2.50 | 1.40 | Y |
| County Subtotals | | | | | 2.50 | 1.40 | |
| SARASOTA | FL0025755 | SIESTA KEY UTILITIES AUTHORITY | SWD | SWFWMD | 2.70 | 1.16 | Y |
| County Subtotals | | | | | 2.70 | 1.16 | |
| SEMINOLE | FL0025917 | LINCOLN HEIGHTS S/D | CD | SJRWMD | 0.12 | 0.07 | N |
| County Subtotals | | | | | 0.12 | 0.07 | |
| ST. JOHNS | FL0042315 | HASTINGS, TOWN OF | NED | SJRWMD | 0.12 | 0.09 | Y |
| County Subtotals | | | | | 0.12 | 0.09 | |
| WASHINGTON | FL0027570 | CHIPLEY, CITY OF | NWD | NWFWMD | 1.20 | 0.49 | Y |
| County Subtotals | | | | | 1.20 | 0.49 | |
| Totals | | | | | 237.94 | 108.24 | |

Note: ND = No Flow Data Available

Appendix J. Cross-Connection Control Activities

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|--|--|-----------------------------------|-------------------------------------|------------------------|-----------------------------------|---|
| ADVENT CHRISTIAN HOME | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| ALACHUA | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| ALAFAYA | Yes | Yes | 0 | 0 | 123 | 123 | 1159 |
| ALTAMONTE SPRINGS (PROJECT APRIC | Yes | Yes | 1 | 1 | 9 | 9 | 5825 |
| APOPKA-PROJECT ARROW | Yes | Yes | 0 | 0 | 590 | 590 | 2000 |
| AQUASOURCE/FRUITVILLE WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 50 |
| AUBURNDALE ALLRED WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| AUBURNDALE REGIONAL WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| AVE MARIE UTILITY CO | Yes | Yes | 0 | 0 | 101 | 101 | 0 |
| BAY POINT | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|-----------------------------|---|---|--|--|-------------------------------|--|--|
| BCUD/BAREFOOT BAY | Yes | Yes | 0 | 0 | 0 | 0 | 52 |
| BCUD/NORTH BREVARD REGIONAL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| BCUD/PORT ST. JOHN | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| BCUD/SOUTH BEACHES | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| BCUD/SOUTH CENTRAL REGIONAL | Yes | Yes | 0 | 0 | 144 | 144 | 75 |
| BCUD/SYKES CREEK | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| BELLEVIEW | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| BOCA RATON (PROJECT IRIS) | No | Yes | 2 | 2 | 38 | 38 | 1 |
| BRADENTON | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| BROWARD CO. NORTH REGIONAL | Yes | Yes | 0 | 0 | 1 | 1 | 14 |
| CAMELOT LAKES | Yes | Yes | 0 | 0 | 0 | 0 | 30 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------|---|---|--|--|-------------------------------|--|--|
| CAPE CANAVERAL | Yes | Yes | 0 | 0 | 3 | 3 | 310 |
| CASSELBERRY WRF | Yes | Yes | 0 | 0 | 102 | 102 | 0 |
| CCUA-FLEMING ISLAND | Yes | Yes | 0 | 0 | 431 | 431 | 19 |
| CCUA-MID-CLAY REGIONAL | Yes | Yes | 0 | 0 | 268 | 268 | 20 |
| CCUA-RAVINES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CCUA-SPENCER | Yes | Yes | 0 | 0 | 871 | 871 | 19 |
| CEDAR KEY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CHARLOTTE CO.-BURNT STORE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CHARLOTTE CO.-EASTPORT | Yes | Yes | 0 | 0 | 81 | 81 | 119 |
| CHARLOTTE CO.-ROTONDA WEST | Yes | Yes | 0 | 0 | 0 | 0 | 2 |
| CHARLOTTE CO.-WEST PORT | Yes | Yes | 0 | 0 | 0 | 0 | 2 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| CHARLOTTE CORRECTIONAL INSTITUTI | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CITY OF COCOA RECLAIMED WATER SY | Yes | Yes | 0 | 0 | 94 | 94 | 741 |
| CITY OF MIRAMAR WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| CITY OF NAPLES I | Yes | Yes | 0 | 0 | 0 | 0 | 120 |
| CITY OF NEW PORT RICHEY WWTF | Yes | Yes | 0 | 0 | 22 | 22 | 219 |
| CITY OF NORTH PORT WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CLEARWATER MASTER URBAN REUSE | Yes | Yes | 0 | 0 | 357 | 357 | 1881 |
| CLERMONT - EAST | Yes | Yes | 0 | 0 | 0 | 0 | 2095 |
| COCOA BEACH WRF | Yes | Yes | 0 | 0 | 41 | 41 | 502 |
| COLLIER CO.-NORTH | Yes | Yes | 2 | 2 | 5 | 5 | 320 |
| COLLIER CO.-SOUTH | Yes | Yes | 0 | 0 | 2 | 2 | 100 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| COLUMBIA CORRECTIONAL INSTITUTIO | Yes | Yes | 0 | 0 | 0 | 0 | 18 |
| CROSS CREEK COUNTRY CLUB | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CW UTILITY - COUNTRY MEADOWS/GO | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| CYPRESS LAKES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| DADE CITY | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| DAYTONA REUSE IMPLEMENTATION PR | Yes | Yes | 0 | 0 | 276 | 274 | 0 |
| DEFUNIAK SPRINGS, CITY OF (STP) | No | Yes | 0 | 0 | 0 | 0 | 0 |
| DELAND REGIONAL (WILEY M NASH) | Yes | Yes | 0 | 0 | 1 | 1 | 14 |
| DELAND/BRANDY TRAILS | Yes | Yes | 0 | 0 | 0 | 0 | 2 |
| DELTONA LAKES | Yes | Yes | 2 | 2 | 0 | 0 | 401 |
| DUCK KEY (HAWK'S CAY) | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|-----------------------------------|---|---|--|--|-------------------------------|--|--|
| DUNEDIN/MAINLAND | Yes | Yes | 0 | 0 | 76 | 76 | 3125 |
| EAGLE RIDGE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| EDGEWATER | Yes | Yes | 0 | 0 | 19 | 19 | 231 |
| EGLIN A.F.B. AUX FIELD #3 | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| ENGLEWOOD WATER DISTRICT SOUTH | Yes | Yes | 0 | 0 | 5 | 5 | 70 |
| FAIRWAYS COUNTRY CLUB | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| FLORIDA WATER SERVICES/AMELIA ISL | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| FOREST LAKES (LABRADOR) | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| FOREST UTILITIES | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| FORT MYERS BEACH | Yes | Yes | 0 | 0 | 0 | 0 | 365 |
| FORT MYERS CITY CENTRAL | Yes | Yes | 0 | 0 | 0 | 0 | 5 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|-------------------------------|---|---|--|--|-------------------------------|--|--|
| FORT PIERCE UTILITY AUTHORITY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| FT. WALTON BEACH WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| GASPARILLA ISLAND WATER | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| GRAND HAVEN CDD WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| GRENELEFE GOLF & RACQUET CLUB | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| GRU - KANAPAHA | Yes | Yes | 0 | 0 | 20 | 20 | 0 |
| GRU - MAIN STREET | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| GULF BREEZE-TIGER POINT | Yes | Yes | 0 | 0 | 37 | 37 | 0 |
| HAINES CITY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HAMMOCK DUNES | Yes | Yes | 0 | 0 | 40 | 40 | 783 |
| HARBOUR RIDGE P.U.D. | Yes | Yes | 0 | 0 | 0 | 0 | 50 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|------------------------------------|---|---|--|--|-------------------------------|--|--|
| HARMONY COMMUNITY DEV. DISTRICT | Yes | Yes | 0 | 0 | 0 | 0 | 344 |
| HENDRY CORRECTIONAL INSTITUTION | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HERNANDO CO./SPRING HILL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HILLS. CO./NORTHWEST REUSE SYSTEM | Yes | Yes | 0 | 0 | 801 | 801 | 0 |
| HILLS. CO./SOUTH-CENTRAL REUSE SYS | Yes | Yes | 0 | 0 | 367 | 367 | 0 |
| HOLLEY-NAVARRE WASTEWATER SYST | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HOLLY HILL | Yes | Yes | 0 | 0 | 0 | 0 | 4 |
| HOLLYWOOD | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HUNTER'S RIDGE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HURLBURT FIELD AIR FORCE BASE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| HUTCHINSON - ISLAND DUNES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| IMMOKALEE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| INDIAN RIVER PLANTATION | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| INNLET BEACH | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| IRCUD/WEST REGIONAL WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| JACKSON CORRECTIONAL INSTITUTION | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| JAMAICA BAY WEST | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| JEA-ARLINGTON EAST | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| JEA-JULINGTON CREEK | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| JEA-MANDARIN | Yes | Yes | 0 | 0 | 377 | 377 | 3 |
| KEY COLONY BEACH, CITY OF | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| KEY WEST RESORT UTILITY | Yes | Yes | 0 | 0 | 0 | 0 | 365 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|---------------------------------|---|---|--|--|-------------------------------|--|--|
| KISSIMMEE GOOD SAMARITAN RETIRE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| KISSIMMEE/PARKWAY | Yes | Yes | 0 | 0 | 363 | 363 | 560 |
| KISSIMMEE/SANDHILL ROAD | Yes | Yes | 0 | 0 | 897 | 897 | 470 |
| KISSIMMEE-BUENAVENTURA LAKES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LADY LAKE WWTF | Yes | No | 0 | 0 | 0 | 0 | 0 |
| LAKE ALFRED | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LAKE FAIRWAYS FFEC SIX | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LAKE GROVES UTILITIES, STP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LAKE SUZY WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LAKE WALES UTIL. CO/NALCREST | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LAKE WALES, CITY OF | Yes | Yes | 0 | 0 | 7 | 7 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| LANCASTER CORRECTIONAL INSTITUTI | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LARGO | Yes | Yes | 0 | 0 | 156 | 156 | 0 |
| LEE CO. - FIESTA VILLAGE | Yes | Yes | 0 | 0 | 1 | 1 | 365 |
| LEESBURG/CANAL STREET WWTF | Yes | Yes | 0 | 0 | 331 | 331 | 482 |
| LEHIGH ACRES UTILITIES, INC. | Yes | Yes | 0 | 0 | 1 | 1 | 2 |
| LITTLE SUMTER UTILITY CO. WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| LIVE OAK | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| LOXAHATCHEE ENV. CONTROL DIST. | Yes | Yes | 0 | 0 | 87 | 87 | 146 |
| LYNN HAVEN | Yes | Yes | 0 | 0 | 54 | 54 | 0 |
| MAINLAND (S.R. 207) | Yes | No | 0 | 0 | 0 | 0 | 0 |
| MANATEE CO. MASTER REUSE SYSTEM | Yes | Yes | 1 | 1 | 358 | 358 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| MARCO ISLAND UTILITIES | Yes | Yes | 0 | 0 | 7 | 7 | 0 |
| MARION/OAK RUN | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MARSH LANDING @ PONTE VEDRA LAK | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MARTIN CO. CONSOLIDATED REUSE SY | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| MARTIN CO. UTIL.- NORTH | Yes | Yes | 0 | 0 | 1 | 1 | 8 |
| MARTIN CORRECTIONAL INSTITUTION | Yes | No | 0 | 0 | 0 | 0 | 0 |
| MDWASD NORTH DISTRICT | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MDWASD SOUTH DISTRICT | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MEADOWOOD/PANTHER WOODS | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MELBOURNE/NORTH SERVICE AREA | Yes | Yes | 0 | 0 | 72 | 72 | 1176 |
| MELBOURNE/SOUTH SERVICE AREA | Yes | Yes | 0 | 0 | 0 | 0 | 2 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|-----------------------------------|---|---|--|--|-------------------------------|--|--|
| MILES GRANT CONDO | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MILITARY POINT REGIONAL AWT FACIL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| MOUNT DORA #1 WWTF | Yes | Yes | 0 | 0 | 189 | 189 | 1 |
| NASSAU REGIONAL (SUN RAY) | Yes | No | 0 | 0 | 1 | 1 | 0 |
| NEW SMYRNA BEACH | Yes | Yes | 0 | 0 | 162 | 162 | 732 |
| NICEVILLE/VALPARAISO REGIONAL | Yes | Yes | 0 | 0 | 8 | 8 | 4 |
| NORTH BEACH UTILITIES | No | Yes | 0 | 0 | 0 | 0 | 0 |
| NORTH FORT MYERS UTILITY | Yes | Yes | 0 | 0 | 1 | 1 | 3 |
| NORTH SUMTER WRF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| OCALA #1 WWTP | No | No | 0 | 0 | 0 | 0 | 0 |
| OCALA #2 WRF | Yes | Yes | 0 | 0 | 4 | 4 | 4 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|--------------------------------|---|---|--|--|-------------------------------|--|--|
| OCALA #3 WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| OCOEE STP #2 | Yes | Yes | 0 | 0 | 173 | 173 | 0 |
| OCUD/NORTHWEST SERVICE AREA | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| OCUD/SOUTH SERVICE AREA | Yes | Yes | 0 | 0 | 252 | 252 | 614 |
| OKEECHOBEE | No | No | 0 | 0 | 0 | 0 | 0 |
| OLDSMAR | Yes | Yes | 0 | 0 | 53 | 53 | 1323 |
| ON TOP OF THE WORLD | Yes | Yes | 0 | 0 | 0 | 0 | 256 |
| ON TOP OF THE WORLD/BAY LAUREL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| ORLANDO-WATER CONSERV II | Yes | Yes | 0 | 0 | 620 | 620 | 1250 |
| ORMOND BEACH | Yes | Yes | 0 | 0 | 41 | 41 | 0 |
| PACE WATER SYSTEM #1 | Yes | Yes | 0 | 0 | 49 | 49 | 38 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|--------------------------------|---|---|--|--|-------------------------------|--|--|
| PALM BAY | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| PALM BCH CO. SOUTHERN REGIONAL | Yes | Yes | 0 | 0 | 4 | 4 | 0 |
| PALM COAST | Yes | Yes | 0 | 0 | 0 | 0 | 2 |
| PALM VALLEY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PALMETTO | Yes | Yes | 0 | 0 | 125 | 125 | 20 |
| PANAMA CITY BEACH | Yes | Yes | 1 | 1 | 53 | 53 | 308 |
| PASCO CO. MASTER REUSE SYSTEM | Yes | Yes | 20 | 20 | 796 | 796 | 3655 |
| PEBBLE CREEK VILLAGE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PENNBROOKE WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PERRY, CITY OF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PINE ISLAND WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|-----------------------------------|---|---|--|--|-------------------------------|--|--|
| PINELLAS CO. - BELLEAIR | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PINELLAS CO.-SOUTH CROSS BAYOU | Yes | Yes | 1 | 1 | 762 | 762 | 226 |
| PINELLAS CO.-WILLIAM E. DUNN WATE | Yes | Yes | 0 | 0 | 172 | 172 | 0 |
| PLANT CITY WRF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PLAYERS CLUB SOUTH | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POINCIANA #5 | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POINCIANA (#2 & #3) | Yes | Yes | 0 | 0 | 609 | 609 | 0 |
| POINCIANA INDUSTRIAL PARK #1 | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POINT OF WOODS UTILITIES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POINT WASHINGTON | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POLK CO.-CENTRAL REGIONAL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| POLK CO.-NORTHEAST REGIONAL | Yes | Yes | 0 | 0 | 52 | 52 | 999 |
| POLK CO.-NORTHWEST REGIONAL | Yes | Yes | 0 | 0 | 153 | 153 | 701 |
| POLK CO.-OAK HILL ESTATES | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POLK CO.-SUN RAY WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POLK CO.-SW REGIONAL WWTF | Yes | Yes | 0 | 0 | 10 | 10 | 684 |
| POLK CO.-U.S. 27-192 (POLO PARK) | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POLK CO.-WAVERLY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| POMPANO BEACH | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PONTE VEDRA | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PORT LABELLE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PORT ORANGE | Yes | Yes | 0 | 0 | 355 | 355 | 6533 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| PORT ST LUCIE UTIL SOUTHPORT | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| PORT ST LUCIE WESTPORT | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| RAINBOW SPRINGS FIFTH REPLAT WWT | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| RAY BULLARD WRF | Yes | Yes | 0 | 0 | 232 | 232 | 2104 |
| REEDY CREEK IMPROVEMENT DISTRIC | Yes | Yes | 0 | 0 | 2 | 2 | 107 |
| RESOURCE CONSERVATION SYSTEMS | Yes | Yes | 0 | 0 | 2 | 2 | 50 |
| RICE CREEK UTILITY COMPANY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| RIVER PARK MHP | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| RIVERWOODS UTILITIES | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| ROCKLEDGE | Yes | Yes | 2 | 2 | 49 | 49 | 25 |
| SANDALHAVEN/WILDFLOWER CC | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|---------------------------------|---|---|--|--|-------------------------------|--|--|
| SANDESTIN UTILITY COMPANY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SANDY CREEK RANCH | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SANFORD/NORTH | Yes | Yes | 1 | 1 | 283 | 283 | 288 |
| SANIBEL-DONAX | Yes | Yes | 0 | 0 | 10 | 10 | 0 |
| SANIBEL-WULFERT | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| SARASOTA CO.-CENTRAL/NORTH SARA | Yes | Yes | 0 | 0 | 1 | 1 | 0 |
| SARASOTA CO.-SOUTH GATE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SARASOTA CO.-VENICE GARDENS #1 | Yes | Yes | 0 | 0 | 1 | 1 | 7 |
| SARASOTA, CITY OF | Yes | Yes | 0 | 0 | 13 | 13 | 126 |
| SAWGRASS | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| SEACREST | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| SEMINOLE CO.- NORTHWEST/YANKEE L | Yes | Yes | 0 | 0 | 6 | 6 | 34 |
| SEMINOLE CO/GREENWOOD LAKES | Yes | Yes | 0 | 0 | 1 | 1 | 43 |
| SEVEN SPRINGS WWTF | Yes | Yes | 0 | 0 | 21 | 21 | 100 |
| SILVER SPRINGS REGIONAL, WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SNEADS, TOWN OF (STP) | No | No | 0 | 0 | 0 | 0 | 0 |
| SOUTH CENTRAL REGIONAL WWTP | Yes | Yes | 0 | 0 | 1 | 1 | 1 |
| SOUTH SEAS PLANTATION | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SOUTH WALTON UTILITY COMPANY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SOUTHLAKE COMMUNITY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SPANISH LAKES FAIRWAYS | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| ST. CLOUD - LAKESHORE WRF | Yes | Yes | 0 | 0 | 675 | 675 | 2523 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| ST. JOHNS COUNTY SR-16 | No | No | 0 | 0 | 0 | 0 | 0 |
| ST. LUCIE CO.- NORTH HUTCHINSON | Yes | Yes | 0 | 0 | 1 | 1 | 12 |
| ST. LUCIE CO.- SOUTH HUTCHINSON | Yes | Yes | 0 | 0 | 0 | 0 | 12 |
| ST. LUCIE WEST | Yes | Yes | 0 | 0 | 146 | 146 | 0 |
| ST. LUCIE-NORTH (HOLIDAY PINES) | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| ST. PETERSBURG MASTER URBAN REUS | Yes | Yes | 0 | 0 | 134 | 134 | 10077 |
| SUMMERGLEN WWTF | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| SUMTER CORRECTIONAL INSTITUTION | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| SUNSHINE PARKWAY | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| T.P. SMITH | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| TAMPA/HOWARD F. CURREN | Yes | Yes | 1 | 1 | 339 | 339 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|----------------------------------|---|---|--|--|-------------------------------|--|--|
| TARPON SPRINGS | Yes | Yes | 0 | 0 | 31 | 31 | 747 |
| THE GREAT OUTDOORS GOLF/R V RESO | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| TITUSVILLE REUSE SYSTEM | Yes | Yes | 0 | 0 | 121 | 121 | 1031 |
| TOHOPEKALIGA WATER AUTHORITY C | Yes | Yes | 1 | 1 | 543 | 543 | 2474 |
| TRAVELER'S REST RV PARK WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 2 |
| UNIV. OF FLORIDA/LAKE ALICE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| USN NAS JACKSONVILLE | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| VCUD/DELTONA NORTH | Yes | Yes | 0 | 0 | 0 | 0 | 3 |
| VCUD/SOUTHEAST REGIONAL | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| VERO BEACH, CITY OF | Yes | Yes | 0 | 0 | 0 | 0 | 9 |
| VILLAGE OF WELLINGTON WWTP | Yes | Yes | 0 | 0 | 0 | 0 | 0 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|---------------------------------|---|---|--|--|-------------------------------|--|--|
| VILLAGES | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| WATER INDEPENDENCE FOR CAPE COR | Yes | Yes | 63 | 63 | 1644 | 1644 | 1249 |
| WEDGEFIELD SUBDIVISION | Yes | Yes | 0 | 0 | 0 | 0 | 1 |
| WEKIVA HUNT CLUB | Yes | Yes | 0 | 0 | 14 | 14 | 5 |
| WILDWOOD | Yes | Yes | 0 | 0 | 0 | 0 | 3 |
| WILLIAM TYSON (ARCADIA) | Yes | Yes | 0 | 0 | 8 | 8 | 0 |
| WINTER GARDEN, CITY OF (DW) | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| WINTER HAVEN #2 | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| WINTER HAVEN #3 | No | Yes | 0 | 0 | 0 | 0 | 0 |
| WINTER PARK | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| WINTER SPRINGS | Yes | Yes | 0 | 0 | 1 | 1 | 27 |

| Reuse System Name | Enforced Cross-Connection Control Program? | Accepted Cross-Connection Control Program? | No. of Cross-Connections Reported | No. of Cross-Connections Eliminated | No. of New Connections | No. of New Connection Inspections | No. of Existing Connections Reinspected |
|--------------------------|---|---|--|--|-------------------------------|--|--|
| WINTER SPRINGS EAST | Yes | Yes | 0 | 0 | 0 | 0 | 680 |
| ZEPHYRHILLS | Yes | Yes | 0 | 0 | 0 | 0 | 0 |
| Totals | | | 98 | 98 | 16566 | 16564 | 63843 |

Appendix K. Codes, Abbreviations, and Defaults Used in the Database and in the Appendices

I. DEP District Offices

| | |
|-----|-----------------------------|
| JAX | Jacksonville (Northeast) |
| PEN | Pensacola (Northwest) |
| ORL | Orlando (Central) |
| WPB | West Palm Beach (Southeast) |
| TPA | Tampa (Southwest) |
| FTM | Fort Myers (South) |

II. Water Management Districts

| | |
|--------|---------------------------------|
| NFWMD | Northwest Florida (Havana) |
| SFWMD | South Florida (West Palm Beach) |
| SJRWMD | St. Johns River (Palatka) |
| SRWMD | Suwannee River (Live Oak) |
| SWFWMD | Southwest Florida (Brooksville) |

III. Disinfection Levels

| | |
|----|--|
| HI | High-level disinfection, as described in Rule 62-600.440(5), FAC |
| IM | Intermediate disinfection, as described in Rule 62-600.440(6), FAC |
| BA | Basic disinfection, as described in Rule 62-600.440(4), FAC |
| LL | Low-level disinfection, as described in Rule 62-600.440(7), FAC |
| HB | Combination of high-level and basic disinfection |
| NA | Information not available |

IV. Reuse Types

| | |
|---------|--|
| PAA&LI | Public Access Areas & Landscape Irrigation |
| AI | Agricultural Irrigation |
| GWR&IPR | Ground Water Recharge & Indirect Potable Reuse |
| IND | Industrial |
| TF | Toilet Flushing |
| FP | Fire Protection |
| WL | Wetlands |
| OTH | Other |

V. Reuse Sub-Types

| | |
|------|----------------------------|
| GCI | Golf Course Irrigation |
| RI | Residential Irrigation |
| OPAA | Other Public Access Areas |
| EC | Edible Crops |
| OC | Other Crops |
| RIB | Rapid Infiltration Basins |
| AF | Absorption Fields |
| SWA | Surface Water Augmentation |
| INJ | Injection |
| ATP | At Treatment Plant |
| AOF | At Other Facilities |

VI. Parts of Chapter 62-610, F.A.C.

| | |
|-----|--|
| II | Slow-rate Land Application Systems; Restricted Public Access |
| III | Slow-rate Land Application Systems; Public Access Areas, Residential Irrigation, and Edible Crops |
| IV | Rapid-rate Land Application Systems (Rapid Infiltration Basins and Absorption Fields) |
| V | Ground Water Recharge and Indirect Potable Reuse |
| VII | Industrial Uses of Reclaimed Water |

VII. Charges for Use of Reclaimed Water

| | |
|------|----------------|
| NRES | Nonresidential |
| RESD | Residential |

VIII. Definitions of Capacity and Flow for Wastewater Treatment Plants and Reuse Systems

WWTP Capacity - The permitted capacity or maximum amount of wastewater that a WWTP can treat.

WWTP Flow - The average annual flow or amount of wastewater that actually flows through a WWTP.

Reuse Capacity - The permitted capacity or maximum amount of reclaimed water that a reuse system can accommodate or distribute.

Reuse Flow - The average annual flow or amount of reclaimed water actually being allocated or distributed to a reuse system or activity.

All capacities and flows are expressed in terms of millions of gallons per day (mgd).